ELSEVIER

Journal of Magnetism and Magnetic Materials 272–276 (2004) xxiii–lxxxix

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Contents

Proceedings of the International Conference on Magnetism (ICM 2003)
Rome, Italy, 27 July–1 August 2003

These proceedings consist of three printed parts and one electronic supplement. The electronic supplement is only available online and on the CD-ROM of these Proceedings. Please note that electronic articles have a separate page run and are presented at the end of their respective chapters with an 'e' preceding their page numbers.

Part I

Foreword xi

Conference organization xv

Sponsors xvii

Magnetism Award of the IUPAP Commission on Magnetism – 2003 xix

The Magnetism Award in 2006 xxi

Magnetism Prize Lectures

H. Ohno
Ferromagnetic semiconductor heterostructures 1

G. Aeppli
The ubiquity of antiferromagnetism in strange solids 7

Chapter 1. Quantum phase fluctuations and non-fermi liquid phenomena

J.C. Loudon, N.D. Mathur and P.A. Midgley
Direct evidence of phase coexistence in $La_{0.5}Ca_{0.5}MnO_3$ 13

G. Alvarez and E. Dagotto
Clustered states as a new paradigm of condensed matter physics 15

R. Zitzler, T. Pruschke and R. Bulla
Itinerant ferromagnetism, phase separation and first-order paramagnetic metal to antiferromagnetic insulator transitions—novel insights to the frustrated Hubbard model 21

P. Estrela, A. de Visser, O. Stockert, K. Grube and H.v. Löhneysen
Thermal expansion of $CeCu_{6-x}Au_x$ 23

K. Kodama, M. Takigawa, M. Horvatić, C. Berthier, H. Kageyama, Y. Ueda, S. Miyahara, F. Becca and F. Mila
Spin superstructure in the $\frac{1}{8}$-magnetization plateau phase of the 2D orthogonal dimer spin system $SrCu_2(BO_3)_2$ 25

J. Flouquet, Y. Haga, P. Haen, D. Braithwaite, G. Knebel, S. Raymond and S. Kambe
Phase diagram of heavy fermion systems 27

Chapter 2. Heavy fermions and Kondo insulators

K. Ghoshray, B. Bandyopadhyay and A. Ghoshray
NMR Studies in grain aligned $CeNiAl_4$: a heavy fermion system 32

N. Tateiwa, A. Nakagawa, T. Iwamoto, T. Kawae, M. Hidaka, K. Takeda and M. Mito
Electrical resistance measurement on a ferromagnetic element Gadolinium under high pressure 34

S. Kimura, T. Nishi, J. Sichelschmidt, V. Voevodin, J. Ferstl, C. Geibel and F. Steglich
Optical conductivity of a non-Fermi-liquid material $YbRh_2Si_2$ 36

T. Saso and H. Harima
Mechanism for opening of energy gap in Kondo insulators with orbital degeneracies 38

M. Deppe, R. Borth, C. Geibel, P. Hinze, N. Oeschler, O. Stockert and F. Steglich
Study of the magnetic order in $CeCu_2(Si_{1-x}Ge_x)_2$: evidence for a critical point at $x = 0.25$ 40

J. Sichelschmidt, V.A. Ivanshin, J. Ferstl, C. Geibel and F. Steglich
Electron spin resonance of the Kondo ion in $YbRh_2Si_2$ 42

E. Faulhaber, O. Stockert, M. Rheinstädter, M. Deppe, C. Geibel, M. Loewenhaupt and F. Steglich
Magnetic structure of the heavy-fermion alloy $CeCu_2(Si_{0.5}Ge_{0.5})_2$ 44

A. Theumann and B. Coqblin
The spin glass–Kondo competition in heavy fermion systems: study of the quantum critical point 46

S.G. Magalhães, A.A. Schmidt, F.M. Zimmer, A. Theumann and B. Coqblin
Antiferromagnetism and spin glass in a Kondo lattice 48

K.H. Kim, N. Harrison, M. Jaime, G.S. Boebinger and J.A. Mydosh
Novel competing orders near the field-induced quantum critical point in URu_2Si_2 50

e This article does not appear in the printed product. It is available in the online supplement and CD-ROM of these Proceedings.

doi:10.1016/S0304-8853(04)00394-4

E. Lengyel, J.L. Sarrao, G. Sparn, F. Steglich and J.D. Thompson
Heat capacity of Ce_2RhIn_8 under hydrostatic pressure 52

J. Larrea J, T. Burghardt, A. Eichler, M.B. Fontes, A.D. Alvarenga and E. Baggio-Saitovitch
Quantum critical point in ferromagnetic Kondo lattice CePt at high pressure 54

A. Mitsuda, T. Ikeno, Y. Nakanuma, T. Kuwai, Y. Isikawa, W. Zhang and K. Yoshimura
Transport properties of $Yb_{0.8}Y_{0.2}InCu_4$ under high pressure 56

M. Matsumura, T. Sasakawa, T. Takabatake, S. Tsuji, H. Tou and M. Sera
^{75}As NQR/NMR study for successive transition below T_K in CeRhAs 58

K. Hachitani, Y. Kohori, R. Giri, C. Sekine and I. Shirotani
Ferromagnetic heavy fermion behavior in filled skutterudite compound $SmFe_4P_{12}$ by ^{31}P-NMR 60

S. Ikeda, T.D. Matsuda, A. Galatanu, E. Yamamoto, Y. Haga and Y. Ōnuki
Single crystal growth and magnetic property of $UNiSb_2$ 62

N. Takeda and M. Ishikawa
Competition between Kondo effect and ferromagnetic interaction in skutterudite $La_{1-x}Sm_xFe_4P_{12}$ 64

T. Cichorek, Z. Henkie, J. Custers, P. Gegenwart and F. Steglich
TLS Kondo effect in structurally disordered ThAsSe 66

T. Kuwai, M. Takeuchi, T. Tsuchiya, Y. Isikawa and T. Fukuhara
Specific heat of $CeNi_2Ge_2$ in wide-range of temperatures 68

Y. Nakanishi, T. Kumagai, M. Oikawa, T. Kanayama, Y. Aoki, H. Sugawara, H. Sato and M. Yoshizawa
Elastic behavior and 4f ground state of Pr ions in $Pr_xLa_{1-x}Fe_4P_{12}$ 70

S. Kikegawa, Y. Amakai, K. Asano, S. Murayama, H. Takano and Y. Obi
Specific heat of amorphous $Mn_{100-x}Ce_x$ alloys 72

P.A. Alekseev, J.-M. Mignot, K.S. Nemkovski, N.Y. Shitsevalova, R.I. Bewley, V.N. Lazukov, E.V. Nefeodova, I.P. Sadikov and N.N. Tiden
Cooperative and local properties in the Kondo insulator YbB_{12} 75

M. Chiao, S.S. Saxena, J.L. Gavilano, D. Rau and H.R. Ott
Tuning of magnetic order in $CePd_2In$ 77

S. Nimori and D.X. Li
High field magnetization and AC susceptibility studies of $Ce_3Rh_2Ge_2$ 79

D.P. Rojas, L.M. da Silva, A.N. Medina, F.G. Gandra, L.P. Cardoso and J.C. Waerenborgh
Magnetic properties of the $U_{1-x}La_xPd_2Ga_3$ series of compounds doi:10.1016/j.jmmm.2003.11.096 e1

M.B. Tchoula Tchokonté, P.d.V. du Plessis and D. Kaczorowski Magnetic and electrical properties of $Ce_8Pd_{24}M_x$ alloys (M = Al, Ga, Ge) doi:10.1016/j.jmmm.2003.11.193 e5

B.K. Cho and J.S. Rhyee
Hall effect and charge carrier density in $Eu_{1-x}Ca_xB_6$ ($x = 0.2, 0.4, 0.6$, and 0.9) doi:10.1016/j.jmmm.2003.11.110 e7

D.P. Rojas, A.N. Medina, L.M. da Silva and F.G. Gandra
Effect of the chemical substitution on the magnetic properties of UGe_2 doi:10.1016/j.jmmm.2003.11.112 e11

B. Fåk, N.H. van Dijk, J.-M. Mignot, T. Charvolin, P. Lejay and J. Flouquet
Localized spin fluctuations in $CePd_2Si_2$ doi:10.1016/j.jmmm.2003.12.1077 e13

S. Sakarya, N.H. van Dijk, A. de Visser and E. Brück
Thermal expansion measurements on a ferromagnetically ordered single-crystal URhGe doi:10.1016/j.jmmm.2003.12.470 e15

T. Takeuchi, A. Thamizhavel, T. Okubo, M. Yamada, Y. Inada, A. Galatanu, E. Yamamoto and Y. Ōnuki
Thermal expansion and magnetostriction in $CeRh_3B_2$ doi:10.1016/j.jmmm.2003.12.1307 e17

S. Kawasaki, T. Mito, Y. Kawasaki, G.-q. Zheng, Y. Kitaoka, D. Aoki, Y. Haga and Y. Onuki
Magnetism and superconductivity near the quantum criticality in $CeRhIn_5$: ^{115}In-NQR study under pressure doi:10.1016/j.jmmm.2003.11.122 e19

D.T. Adroja, J.-G. Park, K.A. McEwen, N. Takeda, M. Ishikawa and J.-Y. So
Study of the hybridization gap in a heavy fermion compound: $CeRu_4Sb_{12}$ doi:10.1016/j.jmmm.2003.11.126 e21

M.N. Kiselev and K.A. Kikoin
Correlations between Kondo clouds in nearly antiferromagnetic Kondo lattices doi:10.1016/j.jmmm.2004.01.024 e23

T. Goto, N.V. Mushnikov, K. Yoshimura and W. Zhang
Pressure effect on the mixed-valence state of $YbInCu_4$ with a valence transition doi:10.1016/j.jmmm.2003.11.127 e25

H. Kotegawa, S. Kawasaki, A. Harada, Y. Kawasaki, K. Okamoto, G.-q. Zheng, Y. Kitaoka, E. Yamamoto, Y. Haga, Y. Ōnuki, K.M. Itoh and E.E. Haller
The microscopic coexistence of superconductivity and ferromagnetism in UGe_2: ^{73}Ge-NMR/NQR study doi:10.1016/j.jmmm.2003.12.410 e27

K. Miyoshi, E. Morikuni, K. Fujiwara and J. Takeuchi
Magnetization, electrical resistivity and specific heat measurements of $Na_xCo_2O_4$ doi:10.1016/j.jmmm.2003.12.489 e29

F. Bourdarot, B. Fåk, K. Habicht and K. Prokeš
Evidence for a hidden order parameter in URu_2Si_2 doi:10.1016/j.jmmm.2003.11.129 e31

I. Sheikin, A. Gröger, S. Raymond, D. Jaccard, D. Aoki, H. Harima and J. Flouquet
High magnetic field study of $CePd_2Si_2$ doi:10.1016/j.jmmm.2003.12.434 e33

T. Suzuki, H. Higaki, I. Ishii, M.S. Kim and T. Takabatake
Anomalous temperature dependence of elastic moduli of CeRhSn doi:10.1016/j.jmmm.2003.11.132 e35

M. Ito, S. Sakamoto, K. Asada, T. Fujita, K. Kojima, K. Hiraoka and T. Suzuki
Specific heat of mixed valence system $YbInCu_4$ under pressure doi:10.1016/j.jmmm.2003.12.658 e37

M. Matsunami, L. Chen, H. Okamura, T. Nanba, C. Sekine and I. Shirotani
Infrared study on the metal–insulator transition in filled skutterudites RRu_4P_{12} (R = Pr, Sm) doi:10.1016/j.jmmm.2003.11.134 e39

M. Matsunami, H. Okamura, T. Nanba, H. Sugawara and H. Sato
Optical properties of the filled skutterudites CeT_4Sb_{12} (T = Fe, Ru, Os) doi:10.1016/j.jmmm.2003.11.137 e41

T. Koyama, T. Mito, S. Wada and J.L. Sarrao
Pressure effect on $YbInCu_4$ investigated with ^{63}Cu NQR doi:10.1016/j.jmmm.2003.11.143 e43

M. Yogi, H. Kotegawa, G.-q. Zheng, Y. Kitaoka, S. Osaki, H. Sugawara and H. Sato
Sb-NQR study of the "Kondo semiconductor" $CeOs_4Sb_{12}$ doi:10.1016/j.jmmm.2003.12.448 e45

T. Mito, T. Koyama, S. Wada, T. Muramatsu, T.C. Kobayashi and J.L. Sarrao
Evidence for the pressure induced magnetic ordering in $YbInCu_4$ doi:10.1016/j.jmmm.2003.11.146 e47

Y. Tokunaga, R.E. Walstedt, S. Kambe, H. Kato, H. Sakai, E. Yamamoto, Y. Haga and Y. Ōnuki
A new method to estimate the nuclear spin–lattice relaxation time of ^{235}U-NMR in uranium intermetallic compounds doi:10.1016/j.jmmm.2004.01.001 e49

H. Okamura, T. Michizawa, M. Matsunami, S. Kimura, T. Nanba, T. Ebihara, F. Iga and T. Takabatake
Optical study of c–f hybridization states in mixed-valent Yb compounds: metallic $YbAl_3$ vs semiconducting YbB_{12} doi:10.1016/j.jmmm.2003.11.151 e51

F.P. Mena, A. Damascelli, D. van der Marel, M. Fath, A.A. Menovsky and J.A. Mydosh
Heavy carriers, non-drude optical conductivity and transfer of spectral weight in MnSi doi:10.1016/j.jmmm.2003.11.154 e53

P. Schlottmann
Nano-scale heavy fermion particles doi:10.1016/j.jmmm.2003.11.396 e57

O.O. Bernal, M.E. Moroz, H.G. Lukefahr, D.E. MacLaughlin, J.A. Mydosh, A.A. Menovsky and C. Ortiz
Ambient-pressure ^{99}Ru NMR in URu_2Si_2: internal-field anisotropy doi:10.1016/j.jmmm.2003.11.159 e59

V.H. Tran, J.C. Griveau, R. Troc, J. Rebizant and F. Wastin
Electron transport studies of UCu_5Al and $U_{1-x}Th_xCu_5Al$ doi:10.1016/j.jmmm.2003.11.162 e61

K. Iwasa, M. Kohgi, M. Braden, J.-M. Mignot, H. Kitazawa and T. Suzuki
Anomalous phonon excitations associated with strong p–f mixing effect of CeSb and CeBi doi:10.1016/j.jmmm.2003.12.1019 e65

K. Prokeš, A. Gukasov, V. Sechovský and A.V. Andreev
Magnetic properties of $UNi_{2/3}Rh_{1/3}Al$ single crystal probed by polarized neutron diffraction doi:10.1016/j.jmmm.2003.12.1233 e67

J. Ferstl, F. Weickert and C. Geibel
Magnetic order of well-localized Yb^{3+} moments in $Yb_4Rh_7Ge_6$ doi:10.1016/j.jmmm.2003.11.167 e71

G. Nakamoto, A. Fuse, M. Kurisu and T. Shigeoka
Low-temperature resistivity and magnetization of a $CeCo_2Si_2$ single crystal doi:10.1016/j.jmmm.2003.11.169 e75

U. Killer, E.-W. Scheidt, S. Kehrein and W. Scherer
Entropy balance analysis of the AFM-region in the phase diagram of $UCu_{5-x}Pd_x$ doi:10.1016/j.jmmm.2003.12.776 e77

N. Kurita, M. Hedo, Y. Uwatoko, M. Kobayashi, H. Sugawara, H. Sato and N. Môri
Pressure-dependent electrical resistivity of the filled skutterudite compound $CeRu_4Sb_{12}$ doi:10.1016/j.jmmm.2003.11.173 e81

T. Ebihara, Y. Uwatoko and N. Mohri
Electrical resistivity in Ce_3Al_{11} under high pressure doi:10.1016/j.jmmm.2003.11.182 e83

T. Nakano, A. Isoda, M. Hedo, Y. Uwatoko and S. Murayama
Resistivity of $Ce(Ru_{1-x}Rh_x)_2Si_2$ under pressure doi:10.1016/j.jmmm.2003.11.314 e85

Y. Tokiwa, P. Gegenwart, F. Weickert, R. Küchler, J. Custers, J. Ferstl, C. Geibel and F. Steglich
Suppression of the Kondo state in $YbRh_2Si_2$ by large magnetic fields doi:10.1016/j.jmmm.2003.12.398 e87

A.P. Pikul, Z. Bukowski, J. Stępień–Damm and D. Kaczorowski
Single crystal study on a novel Kondo compound $Ce_6Pt_{11}In_{14}$ doi:10.1016/j.jmmm.2003.12.565 e89

N. Metoki, K. Kaneko, S. Araki, M. Kohgi, K. Iwasa, K. Kuwahara, N. Bernhoeft, J.M. Mignot, A. Gukasov, H. Sato, Y. Aoki and H. Sugawara
Neutron scattering study on the field-induced anti-ferro-quadrupolar ordering in the heavy fermion

superconductor $PrOs_4Sb_{12}$ doi:10.1016/j.jmmm.2003.11.315 e91

M. Nakayama, N. Kimura, H. Aoki, C. Terakura, T. Terashima, S. Uji and A. Ochiai
Fermi surfaces of LaX (X = S, Se, Te) doi:10.1016/j.jmmm.2003.12.634 e93

M.D. Núñez-Regueiro, B. Coqblin and J.R. Iglesias
The underscreened Kondo lattice model: application to uranium compounds doi:10.1016/j.jmmm.2003.11.201 e95

Z. Kletowski, J. Mucha, H. Misiorek, Y. Onuki and B. Coqblin
Evidence of Kondo effect in thermal conductivity of $PrSn_3$ doi:10.1016/j.jmmm.2003.11.204 e97

S. Yoshii, K. Kindo, K. Katoh, Y. Niide and A. Ochiai
Magnetic properties of the heavy fermion antiferromagnet YbPtIn doi:10.1016/j.jmmm.2004.01.002 e99

S.-W. Han, C.H. Booth, E.D. Bauer, P.H. Huang, Y.Y. Chen and J.M. Lawrence
Disorder-induced Kondo behavior in nanostructured $CeAl_2$ doi:10.1016/j.jmmm.2003.11.208 e101

H. Johannesson, N. Andrei and C.J. Bolech
Conformal field theory approach to the two-channel Anderson model doi:10.1016/j.jmmm.2003.12.1232 e103

K. Petukhov, P. Weber and M. Dressel
Loss of coherence in $Ce_{1-x}La_xPd_3$ studied by high-frequency transport doi:10.1016/j.jmmm.2003.11.212 e105

J.J. Préjean, E. Lhotel, A. Sulpice, F. Hippert, V. Simonet and C. Berger
Moment formation, Kondo and RKKY interactions in Al–Pd–Mn quasicrystals doi:10.1016/j.jmmm.2003.12.555 e107

K. Koyama, T. Nakano, M. Hedo, Y. Uwatoko and S. Murayama
Pressure effect and temperature dependence of lattice constants for $Ce(Ru_{0.85}Rh_{0.15})_2Si_2$ doi:10.1016/j.jmmm.2003.11.217 e109

M. Nicklas, N.O. Moreno, H.A. Borges, E.D. Bauer, J.L. Sarrao and J.D. Thompson
Effect of pressure on the ferromagnetic compound $CeCu_2Ga_2$ doi:10.1016/j.jmmm.2003.12.518 e111

R. Viennois, D. Ravot, F. Terki, C. Hernandez, S. Charar, P. Haen, S. Paschen and F. Steglich
Kondo effect, crystalline electric fields and itinerant magnetism in antimony-based filled skutterudites doi:10.1016/j.jmmm.2003.11.220 e113

H. Sugawara, M. Kobayashi, E. Kuramochi, S. Osaki, S. R. Saha, T. Namiki, Y. Aoki and H. Sato
High field magnetoresistance in $CeOs_4Sb_{12}$ doi:10.1016/j.jmmm.2003.12.711 e115

B. Janoušová, V. Sechovský, A.H. Lacerda and T. Komatsubara
Magnetic properties of single-crystalline $CePt_{0.75}Pd_{0.25}Sn$ doi:10.1016/j.jmmm.2004.01.003 e117

G. Zwicknagl
3 = 2 + 1: Partial localization, the dual character of 5f electrons and heavy fermions in U compounds doi:10.1016/j.jmmm.2003.11.223 e119

M. Nakayama, T. Ito, H. Kumigashira, H. Matsui, H. Komatsu, T. Takahashi, H. Aoki and A. Ochiai
Ultrahigh-resolution angle-resolved photoemission study of LaX (X = S, Se, Te) doi:10.1016/j.jmmm.2003.12.1254 e121

C.R. Rotundu, D. Mixson, G.R. Stewart and B. Andraka
Specific heat of $U_{1-x}Y_xRu_2Si_2$; $0 \leqslant x \leqslant 0.5$: search for a hidden order doi:10.1016/j.jmmm.2003.11.227 e123

M. Winkelmann, G. Fischer and E. Dormann
Transferred hyperfine fields in the heavy-fermion compound $CeCu_{6-x}Au_x$ doi:10.1016/j.jmmm.2003.11.229 e125

Chapter 3. Strongly correlated semiconductors and insulators

M.T. Causa, H. Aliaga, D. Vega, M. Tovar, B. Alascio, H.R. Salva and E. Winkler
Structural, electric, and magnetic study of $Y_{0.5}Ca_{0.5}MnO_3$ 81

Y. Kobayashi, T. Nakajima and K. Asai
Magnetic and transport properties in $La_{1-x}Pr_xCoO_3$ single crystals 83

H.C. Ku, C.T. Chen and B.N. Lin
A-type antiferromagnetic order, 2D ferromagnetic fluctuation and orbital order in stoichiometric $La_{1-x}Eu_xMnO_3$ 85

A. Yamamoto, T. Mito, S. Wada, R.A. Fisher, N.E. Phillips, Z.-P. Wang and D.C. Johnston
Magnetic properties of cluster-spins in $BaCuO_{2.00}$ and $BaCuO_{2.14}$, investigated by magnetization and NMR measurements 88

M. Itoh, T. Kiyama, K. Kodama and J. Akimitsu
Orbital ordering in $YTiO_3$:Ti NMR in a single crystal 90

A. Weiße and H. Fehske
Lattice and superexchange effects in doped CMR manganites 92

K. Kudo, Y. Koike, S. Kurogi, T. Noji, T. Nishizaki and N. Kobayashi
Magnon thermal conductivity in the spin-gap state and the antiferromagnetically ordered state of low-dimensional copper oxides 94

A.A. Mukhin, V.Y. Ivanov, V.D. Travkin, A.S. Prokhorov, A.M. Balbashov, J. Hemberger and A. Loidl
Effect of rare-earth ions on magnetic properties and spin excitations in manganites 96

A.V. Korolyov, V.E. Arkhipov, V.S. Gaviko, M.I. Kurkin, T.P. Lapina and Y.M. Mukovskii
Anisotropy of magnetic properties in $LaMnO_3$ single crystals 98

T. Kawae, K. Yurue, K. Kinoshita, N. Tateiwa, K. Takeda and T. Kitai
Low-temperature properties of the dilute quadrupolar system $Pr_xLa_{1-x}Pb_3$ 100

Y. Yoshida, S.I. Ikeda, N. Shirakawa, I. Nagai, N. Hamaguchi and N. Wada
Low-temperature properties below 1 K of single crystalline $Sr_3Ru_2O_7$ 102

Y. Fujine, H. Fujishiro, K. Suzuki, Y. Kashiwada and M. Ikebe
Magnetism and thermoelectricity in $La_{0.8}Sr_{0.2}Co_{1-z}M_zO_3$ (M:3d transition metal) 104

C. Mazzoli, G. Allodi, G. Guidi, R. De Renzi and P. Ghigna
NMR-NQR of orbitally ordered $KCuF_3$ 106

A. Sidorenko, G. Allodi, M. Cestelli Guidi and R. De Renzi
Comparison of ^{55}Mn NMR, μSR and neutron diffraction in $LaMnO_3$ 108

A. Suter, J.-P. Locquet, E. Morenzoni, T. Prokscha, D.G. Eshchenko, N. Garifianov, R. Khasanov, H. Luetkens and J.W. Seo
Antiferromagnetic transition in epitaxial strained La_2CuO_4 thin films 110

M. Corti, S. Aldrovandi, M. Fanciulli and F. Tabak
High-temperature correlated spin dynamics in FeSi from ^{29}Si NMR relaxation 112

T. Nakano, D. Kiniwa, Y. Ikemoto and Y. Nozue
Spin-cant model of ferromagnetism in potassium clusters incorporated in zeolite LTA 114

D. Kiniwa, T. Nakano, F.L. Pratt, I. Watanabe, Y. Ikemoto and Y. Nozue
μSR study of ferromagnetism in potassium clusters incorporated in zeolite LTA 117

T. Zając, L. Folcik, A. Kołodziejczyk, H. Drulis, K. Krop and G. Gritzner
Electron spin resonance in iron-substituted manganites $La_{0.67}Ca_{0.33}Mn_{1-x}Fe_xO_3$ 120

G.M. Stocks, W.M. Temmerman, Z. Szotek, A. Svane, D. Ködderitzsch and H. Winter
LSD-SIC studies of localization in the 4d-transition metal oxides Sr_2RuO_4 and Ca_2RuO_4 122

C.H. Patterson and G. Zheng
Spin polaron electronic structure of $La_{0.5}Ca_{0.5}MnO_3$: UHF and CI calculations 124

S. Morimoto, K. Kuzushita and S. Nasu
Mössbauer study of charge disproportionate $BaFeO_{3-y}$ and $Ba_{0.9}Sr_{0.1}FeO_{3-y}$ with 6H-perovskite structure 127

D. Menzel, D. Zur and J. Schoenes
Ultraviolet photoemission spectroscopic and magnetic properties of $Fe_{1-x}Co_xSi$ single crystals 130

N.B. Perkins, S. Di Matteo and G. Jackeli
An effective spin–orbital Hamiltonian for Sr_2FeWO_6 132

Chapter 4. Superconductivity

S. Caprara, C. Di Castro and M. Grilli
Collective transport and optical absorption near the stripe criticality 134

J. Lorenzana and G. Seibold
Dynamical and static properties of stripes in cuprates 136

A. Parola, F. Becca, L. Capriotti and S. Sorella
Projected-BCS wave functions for resonating valence bond spin liquids 138

A.D. Bianchi, R. Movshovich, C. Capan, A.H. Lacerda, P.G. Pagliuso and J.L. Sarrao
FFLO superconducting state in $CeCoIn_5$ 140

S. Sanna, G. Allodi and R. De Renzi
Magnetism and superconductivity in $YBa_2Cu_3O_{6.41}$ 142

K. Izawa, Y. Nakajima, J. Goryo, Y. Matsuda, S. Osaki, H. Sugawara, H. Sato, P. Thalmeier and K. Maki
Observation of a symmetry change in the gap function in heavy-fermion superconductor $PrOs_4Sb_{12}$ 144

M. Hedo, N. Kurita, Y. Uwatoko, G. Chen, S. Ohara and I. Sakamoto
Superconducting properties of new heavy fermion superconductor Ce_2CoIn_8 146

L.H.C.M. Nunes, M.S. Figueira and E.V.L. de Melllo
Heavy fermion d-wave superconductivity: an X-boson approach 148

R. Bernard, J.H. Pommereau, C. Gadois, S. Berger, D.G. Crété, J. Briatico, J.-P. Contour, O. Durand and J.-L. Maurice
Evidence of multiple pinning mechanisms in high-T_C superconducting thin films by AC susceptibility measurements 150

J. Kreitlow, D. Baabe, A.U.B. Wolter, S. Süllow, F.J. Litterst, D.J. Price and H.-H. Klauss
Mössbauer studies on the Fe(II) oxalate spin ladder $Na_2Fe_2(C_2O_4)_3(H_2O)_2$ 152

J.-C. Griveau, C. Pfleiderer, P. Boulet, J. Rebizant and F. Wastin
Pressure dependence of the superconductivity in $PuCoGa_5$ 154

A. Andreone, G.M. De Luca, E. Di Gennaro, G. Lamura, M. Salluzzo and R. Vaglio
Magnetic penetration depth in epitaxial Nd-doped $R(Nd_xBa_{2-x})Cu_3O_7$ (R = Y and Nd) films 156

J.P. Brison, N. Luchier, A. Sulpice, H. Suderow, P. Martinez-Samper, S. Vieira, A.I. Buzdin and P.C. Canfield
Anisotropic superconductivity in borocarbide superconductors and spin disorder 158

K. Maki, P. Thalmeier and H. Won
Quasiparticle transport in vortex state of borocarbides YNi_2B_2C 160

C. Mennerich, D. Baabe, D. Mienert, F.J. Litterst, P. Adelmann and H.-H. Klauss
Susceptibility studies of the electron-doped high-T_C superconductors $Nd_{2-x}Ce_xCuO_4$ and $Pr_{2-x}Ce_xCuO_4$ 162

K.H. Lee, K.H. Kang, B.J. Mean, Moohee Lee and B.K. Cho
Penetration depth and H_{c2} anisotropy of MgB_2 by ^{11}B NMR 165

K.H. Lee, K.H. Kang, B.J. Mean, M. Lee and B.K. Cho
NMR study of vortex dynamics in $LuNi_2B_2C$ 167

K.H. Lee, K.H. Kang, B.J. Mean, C.Y. Kwak, M. Lee and J.S. Cho
Local field distribution and NMR line shape in YNi_2B_2C 169

M. Kato, M. Ako, M. Machida, T. Koyama and T. Ishida
Structure of magnetic flux in nano-scaled superconductors 171

H. Tsujii, C.R. Rotundu, Y. Takano, B. Andraka, Y. Aoki, H. Sugawara and H. Sato
Specific heat of $PrOs_4Sb_{12}$ in magnetic fields 173

A. Llobet, W. Bao, N.O. Moreno, P.G. Pagliuso, J.L. Sarrao, J.D. Thompson, K. Prokes and J.-M. Mignot
Interplay between magnetism and superconductivity in $CeMIn_5$ heavy fermion 175

K.H. Lee, K.H. Kang, B.J. Mean, M. Lee and B.K. Cho
^{11}B NMR study of $HoNi_2B_2C$ 177

E. Lhotel, C. Paulsen and A.D. Huxley
Avalanches in UGe_2 179

I.A. Larionov and M.V. Eremin
Microscopic origin of $\frac{1}{8}$ anomaly in $La_{2-x-y} \times (Nd, Eu)_y(Ba, Sr)_xCuO_4$ 181

T. Yanagisawa, M. Miyazaki and K. Yamaji
Spin-charge inhomogeneity, spin–orbit and lattice distortions in doped cuprates 183

F. Cordero, A. Paolone and R. Cantelli
Cluster spin glass phase and charge stripe fluctuations in the high-T_c superconductor $La_{2-x}Sr_xCuO_4$ 185

K. Betsuyaku and H. Harima
Electronic structure and electric field gradient of RIn_3 and $RTIn_5$ (R = La and Ce, T = Co, Rh and Ir) 187

Y. Kohori, H. Saito, Y. Kobayashi, H. Taira, Y. Iwamoto, T. Kohara, T. Matsumoto, E.D. Bauer, M.B. Maple and J.L. Sarrao
^{115} In NQR study of superconducting $CeCoIn_5$ under high pressure 189

H. Won, S. Haas and K. Maki
Fulde–Ferrell–Larkin–Ovchinnikov state in d-wave superconductors 191

A.A. Shashkin, M. Rahimi, S. Anissimova, S.V. Kravchenko, V.T. Dolgopolov and T.M. Klapwijk
Sharply increasing spin susceptibility near the metal–insulator transition in a two-dimensional electron system doi:10.1016/j.jmmm.2003.11.080 e127

M. Capone, M. Fabrizio, C. Castellani and E. Tosatti
Enhancement of superconductivity close to a Mott transition doi:10.1016/j.jmmm.2003.12.657 e133

N. Harrison, M. Jaime and J.A. Mydosh
Metamagnetism and quantum criticality in URu_2Si_2 doi:10.1016/j.jmmm.2003.11.082 e135

E. Pugh, M. J. Steiner, D. Forsythe, R. Walker, S. S. Saxena, S. R. Julian, G. G. Lonzarich, A. P. Mackenzie, S. NishiZaki and Y. Maeno
Resistivity measurements on Sr_2RuO_4 under pressure doi:10.1016/j.jmmm.2003.12.1229 e137

S. Agrestini, N.L. Saini, E. Amato, M. Filippi, D. Di Castro, G. Campi, P. Manfrinetti, A. Palenzona and A. Bianconi
Key role of local structure in the anomalous superconductivity of the $Ce_{1-x}La_xRu_2$ system doi:10.1016/j.jmmm.2003.11.085 e139

P. Giudicelli, B. Roessli, A. Stunault, J. Ollivier, A. Amato, H. Sugawara and N. Bernhoeft
Low energy magnetic excitations in superconducting $YbSnPd_2$ doi:10.1016/j.jmmm.2003.11.086 e141

M. Beleggia, G. Pozzi and A. Tonomura
Modeling superconducting vortices in high-T_c materials for TEM observations doi:10.1016/j.jmmm.2003.12.715 e143

S. Lee, H. Won, H.-Y. Chen, Q. Yuan, K. Maki and P. Thalmeier
Evolution of nodal superconductivity in borocarbides YNi_2B_2C with impurity scattering doi:10.1016/j.jmmm.2003.11.389 e145

P. Tedesco, A. Lascialfari, A. Rigamonti, I. Zucca, A. Vecchione, M. Gombos, S. Pace, M. Ferretti, M.R. Cimberle and M. Horvatic
Cu NMR spectra and relaxation in rutheno-cuprate $RuSr_2GdCu_2O_8$ doi:10.1016/j.jmmm.2003.11.088 e147

N. Shirakawa, H. Horinouchi and Y. Yoshida
Measuring Sr_2RuO_4 down to 0.5 K with a commercial SQUID magnetometer combined with ^{3}He refrigeration doi:10.1016/j.jmmm.2003.12.716 e149

T. Nishioka, G. Motoyama and N.K. Sato
On staircase like magnetization curve of UGe_2 doi:10.1016/j.jmmm.2003.12.995 e151

T. Suzuki, T. Goto, H. Goka, M. Fujita and K. Yamada
Inhomogeneous superconductivity probed through the elastic constant of the vortex lattice in $La_{1.93}Sr_{0.07}CuO_4$ doi:10.1016/j.jmmm.2003.11.090 e153

A. Lascialfari, T. Mishonov, A. Rigamonti, I. Zucca, G. Behr, W. Loser and S.L. Drechsler
Precursor diamagnetism above the bulk transition in YNi_2B_2C doi:10.1016/j.jmmm.2003.11.093 e155

E. Alleno, M. Talhaoui and C. Godart
Magnetic and superconducting behaviour of $Er_{1-x}Tb_xNi_2B_2C_{1.02}$ and $Er_{1-x}Tb_xNi_2B_2C_{0.98}$ doi:10.1016/j.jmmm.2003.12.1135 e159

T. Cichorek, A.C. Mota, J.S. Kim and G.R. Stewart
Vortex dynamics in UBe_{13} doi:10.1016/j.jmmm.2003.12.1151 e161

M. Jourdan, A. Zakharov, M. Foerster and H. Adrian
Preparation of thin films of the heavy fermion superconductor UNi_2Al_3 doi:10.1016/j.jmmm.2003.11.095 e163

M. Kobayashi, H. Sugawara, S.R. Saha, T. Namiki, H. Fujiwara, Y. Aoki and H. Sato
Flux-flow resistivity in the heavy fermion superconductor $PrOs_4Sb_{12}$ doi:10.1016/j.jmmm.2003.12.1237 e165

T. Kawashima and E. Takayama-Muromachi
Ferromagnetism and superconductivity of ruthenate-cuprates $RuSr_2RECu_2O_8$ (RE = Y and Er) prepared under high pressure doi:10.1016/j.jmmm.2003.11.387 e167

D. Matsunaka, H. Kasai, W. Agerico Diño and H. Nakanishi
Influence of nonmagnetic impurities on spin correlations in high-T_c superconductors doi:10.1016/j.jmmm.2003.12.1096 e169

E. Yamamoto, Y. Haga, T.D. Matsuda, S. Ikeda, Y. Inada, R. Settai and Y. Ōnuki
High-quality single crystal growth of UGe_2 and URhGe doi:10.1016/j.jmmm.2003.12.1083 e171

Y. Yamada, H. Hamada, M. Shimada, S. Kubo and A. Matsushita
Pressure effects on the superconductivity and magnetization in $(Ru_{1-x}M_x)Sr_2GdCu_2O_8$ (M = Nb, V) doi:10.1016/j.jmmm.2003.11.101 e173

M. Koeda, M. Hedo, Y. Uwatoko, T. Matsumoto, N. Takeda and M. Ishikawa
Effect of pressure on the electrical resistivity of $CeCu_2Si_2$ doi:10.1016/j.jmmm.2003.11.103 e175

J. Jensen and P. Hedegård
Free energy analysis of the magnetic and superconducting phases in thulium borocarbide doi:10.1016/j.jmmm.2003.12.1174 e177

A. Amira, M.F. Mosbah, A. Leblanc, P. Molinié and B. Corraze
Structural and magnetic properties of superconducting ceramics $Y_{0.7}Ca_{0.3}Ba_2Cu_3O_yF_x$: effect of fluorine addition doi:10.1016/j.jmmm.2003.11.105 e179

T. Tayama, T. Sakakibara, H. Sugawara, Y. Aoki and H. Sato
Magnetization study of the heavy fermion superconductor $PrOs_4Sb_{12}$ doi:10.1016/j.jmmm.2003.12.710 e183

A. Kobayashi, A. Tsuruta, T. Matsuura and Y. Kuroda
Origins of electron–hole asymmetry in cuprate superconductors doi:10.1016/j.jmmm.2003.12.1141 e187

K. Kakuyanagi, K. Kumagai, Y. Matsuda and M. Hasegawa
Magnetic field-induced antiferromagnetism in the vortex core of HTSC studied by spatially resolved NMR doi:10.1016/j.jmmm.2003.11.106 e189

T. Hotta and K. Ueda
Microscopic approach to exotic superconductivity in f-electron systems doi:10.1016/j.jmmm.2003.11.108 e191

J. Hori, S. Iwata, H. Kurisaki, F. Nakamura, T. Fujita and T. Suzuki
Superconductivity in under-doped $La_{2-x}Sr_xCuO_4$ under pressure doi:10.1016/j.jmmm.2003.12.512 e193

G. Goll, F. Laube, M. Eschrig, M. Fogelström, R. Werner, H.v. Löhneysen and F. Lichtenberg
Investigation of Sr_2RuO_4–Pt contacts in an applied magnetic field doi:10.1016/j.jmmm.2003.11.109 e197

Chapter 5. Statistical mechanics, phase transitions and critical phenomena

C. Yasuda, A. Tanaka and X. Hu
Quantum Monte Carlo study of fluctuating charge stripes in high-T_c superconductors 193

C. Rüegg, N. Cavadini, A. Furrer, K. Krämer, H.-U. Güdel, P. Vorderwisch, K. Habicht, H. Mutka and A. Wildes
Spin dynamics in the BEC phase of the $S=1/2$ quantum spin system $TlCuCl_3$ 195

Y. Tabata, T. Taniguchi, K. Yamanaka and S. Kawarazaki
Field effect on the non-Fermi liquid in $Ce(Ru_{0.5}Rh_{0.5})_2Si_2$ as studied by specific heat measurements 197

S. Tsutsui, Y. Kobayashi, Y. Yoda, M. Seto, K. Indoh and H. Onodera
^{149}Sm nuclear resonant scattering of SmB_2C_2 199

T. Naka, A. Matsushita, T. Matsumoto, R. Settai and Y. Ōnuki
Magnetic anisotropy in the pressure-induced phase of the orthorhombic $PrCu_2$ 201

H.Y. Shik, W.Y. Chen and H.Q. Lin
Quantum phase transition in double triangular layer 203

H. Yabuta, K. Hiraoka, Y. Miura, K. Kojima and S. Tomiyoshi
^{115}In NMR study of $YbInNi_4$ 205

A.M. Strydom, G. Bonfait, I. Catarino, L. Pereira and P. de V. du Plessis
Magnetic field dependence of the non-Fermi-liquid state in ferromagnetic $CePd_{1-x}Ni_x$ 207

M. Reiffers, B. Idzikowski, S. Ilkovič, A. Zorkovská, J. Šebek and K.H. Müller
Point-contact properties of cubic $YbCu_5$ prepared by melt spinning technique 209

P. Carretta, M. Giovannini, N. Papinutto and A. Rigamonti
Magnetic field effect at the quantum critical point in $CeCu_{6-x}Au_x$ from Cu NQR–NMR relaxation 211

K. Kudo, M. Yamazaki, T. Kawamata, T. Noji, Y. Koike, T. Nishizaki, N. Kobayashi and H. Tanaka
Thermal conductivity in the Bose–Einstein condensed state of $TlCuCl_3$ 214

H. Takahashi, Y. Motegi, R. Tsuchigane and M. Hasegawa
Pressure effect on the antiferromagnetic transition temperature in $CuFeO_2$ 216

Y. Ajiro, Y. Inagaki, T. Asano, H. Mitamura and T. Goto
Quantum phase transition of dimerized $Cs_3Cr_2X_9$ (X = Cl, Br, I) 218

A. Ivanov and D. Petitgrand
Critical scattering in a quasi-two-dimensional antiferromagnet 220

R. Settai, T. Kubo, H. Shishido, T.C. Kobayashi and Y. Ōnuki
A change of the Fermi surface in $CeIn_3$ under pressure 223

H. Shishido, R. Settai, S. Hashimoto, Y. Inada and Y. Ōnuki
De Hass van Alphen effect of $CeRhIn_5$ and $CeCoIn_5$ under pressure 225

H. Michor, E. Bauer, C. Dusek, G. Hilscher, P. Rogl, B. Chevalier, J. Etourneau, G. Giester, U. Killer and E.-W. Scheidt
Heavy-fermion quantum critical point behavior in $CeNi_9Ge_4$ 227

R. Küchler, F. Weickert, P. Gegenwart, N. Oeschler, J. Ferstl, C. Geibel and F. Steglich
Low-temperature thermal expansion and magnetostriction of $YbRh_2(Si_{1-x}Ge_x)_2$ ($x = 0$ and 0.05) 229

M.A. Continentino
Local criticality close to a quantum Lifshitz point 231

A. Ślebarski, K. Grube, R. Lortz, C. Meingast and H.v. Löhneysen
Thermal and magnetic properties of CeRhSn 234

E. Bauer, G. Hilscher, H. Michor, C. Paul, Y. Aoki, H. Sato, M. Giovannini and A. Saccone
Evolution of ground state properties in novel $Yb_2Pd_2In_{1-x}Sn_x$ 237

D. Kaczorowski, O. Tougait, A. Czopnik, C. Marucha and H. Noël
Non-Fermi liquid behavior in $Ce_2Co_6Al_{19}$ 239

M. Uhlarz, C. Pfleiderer and S.M. Hayden
Quantum criticality puzzle of $ZrZn_2$ 242

C.P. Opeil, A. de Visser, M.J. Naughton and M.J. Graf
Crossover from anomalous to conventional antiferromagnetism in Pd-doped UPt_3 studied via cantilever magnetometry 244

C.D. Ling, E. Granado, J.J. Neumeier, J.W. Lynn and D.N. Argyriou
Magnetic inhomogeneities in electron-doped $Ca_{1-x}La_xMnO_3$ 246

E. Machado and G.M. Buendía
Mixed Ising models with two compensation temperatures 249

K.Y. Guslienko, O. Chubykalo, J.D. Hannay and R.W. Chantrell
Consistency of thermal activation model based on the stochastic Landau–Lifshitz equation and classical spin-wave description 251

S.F. Fischer, S.N. Kaul and H. Kronmüller
Critical exponents from the field-dependent AC susceptibility of Cr_3Fe single crystals 254

H. Takayama
Aging phenomena in spin glasses: theory, experiment, and simulation 256

L. Capriotti and F. Becca
Ground state of coupled spin-half ladders 261

M. Ohashi, H. Akiyama, G. Oomi, B.K. Cho and P.C. Canfield
Quantum-phase transition in $HoNi_2B_2C$ tuned by a magnetic field 263

Chapter 6. Spin dynamics and relaxation

A.T. Boothroyd, P.G. Freeman, D. Prabhakaran, H. Woo, K. Nakajima, J.M. Tranquada, K. Yamada and C.D. Frost
Spin excitations in stripe-ordered $La_{2-x}Sr_xNiO_4$ ($x = 0.275$ and $\frac{1}{3}$) 265

Masashige Matsumoto, B. Normand, T.M. Rice and M. Sigrist
Magnon dispersion in field-induced magnetically ordered phases 267

H. Hori and S. Yamamoto
Spinless fermions versus spin waves in describing antiferromagnetic Heisenberg ladders 269

U. Krey
On the significance of quantum effects and interactions for the apparent universality of Bloch laws for $M_s(T)$ 271

D.C. Crew, R.L. Stamps, H.Y. Liu, Z.K. Wang, M.H. Kuok, S.C. Ng, K. Barmak, J. Kim and L.H. Lewis
Spin wave excitations in exchange spring Co/CoPt thin film bilayers 273

E. Meloche, M.G. Cottam and D.J. Lockwood
Two-magnon Raman scattering in the antiferromagnet CoF_2: theory and experiment 275

D. Jarzyńska, A. Sukiennicki and L. Wojtczak
Non-linear dynamics and deterministic chaos for periodically driven Bloch walls 278

M.E. Foglio and G.E. Barberis
Static and dynamic conductivity for a model of $Tl_2Mn_2O_7$ 280

R. Matysiak, G. Kamieniarz, P. Gegenwart and F. Steglich
Antiferromagnetic interactions in the semimetallic Yb_4As_3: field-dependent specific heat and magnetization data 282

Md. Ashrafuzzaman and H. Beck
Vortex dynamics in dilute two-dimensional Josephson junction arrays 284

C.I. Ventura and M. Acquarone
Spin dynamics of CMR pyrochlore $Tl_2Mn_2O_7$ 286

M. Yamamoto, S. Noguchi, S. Kawamata, M. Nakayama and T. Ishida
Observation of depolarization peak at 34 GHz accompanying the charge ordering transition in $Pr_{0.5}Ca_{0.5}MnO_{3-\delta}$ 288

G. Counil, J-V. Kim, K. Shigeto, Y. Otani, T. Devolder, P. Crozat, H. Hurdequint and C. Chappert
Inductive measurement of the high frequency permeability of a Permalloy thin film 290

Y. Ando, H. Nakamura, S. Mizukami, H. Kubota and T. Miyazaki
Time-resolved magnetization precession and reversal dynamics investigated using tunneling current and Kerr effect 293

C.I. Ventura and B. Alascio
Dimer formation in half-doped manganites 295

A. Vindigni, L. Bogani, D. Gatteschi, R. Sessoli, A. Rettori and M.A. Novak
Finite size effects on the experimental observables of the Glauber model: a theoretical and experimental investigation 297

F.G. Aliev, C. van Haesendonck and R. Villar
Non equilibrium magnetization in antiferromagnetically coupled $[>Fe/Cr]_{10}$ multilayers on large time scales 299

V.V. Kruglyak and A.N. Kuchko
Damping of spin waves in a real magnonic crystal 302

L. Udvardi, L. Szunyogh, K. Palotás and P. Weinberger
First principles fully relativistic study on low energy magnetic excitations of thin films 304

Chapter 7. Electronic structure and magnetic interactions

X. Zuo, B. Barbiellini and C. Vittoria
Calculation of exchange constants in manganese ferrite ($MnFe_2O_4$) 306

P. Mohn, I. Turek and S. Khmelevskyi
Effects of alloying on electronic structure and magnetism of $Y(Co_{1-x}M_x)_2$ (M = Al, Si, Fe, Cu) compounds 312

S. Picozzi, A. Continenza and A.J. Freeman
Role of Mn antisite defects on half-metallicity in Co_2MnSi Heusler alloy 315

P. Poulopoulos, F. Wilhelm, Z. Li, A. Scherz, H. Wende, K. Baberschke, M. Angelakeris, N.K. Flevaris, A. Rogalev and N.B. Brookes
Element-specific hysteresis loops and the anisotropy of the orbital moment of Pt in Ni/Pt multilayers 317

F. Bartolomé, J. Herrero-Albillos, L.M. García, A.T. Young, T. Funk, N. Plugaru and E. Arenholz
Orbital moment at the Curie temperature in $ErCo_2$ 319

S.M. Rezende, A. Azevedo, F.M. de Aguiar, M.A. Lucena, J.R. Fermin and S.S.P. Parkin
Experimental test of macroscopic models for exchange anisotropy in FM/AF bilayers 321

H. Kępa, P. Sankowski, P. Kacman, A.Y. Sipatov, C.F. Majkrzak and T.M. Giebultowicz
Antiferromagnetic interlayer coupling in EuS/YbSe superlattices 323

A. Hochstrat, Ch. Binek, X. Chen and W. Kleemann
Extrinsic control of the exchange bias 325

M. El-Hilo, I. Bsoul, A. Rousan and A. Hudeish
Interactions effects in granular powder systems 327

S.V. Maleyev and V.P. Plakhty
Quantum criticality of antiferromagnets in inclined magnetic field 330

A.N. Bogdanov, U.K. Rößler, M. Wolf and K.-H. Müller
Modulated and localized structures in chiral antiferromagnets with weak ferromagnetism 332

R. Pugh, G.J. Tomka, R. Ireland and O. Thomas
Interactions in bonded soft magnetic particle multilayers 335

I. Ardelean, R. Ciceo-Lucacel and S. Filip
EPR and magnetic investigations of copper ions in $2B_2O_3 \cdot As_2O_3$ glass matrix 337

I. Ardelean, M. Toderas and S. Filip
Influence of melting temperature on iron ions behavior in B_2O_3–BaO–Fe_2O_3 glasses studied by magnetic susceptibility 339

U. Köbler and A. Hoser
Universal temperature dependence of the magnetic excitations 342

M. Shirai, M. Seike, K. Sato and H. Katayama-Yoshida
Theoretical study on anti-site defects in half-metallic zinc-blende ferromagnets 344

K. Kikoin, O. Entin-Wohlman, V. Fleurov and A. Aharony
Spin order and orbital disorder in $LaTiO_3$ 346

V. Kuncser, W. Keune, B. Sahoo, E. Duman, M. Acet, F. Radu, M. Valeanu, O. Crisan and G. Filoti
Magnetic interactions and spin configuration in FeRh and Fe/FeRh systems 348

M.A. Boselli, I.C.d. Cunha Lima and A. Ghazali
Effect of spin-polarized subbands in the inhomogeneous hole gas providing the indirect exchange in GaMnAs bilayers 351

M. Fiebig, A.V. Goltsev, T. Lottermoser and R.V. Pisarev
Structure and interaction of domain walls in $YMnO_3$ 353

J. Sort, F. Garcia, B. Rodmacq, S. Auffret and B. Dieny
Enhancement of exchange bias through a non-magnetic spacer 355

B. Sampedro, C. Gómez-Polo and A. Hernando
Influence of the structural disorder on the paramagnetic susceptibility of Pd 357

K. Kiefer and M. Enderle
Phase diagram and tetracritical behaviour of $CsVBr_3$ 359

A.N. Bazhan
Magnetic anisotropy of Nd_2CuO_4 induced by magnetic field 361

I.I. Davidenko and A.J. Al-Kadhimi
Magnetic gratings in garnets in spatially periodic effective and real magnetic field 363

N. Magnani, S. Carretta, E. Liviotti and G. Amoretti
High-order J-mixing corrections to the generalized linear theory of magnetic anisotropy 365

K. Hense, E. Gratz, H. Nowotny, M. Loewenhaupt and A. Hoser
Crystal electric field–phonon interaction in $NdCu_2$ 368

D.H. Wei, C.C. Yu, H.M. Duh, Y.D. Yao, J.H. Chien and T.S. Chin
Exchange anisotropy in $PtMn/Ni_{80}Fe_{20}$ films on MgO(1 1 0) 370

H. Ishida, T. Matsumura and K. Shibata
Appearance of the crystal field levels with conduction electrons in $Tm_{0.05}La_xYb_{0.95-x}Te$ 372

K. Skokov, A. Grushishev, A. Khokholkov, Y. Pastushenkov, N. Pankratov, T. Ivanova and S. Nikitin
Magnetic properties of $Gd_3Fe_xTi_3$ ($x = 34, 33, \ldots, 24$), $TbFe_{11}Ti$ and $TbFe_{10}Ti$ single crystals 374

S.W. Kim, S.D. Choi, D.H. Jin, K.A. Lee, S.S. Lee and D.G. Hwang
Local magnetization reversal in exchange biased film by laser annealing 376

M. Toda, Y. Fujii, M. Chiba, S. Kawano, T. Goto, J. Klenke, H.A. Graf and M. Steiner
Neutron diffraction study of the field-induced order in singlet-ground state magnet $CsFeCl_3$ 378

A. Mašlejová, R. Boča, L. Dlháň and R. Herchel
Magnetic anisotropy in nickel complexes as determined by combined magnetic susceptibility/magnetization/theoretical studies 380

H.J. Jeon, I. Kim, J. Kim, K.H. Kim and M. Yamaguchi
Thickness effect on magnetic properties of nanocrystalline CoFeBN soft magnetic thin films 382

J. Sláma, A. Grusková, M. Papánová, D. Kevická, R. Dosoudil, V. Jančárik, A. González and G. Mendoza
Magnetic properties of Me–Zr substituted Ba–hexaferrite 385

G. Petrakovskii, M. Popov, S. Martynov, B. Roessli, J. Schefer, B. Ouladdiaf, M. Boehm, U. Staub and A. Amato
Incommensurate magnetic structure in copper metaborate doi:10.1016/j.jmmm.2003.11.158 e199

M. Colarieti-Tosti, S.I. Simak, R. Ahuja, L. Nordström, O. Eriksson and M.S.S. Brooks
Theory of the magnetic anisotropy of Gd metal doi:10.1016/j.jmmm.2003.12.655 e201

N. Magnani, G. Amoretti, A. Blaise, R. Caciuffo, N. Dacheux, M. Genet, J.A. Stride and D.T. Adroja
Inelastic neutron scattering study of magnetic excitations in uranium phosphates doi:10.1016/j.jmmm.2003.12.521 e203

M. Šob, D. Legut, M. Friák and J. Fiala
Magnetism of Ni_3Al and Fe_3Al under extreme pressure and shape deformation: an ab initio study doi:10.1016/j.jmmm.2003.12.598 e205

N.V. Mushnikov, T. Goto, A.V. Andreev, H. Yamada and V. Sechovský
Physics of anisotropic itinerant 5f-electron metamagnetism in $UCo_{1-x}T_xAl$ (T = Fe, Ni) doi:10.1016/j.jmmm.2003.12.1126 e207

K. Mizoguchi, M. Takei, M. Machino, H. Sakamoto, M. Tokumoto, T. Kawamoto, A. Omerzu and D. Mihailovic
Magnetism of α- and β-TDAE-C_{60} doi:10.1016/j.jmmm.2003.11.161 e215

A. Go, M. Pugaczowa-Michalska and L. Dobrzyński
An influence of the local environment on local magnetic moments and hyperfine fields in $Fe_{3-x}Cr_xSi$ doi:10.1016/j.jmmm.2003.12.1184 e217

J.-S. Kang, Y. Moritomo, C.G. Olson and B.I. Min
Valence-band PES study of $R_2Mo_2O_7$(R = Nd, Sm) pyrochlores doi:10.1016/j.jmmm.2003.11.164 e221

K. Terao and H. Yamada
Magnetism and electronic structure for RMn_2 (R = Y and lanthanoids) with the cubic Laves phase (C15) structure doi:10.1016/j.jmmm.2003.12.590 e223

A. Masago
Group theoretical classification of the electronic structure of $LiNiO_2$ doi:10.1016/j.jmmm.2003.12.661 e227

T. Hoshino, M. Asato, T. Nakamura, R. Zeller and P.H. Dederichs
Screened full-potential KKR calculations for transition metals, based on the generalized-gradient approximation doi:10.1016/j.jmmm.2003.11.165 e229

T. Hoshino, M. Asato, T. Nakamura, R. Zeller and P.H. Dederichs
Screened full-potential KKR calculations for iron compounds, based on the generalized-gradient approximation doi:10.1016/j.jmmm.2004.02.009 e231

G. Profeta, S. Picozzi, A. Continenza, G. Schneider and R. Podloucky
Magnetic properties of supersoft transition metal silicides doi:10.1016/j.jmmm.2004.01.027 e233

J.-S. Kang, S.C. Wi, J.H. Kim, K.A. McEwen and C.G. Olson
Resonant photoemission spectroscopy study of UTSn (T = Ni,Pd) doi:10.1016/j.jmmm.2003.12.379 e235

Y. Ito and Y. Teraoka
Magnetic phase diagram in a three-dimensional electron gas doi:10.1016/j.jmmm.2003.11.316 e237

F. Schiller and C. Laubschat
Evidence for magnetic behaviour of the c(2×2)Mn/Cu(0 0 1) and Mn/Au(0 0 1) structures doi:10.1016/j.jmmm.2003.12.1078 e239

J.H. Shim and B.I. Min
Electronic structures of layered compound $LaCrSb_3$ doi:10.1016/j.jmmm.2003.11.170 e241

H. Yi and S. Lee
Mn-doped $ZnSnAs_2$ chalcopyrites: an ab initio study of antiferromagnetic semiconductors doi:10.1016/j.jmmm.2003.12.1038 e243

J.Y. Rhee, Y.V. Kudryavtsev and Y.P. Lee
Optical property and electronic structures of Ni_2MnAl alloy doi:10.1016/j.jmmm.2003.12.497 e245

H. Kobayashi, M. Kageshima, N. Kimura, H. Aoki, M. Oohigashi, K. Motizuki and T. Kamimura
Magnetism and de Haas–Van Alphen effect in NiSb doi:10.1016/j.jmmm.2003.11.172 e247

U. Nitzsche, M. Richter, I. Chaplygin, K. Koepernik, I. Opahle and H. Eschrig
Electronic structure and magnetostriction in bulk gadolinium doi:10.1016/j.jmmm.2003.12.399 e249

M. Richter, J. Rusz, H. Rosner, K. Koepernik, I. Opahle, U. Nitzsche and H. Eschrig
Unconventional metallic magnetism in $LaCrSb_3$ doi:10.1016/j.jmmm.2003.12.1393 e251

D. Ködderitzsch, W. Hergert, Z. Szotek and W.M. Temmerman
Electronic structure of 3d-transition-metal monoxides: surface and bulk-point-defects doi:10.1016/j.jmmm.2003.11.174 e253

S. Yamanaka, R. Takeda, T. Kawakami, K. Nakata, T. Sakuma, T. Takada and K. Yamaguchi
Ab initio density functional approach for noncollinear molecular magnetism of multicenter metal clusters doi:10.1016/j.jmmm.2003.12.1204 e255

M. Yoshimura, Y. Yoshida, S.I. Ikeda, N. Shirakawa, I. Nagai, S. Hara, K. Koyama, M. Hedo and Y. Uwatoko
Altered Ru, Sr atomic environments in strontium ruthenates: XAFS evidence for valence and magnetism doi:10.1016/j.jmmm.2003.11.175 e257

R.J. Radwanski and Z. Ropka
Ground state, electronic structure and magnetism of $LaMnO_3$ doi:10.1016/j.jmmm.2003.11.176 e259

T. Hickel, C. Santos and W. Nolting
The projection-operator approach to the Kondo-lattice model doi:10.1016/j.jmmm.2003.11.179 e263

S. Di Napoli, G. Bihlmayer, S. Blügel, M. Alouani, H. Dreyssé and A.M. Llois
Noncollinear magnetism in $LaMn_2Ge_2$ and $LaMn_2Si_2$ compounds doi:10.1016/j.jmmm.2003.12.1098 e265

J. Lindén, P. Karen, H. Yamauchi and M. Karppinen
Valence mixing, separation and ordering in double-cell perovskite $GdBaFe_2O_{5+w}$ doi:10.1016/j.jmmm.2003.11.181 e267

P. Novák and F.R. Wagner
Electronic structure and magnetism of 3d metal substituted Li_3N doi:10.1016/j.jmmm.2003.11.187 e269

Chapter 8. Metal–insulator transition

S. Mercone, A. Wahl, A. Pautrat, M. Pollet and C. Simon
Non-linear electrical response in a charge/orbital ordered $Pr_{0.63}Ca_{0.37}MnO_3$ crystal: the charge density wave scenario 388

R.D. Sánchez, M.T. Causa, M. Tovar, J.A. Alonso and M.J. Martínez-Lope
High temperature magnetic properties of $RNiO_3$ 390

S. Nagata, T. Asakura and J. Awaka
Metal–insulator transition in the spinel-type $Cu_{1-x}Mn_xIr_2S_4$ system 392

M. Hidaka, N. Tokiwa, H. Fujii and J.M. Lee
Correlation between electric magnetic transitions and electronic energy states near a Fermi level in spinel compounds $Zn_{1-x}Cu_xCr_2Se_4$ 394

S. Gabáni, E. Bauer, M. Della Mea, K. Flachbart, Y. Paderno, V. Pavlík and N. Shitsevalova
Insulator–metal phase transition in SmB_6 under pressure 397

Y. Kakehashi and P. Fulde
Self-consistent projection operator method for the single-particle excitation spectrum 400

M. Villafuerte, S. Duhalde, D. Rubi, G. Bridoux, S. Heluani, M. Sirena and L. Steren

Electric and magnetic fields effects on the transport properties of $La_{0.5}Ca_{0.5}MnO_3$ thin films 402

T. Nakajima, H. Kageyama and Y. Ueda
Dramatic change of magnetic property in the A-site ordered/disordered manganites $PrBaMn_2O_6/Pr_{0.5}Ba_{0.5}MnO_3$ 405

N.A. Babushkina, E.A. Chistotina, O.Y. Gorbenko, A.R. Kaul, D.I. Khomskii and K.I. Kugel
Strong isotope effect in $Sm_{1-x}Sr_xMnO_3$ manganites near $x = 0.5$ 407

M. Sahana, U.K. Rößler, N. Ghosh, S. Elizabeth, H.L. Bhat, K. Nenkov, D. Eckert, K. Dörr, M. Wolf and K.-H. Müller
Continuous phase transition in mixed-valent manganite $Nd_{0.6}Pb_{0.4}MnO_3$ 410

S. Ishihara and T. Hatakeyama
Dynamics of orbital in hole doped and undoped titanates and vanadates with perovskite structure 412

K. Takahashi, N. Kida and M. Tonouchi
Effects of photo-induced insulator–metal transition on terahertz radiation characteristics of $Pr_{0.7}Ca_{0.3}MnO_3$ 415

M. Brando, R. Caciuffo, J. Hemberger, A. Loidl, L. Malavasi and P. Ghigna
Magnetic and electronic properties of $La_{0.85}Na_{0.15}MnO_{3-\delta}$ 417

V. Scagnoli, U. Staub, M. Janousch, G.I. Meijer, L. Paolasini, F. D'Acapito, J.G. Bednorz and R. Allenspach
Charge disproportionation observed by resonant X-ray scattering at the metal–insulator transition in $NdNiO_3$ 420

R.D. Sánchez, D. Niebieskikwiat and C. Ramos
Paramagnetic phase observed by electron spin resonance in the phase separated $Pr_{0.65}Ca_{0.25}Sr_{0.10}MnO_3$ manganite below the order temperature 422

S. Nakamura, S. Shimomura, N. Ikeda, M. Mizumaki, H. Ohsumi, S. Nimori, T. Takeuchi and K. Itoh
Magnetic field induced phase transition in distorted perovskite $Eu_{0.6}Sr_{0.4}MnO_3$ 424

C. H. Lee, H. Matsuhata, H. Yamaguchi, C. Sekine, K. Kihou and I. Shirotani
A study of the crystal structure at low temperature in the metal–insulator transition compound $PrRu_4P_{12}$ 426

Y. Ishida, Y. Mita, M. Kobayashi, S. Endo and S. Mochizuki
Pressure-induced phase transition in α-MnS 428

K. Shimizu, T. Mizushima, M. Velázquez, J.-P. Renard and A. Revcolevschi
^{55}Mn NMR study of $La_{1.2}Sr_{1.8-x}Ca_xMn_2O_7$ ($x = 0$, 0.1, 0.2) 430

K. Shimizu, W. Boujelben, A. Cheikh-Rouhou, J. Pierre and J.C. Joubert
NMR study of magnetic properties of $Pr_{1-x}Sr_xMnO_3$ ($0.2 \leqslant x \leqslant 0.5$) 432

H. Kumigashira, K. Horiba, H. Ohguchi, M. Oshima, N. Nakagawa, M. Lippmaa, K. Ono, M. Kawasaki and H. Koinuma
In situ synchrotron-radiation angle-resolved photoemission study on $La_{0.6}Sr_{0.4}MnO_3$ thin films grown by laser molecular beam epitaxy 434

K. Horiba, H. Ohguchi, D. Kobayashi, H. Kumigashira, M. Oshima, N. Nakagawa, M. Lippmaa, K. Ono, M. Kawasaki and H. Koinuma
In situ Mn 2p–3d resonant photoemission study on $La_{0.6}Sr_{0.4}MnO_3$ epitaxial thin films grown by laser MBE 436

J. Yamaura, T. Yamauchi, E. Ninomiya, H. Sawa, M. Isobe, H. Yamada and Y. Ueda
X-ray characterization for the charge ordering on β(β′)-vanadium oxide bronzes 438

A.M. Oleś, P. Horsch and G. Khaliullin
Spin and orbital correlations in spin–orbital models for t_{2g} orbitals 440

T. Yamauchi, M. Isobe and Y. Ueda
Crystal growth and electromagnetic properties of β-vanadium bronzes, $\beta\text{-}A_{0.33}V_2O_5$ (A = Ca, Sr and Pb) 442

C. Papastaikoudis and E. Syskakis
Unusual magnetic properties of $LaMnO_{3+\delta}$ 444

T. Furubayashi, H. Suzuki, T. Matsumoto and S. Nagata
X-ray radiation effects on the electrical conduction of $CuIr_2S_4$ in the insulating phase 446

Y. Muraoka, T. Yamauchi, T. Muramatsu, J. Yamaura and Z. Hiroi
Efficient photocarrier injection to transition metal oxides 448

S. de Brion, G. Chouteau, A. Janossy, E. Rauwel Buzin and W. Prellier
Magnetic phase diagram in the charge-ordered $Pr_{0.5}Ca_{0.5}MnO_3$ strained thin films 450

C. Baumann, G. Allodi, P. Reutler, A. Sidorenko, B. Büchner, R. De Renzi and A. Revcolevschi
Mixed valency of layered manganites from ^{55}Mn NMR 452

S. Agrestini, N.L. Saini and A. Bianconi
Determination of local distortions in the charge ordered and CMR $La_{1-x}Ca_xMnO_3$ manganites 454

A. Avella, S. Krivenko, F. Mancini and N.M. Plakida
Self-energy corrections to the electronic spectrum of the Hubbard model 456

S. Krivenko, A. Yaresko, G. Khaliullin and H. Fehske
Magnon softening and damping in the ferromagnetic manganites due to orbital correlations 458

L. Hao, K. Iwasa, K. Kuwahara, M. Kohgi, S.R. Saha, H. Sugawara, Y. Aoki, H. Sato, C. Sekine, C.H. Lee and

H. Harima
Crystal-lattice modulation of the metal–insulator transition system $PrRu_4P_{12}$ studied by X-ray diffraction doi:10.1016/j.jmmm.2003.12.1180 e271

J.H. Song, K.-B. Lee and Y.H. Jeong
Resonant X-ray scattering and cooperative Jahn–Teller effect in $LaMnO_3$ thin films
doi:10.1016/j.jmmm.2003.12.1006 e273

S. Onoda and M. Imada
Finite-temperature Mott transition in the two-dimensional Hubbard model
doi:10.1016/j.jmmm.2004.01.010 e275

K. Matsubayashi, T. Nishioka and N.K. Sato
Thermal expansion measurement under pressure on SmS doi:10.1016/j.jmmm.2003.12.1045 e277

J. Takeuchi, N. Yamane, S. Hirahara, K. Miyoshi and K. Fujiwara
Charge and spin ordering in (Nd, Sr)MnO_3 induced by Cr-doping with oxygen deficiency
doi:10.1016/j.jmmm.2003.12.514 e279

J. Hejtmánek, Z. Jirák, K. Knížek, M. Maryško, M. Veverka and H. Fujishiro
Magnetism, structure and transport of $Y_{1-x}Ca_xCoO_3$ and $La_{1-x}Ba_xCoO_3$
doi:10.1016/j.jmmm.2003.12.679 e283

D. Sedmidubský, O. Beneš, P. Beran, J. Hejtmánek and M. Maryško
Magnetism, transport and charge order in $Bi_{1-x}Sr_xMnO_3$ doi:10.1016/j.jmmm.2003.12.427 e285

J. Hejtmánek, Z. Jirák, K. Knížek, E. Pollert, C. Martin and A. Maignan
Phase competition in $Pr_{0.8-x}La_xNa_{0.2}Mn_{1-y}Me_yO_3$
doi:10.1016/j.jmmm.2003.12.1247 e287

M. Tokunaga, Y. Tokunaga and T. Tamegai
Local magnetization and transport properties in phase-separated $(La, Pr)_{1-x}Ca_xMnO_3$ in the vicinity of the phase transition
doi:10.1016/j.jmmm.2003.12.400 e289

Y. Su, K. Istomin, D. Wermeille, A. Fattah, P. Foucart, P. Meuffels, D. Hupfeld and T. Brueckel
Re-examination of charge and orbital ordering in lightly doped $La_{1-x}Sr_xMnO_3$ by X-ray scattering
doi:10.1016/j.jmmm.2003.11.163 e291

S.I. Ikeda, S. Koiwai, Y. Yoshida, N. Shirakawa, S. Hara, M. Kosaka and Y. Uwatoko
Magnetization of single crystalline strontium ruthenate under uniaxial-pressure
doi:10.1016/j.jmmm.2003.12.1027 e293

K. Betsuyaku, H. Ishibashi, A. Yanase and N. Hamada
Electronic structure and structural properties of spinel compound $CuIr_2S_4$
doi:10.1016/j.jmmm.2003.11.168 e295

T. Okane, S.-i. Fujimori, K. Mamiya, J. Okamoto, Y. Muramatsu, A. Fujimori, H. Suzuki, T. Matsumoto, T. Furubayashi, M. Isobe and S. Nagata
High-resolution soft X-ray photoemission spectroscopy of spinel-type compound $CuIr_2S_4$
doi:10.1016/j.jmmm.2003.11.171 e297

T. Ohsawa and J. Inoue
Effect of orbital ordering on anisotropy of transport property of manganites
doi:10.1016/j.jmmm.2003.12.585 e299

M. Capone and G. Sangiovanni
The effects of the electron–phonon interaction on a Mott insulator
doi:10.1016/j.jmmm.2003.11.178 e301

P. Sinjukow and W. Nolting
Resistivity in Eu-rich EuO
doi:10.1016/j.jmmm.2003.11.180 e303

K.-Y. Choi, P. Lemmens, G. Güntherodt, Y.G. Pashkevich, V.P. Gnezdilov, P. Reutler, B. Büchner and A. Revcolevschi
Phonon anomalies in lightly doped manganites $La_{1-x}Sr_xMnO_3$ ($x = 0.09$ and 0.11) near the CAF/FI phase boundary doi:10.1016/j.jmmm.2004.01.037 e305

R. Horny, S. Klimm, M. Klemm, S. Ebbinghaus, G. Eickerling and S. Horn
Electronic transport and structural properties of electronically correlated CuV_2S_4
doi:10.1016/j.jmmm.2003.11.183 e307

A. Avella, F. Mancini and S. Odashima
Effects of two-site composite excitations in the Hubbard model doi:10.1016/j.jmmm.2003.12.1206 e311

H. Kawanaka, C. Bansal, R. Takahashi and Y. Nishihara
Metal–insulator transition in Fe-substituted $SrRuO_3$
doi:10.1016/j.jmmm.2003.11.184 e313

A.V. Girão, M.D. Carvalho, M.E. Melo Jorge, F.M. Costa, G. Bonfait, R.P. Borges, M.M. Cruz and M. Godinho
Effect of V substitution in $Ca_4Mn_3O_{10}$
doi:10.1016/j.jmmm.2003.12.493 e315

S.R. Saha, H. Sugawara, T. Namiki, M. Kobayashi, Y. Aoki and H. Sato
Anomalous transport properties in $PrRu_4P_{12}$ single crystal doi:10.1016/j.jmmm.2003.12.612 e317

Chapter 9. Metal magnetism

H. Yamada and T. Goto
Magneto-volume coupling constant in itinerant-electron metamagnets 460

M. Yamada, T. Goto and T. Kanomata
Behavior of the resistivity of an itinerant electron metamagnet MnSi near the quantum critical point 462

K. Nakada, H. Shimizu and H. Yamada
Electronic structure and magnetism of CrTe with NiAs-type structure 464

V.P. Zhukov, E.V. Chulkov and P.M. Echenique
First-principles multiple scattering theory of quasiparticle lifetimes in ferromagnetic materials 466

N. Marcano, D. Paccard, J.I. Espeso, J. Allemand, J.M. Moreau, A. Kurbakov, C. Sekine, C. Paulsen, E. Lhotel and J.C. Gómez Sal
On the structure and magnetic properties of CeNi with minor Cu substitutions 468

A.M. Alsmadi, M.H. Jung, A.H. Lacerda, P. Svoboda and H. Nakotte
Magnetic phase transitions in $NdCu_2$ under pressure 470

S. Iikubo, Y. Yasui, Y. Kobayashi, Y. Ohno, M. Ito, M. Soda, M. Sato and K. Kakurai
Magnetic structure of a spinel system $Cu_{0.3}Zn_{0.7}Cr_2Se_4$ 473

H. Harima and K. Takegahara
Band structure calculation and Fermi surfaces for $LaRh_3B_2$ 475

M. Takahashi and J. Igarashi
Ab initio calculation of X-ray magnetic circular dichroism spectra 477

B.N. Lin, C.Y. Lin, Y.S. Wu and H.C. Ku
XANES and magnetic studies of $Ca_{1-x}Sr_xRuO_3$ itinerant ferromagnetic system 479

T. Ikeda and Y. Tsunoda
Partial spin frustration system in the ordered Mn_3Pt alloy 482

T. Nakama, K. Uchima, M. Hedo, T. Fujiwara, H. Fujii, A.T. Burkov and K. Yagasaki
The effect of magnetic field on thermopower of $CeFe_2$ 485

H. Nakano and Y. Takahashi
Partially ferromagnetic ground state in the one-dimensional Hubbard model with next-nearest-neighbor hopping 487

S.N. Kaul and B. Annie D' Santhoshini
Magnetic properties of $Ni_{75-x}Fe_xAl_{25}$ alloys: effect of site disorder 489

K. Kodama, K. Arai, M. Takigawa, H. Kageyama and Y. Ueda
Spin correlation and field induced staggered magnetization in the 2D orthogonal dimer spin system $SrCu_2(BO_3)_2$ 491

B. Annie D' Santhoshini and S.N. Kaul
Suppression of spin fluctuations by magnetic field in Ni_3Al as evidenced from magnetoresistivity 493

M. Yoshida, K. Koyama, M. Shirakawa, A. Ochiai, K. Watanabe and M. Motokawa
Cyclotron resonance measurements of the high-quality single crystal GdSb 495

I.A. Sergienko and S.H. Curnoe
Structural order parameter and itinerant electron magnetism in $Cd_2Re_2O_7$ 497

M. Ohta, A. Fujita, K. Fukamichi and H. Kimura
Effect of Si substitution on anti-invar behavior of $Y_6(Mn_{1-x}Si_x)_{23}$ compounds 499

G. Jackeli
Spin wave theory of ferrimagnetic double perovskites 501

T. Hama, M. Matsumura, H. Yamagata, M. Miyakawa, R. Umetsu and K. Fukamichi
^{55}Mn NMR/NQR study in β-MnOs alloys 503

F. Ishikawa, T. Goto, K. Fukamichi and H. Yamada
Temperature dependence of Landau coefficients in $Lu(Co_{1-x}Ga_x)_2$ 505

Y. Kishimoto, Y. Kawasaki, T. Ohno, L.C. Gupta and G. Ghosh
^{139}La NQR relaxation in superconductor $LaRu_3Si_2$ 507

Y. Kishimoto, Y. Kawasaki, T. Ohno, T. Hihara, K. Sumiyama, L.C. Gupta and G. Ghosh
Spin fluctuation temperatures in mixed valence materials studied by magnetic susceptibility 509

J. Kikuchi, S. Tabaru and K. Motoya
Neutron scattering study of the magnetic structure and excitations of metallic $(V_{1-x}Ti_x)_2O_3$ 511

Y. Shimizu
An application of the dynamical mean-field approximation to ferromagnetic alloys 513

D. Ikoma, H. Tsuchiura and J. Inoue
Theoretical study on magnetic phase diagram of metallic pyrochlore lattice in double exchange model 515

G. Herranz, F. Sánchez, M.V. García-Cuenca, C. Ferrater, M. Varela, B. Martínez and J. Fontcuberta
Anisotropic magnetoresistance in $SrRuO_3$ ferromagnetic oxide 517

A. Sulpice, U. Gottlieb, M. Affronte and O. Laborde
Magnetic and electronic properties of Mn_4Si_7 519

A.M.C. Souza, S.R. Oliveira Neto and C.A. Macedo
Magnetic behavior of the $KFeS_2$ 521

A. Perlov, S. Chadov, H. Ebert, L. Chioncel, A.I. Lichtenstein and M.I. Katsnelson
Ab initio calculation of the optical and magneto-optical properties of moderately correlated magnetic solids 523

S. Khmelevskyi and P. Mohn
Theory of Invar anomalies in the Laves phase RCo_2 (R = Ho, Dy) intermetallic compounds 525

T. Uchida and Y. Kakehashi
Phenomenological theory of helical multiple spin density waves in FCC transition metals 527

E. Duman, M. Acet, I. Dincer, Y. Elerman and A. Elmali
Universal behavior of magnetic-phase transitions in the Mn sublattice of $La_xR_{1-x}Mn_2Si_2$ (R: rare earth) compounds 529

O.S. Anilturk and A.R. Koymen
ELEMENT specific magnetization of GdCo composite system using Spin polarized Auger electron spectroscopy (SPAES) 531

J. Cieślak, M. Reissner, W. Steiner and S.M. Dubiel
Magnetic moments and Curie temperatures of σ-FeCr alloys 534

A.R. Wildes and N. Cowlam
Does non-collinear ferromagnetism exist in INVAR? 536

I. Popa, D. Fruchart, P. de Rango, S. Rivoirard and P. Wolfers
Analysis of the magnetic contribution of vanadium in $RFe_{12-x}V_x$ and $RFe_{12-x}V_xH_y$ (R = Nd, Y) systems 539

Chapter 10. Oxides, rare earths and actinides

T. Gasche and O. Goncalves
Monte Carlo study of the magnetism of rare-earth Fe_2 compounds 542

T. Shiroka, M. Riccò, O. Ligabue, F. Bolzoni, G. Concas and G. Spano
Investigation of Eu_6C_{60} magnetic properties 544

A. Stunault, S. Soriano, T. Gourieux, C. Detlefs, C. Dufour and K. Dumesnil
Separation of spin and orbital magnetizations in a samarium film 546

F. Canepa, M. Napoletano, G. Venturini and C. Lefévre
Magnetisation studies on $TmMn_6Sn_{5.85}Ga_{0.15}$ single crystal 549

Y. Makihara, Y. Uwatoko, H. Matsuoka, M. Kosaka, H. Fukuda and H. Fujii
Magnetism in single crystal Ce_2Fe_{17} with two types of magnetic ground states 551

P. Schlottmann
Spin exchange in CrO_2: the role of a localized level 553

Y. Kaneko, T. Arima, J.P. He, R. Kumai and Y. Tokura
Magnetic and crystal structures of polar ferrimagnet $Ga_{2-x}Fe_xO_3$ 555

R. Lizárraga, S. Ronneteg, R. Berger, P. Mohn, L. Nordström and O. Eriksson
On the magnetic structure of $TlCo_2Se_2$ 557

C. Boekema, A.M. Krupski, M. Varasteh, K. Parvin, F. van Til, F. van der Woude and G.A. Sawatzky
Cu and Fe valence states in $CuFeS_2$ 559

X. Oudet
The magnetic moment of $Ln_3Fe_5O_{12}$ garnets 562

A. Podlesnyak, A. Daoud-Aladine, O. Zaharko, P. Markin and N. Baranov
Magnetic structures and magnetic phase transitions in Ho_3Co 565

E. Jiménez, P.C.M. Gubbens, S. Sakarya, G.A. Stewart, P. Dalmas de Réotier, A. Yaouanc, J. Isasi, R. Sáez-Puche and U. Zimmermann
Interplay between Tm^{3+} and Cr^{5+} magnetic sublattices in $TmCrO_4$ 568

E. Jimenez, P. Bonville, J.A. Hodges, P.C.M. Gubbens, J. Isasi and R. Saez-Puche
Influence of the Cr^{5+} ion on the magnetic properties of $YbCrO_4$ oxide 571

B. Tyszka, J. Szade and J. Deniszczyk
Electronic structure of GdMnGe 574

B. Chevalier, M. Pasturel, J.-L. Bobet, J. Etourneau, O. Isnard, J. Sanchez Marcos and J. Rodriguez Fernandez
Magnetic ordering induced by the hydrogenation of the ternary stannide CeNiSn 576

J.S. Marcos, J.R. Fernández, B. Chevalier, J.-L. Bobet and J. Etourneau
Heat capacity and magnetocaloric effect in polycrystalline and amorphous $GdMn_2$ 579

H. Kubo, K. Zenmyo, M. Itoh, N. Nakayama, T. Mizota and Y. Ueda
NMR study of ^{59}Co nuclei in $EuBaCo_2O_{5+x}$ ($x = 0$ and 0.5) 581

A. Troper, P.J. von Ranke and N.A. de Oliveira
Magnetocaloric effect in the pseudobinary $Ho(Co_{1-c}Rh_c)_2$ 583

H. Figiel, A. Budziak, J. Żukrowski, G. Wiesinger and B. Ouladdiaf
Neutron diffraction studies of $TbMn_2D_x$ and $ErMn_2D_2$ 585

J. Vejpravová, P. Svoboda and V. Sechovský
Magnetic properties of $NdFe_2Si_2$ single-crystal 587

T. Nagata, F. Yano, E. Habuta, H. Kawano-Furukawa, M. Nagao, H. Yoshizawa, N. Furukawa, H. Takeya and K. Kadowaki
Neutron scattering studies of the flux line lattice in $ErNi_2B_2C$ 589

H. Wada, H. Yoshioka, T. Goto and K. Koyama
Field-induced magnetic transitions of exchange competing system $GdMn_2Ge_2$ 591

M. Tokita, K. Zenmyo, H. Kubo, K. Takeda, M. Mito and T. Iwamoto
RKKY interaction in metallic Gd in GPa pressure regions 593

P. Svoboda, J. Vejpravová, N.-T.H. Kim-Ngan and F. Kaysel
Specific heat study of selected RNi_5 595

Z. Jagličić, J. Dolinšek and Z. Trontelj
Magnetic properties of Tb–Mg–Zn and Tb–Mg–Cd quasicrystals in comparison with canonical spin glasses 597

T. Fujiwara, Y. Uwatoko, H. Fujii, K. Koyama, M. Motokawa and T. Shigeoka
The correlation between the phase transition and valence change of the Yb ionic state induced upon pressurization in $YbMn_2Ge_2$ 599

G. Balakrishnan, M.R. Lees and D.M. Paul
Rare earth hexaborides: large single crystals 601

F. Yokaichiya, M.K.K.D. Franco, D.K. Yokaichiya and C. Giles
The periodical ordering of the asphericity of 4f charge density at holmium single crystal 603

M. Reiffers, M. Della Mea, E. Bauer and G. Pristáš
Pressure and field effects on spin fluctuations in $CeNi_5$ 605

Y. Makihara, K. Koyama, K. Fukushima, K. Watanabe and H. Fujii
X-ray diffraction study on $Ce(Fe_{1-x}Co_x)_2$ in high field at low temperature 608

H. Hori, M. Taki and Y. Yamamoto
Linear and nonlinear conductivity and magnetization on metamagnetic transitions in TbNiSn 611

H. Onodera, J. Kaya, H. Yamauchi, K. Indoh, A. Tobo, K. Ohoyama and Y. Yamaguchi
A new phase boundary in quadrupolar ordered phase of $Dy_{0.9}Gd_{0.1}B_2C_2$ 614

R.A. Lewis, Y.-J. Wang, F. Gao, X.L. Wang and S.X. Dou
Phonon spectra of cobaltite/manganites in strong magnetic fields 616

A. Szytuła, E. Wawrzyńska, B. Penc, J. Hernandez-Velasco and A. Zygmunt
Magnetic ordering and phase transitions in $R_3Cu_4X_4$ 618

S. Kumar, S.N. Kaul and A.K. Nigam
Magnetic and electron spin resonance investigation of rare earth (R) iron borides $R_5Fe_{18}B_{18}$ ($R_{1.11}Fe_4B_4$) 620

D.T. Adroja, W. Kockelmann, A.D. Hillier, J.Y. So, K.S. Knight and B.D. Rainford
A reduced moment antiferromagnetic Kondo lattice compound: $Ce_8Pd_{24}Ga$ 622

M. Reiffers, S. Ilkovič, A. Zorkovská and E. Bauer
Point-contact properties of non-Fermi liquid compound $YbCu_{3.5}Al_{1.5}$ 625

P. Kerschl, U.K. Rößler, J.M. Grenèche, B. Idzikowski, D. Eckert, K.-H. Müller and L. Schultz
High field and Mössbauer investigation of the magnetic structure in melt spun $DyFe_6Al_6$ 627

S. Janecek, P. Granitzer and H. Krenn
Spin patterns and phase diagrams of few (111)-monolayer EuTe including shape anisotropy 629

H. Saitovitch, P.R.J. Silva, A.W. Carbonari, J. Mestnik-Filho and M.V. Lalic
Magnetic hyperfine fields on ^{140}Ce probes substituting for the rare earth in RCo_2 laves phases 631

M.V. Lalić, J. Mestnik-Filho, A.W. Carbonari and R.N. Saxena
Different nature of magnetism at cerium sublattices in $CeMn_2Si_2$ and $CeMn_2Ge_2$ compounds 633

Y. Isikawa, D. Kato, A. Mitsuda, T. Mizushima and T. Kuwai
Magnetic properties of single crystals of $RCoIn_5$ (R = Tb, Dy, Ho, Er, Yb) 635

N.V. Baranov, G. Hilscher, P.E. Markin, H. Michor and A.A. Yermakov
Spin fluctuations induced by f–d exchange in R_3T compounds 637

A.L. de Oliveira, M.V. Tovar Costa, N.A. de Oliveira and A. Troper
On the magnetic hyperfine fields at *nd* impurities in Gd and Tb hosts 639

H. Kronmüller and D. Goll
Modern nanocrystalline/nanostructured hard magnetic materials doi:10.1016/j.jmmm.2003.11.384 e319

D. Hinz, J. Lyubina, G. Fuchs, D.N. Brown, B.M. Ma, O. Gutfleisch and K.-H. Müller
Hot deformed (Nd,Pr)(Fe,Co)B magnets for low-temperature applications
doi:10.1016/j.jmmm.2003.11.385 e321

J.A. Morkowski, A. Szajek, Z. Bukowski, C. Sułkowski, R. Troć and G. Chełkowska
Magnetic susceptibility, transport properties, XPS and electronic structure of $UCoGa_5$
doi:10.1016/j.jmmm.2003.12.1176 e323

A.K. Nigam and S.B. Roy
Multiple magnetic transitions in UPd_2Ge_2
doi:10.1016/j.jmmm.2003.12.1159 e325

P. Boulet, E. Colineau, F. Wastin and J. Rebizant
Magnetic behaviour of NpRhGe and PuRhGe
doi:10.1016/j.jmmm.2003.11.390 e327

A.L. Kutepov and S.G. Kutepova
First-principles study of electronic and magnetic structure of alpha-Pu, delta-Pu, americium, and curium doi:10.1016/j.jmmm.2003.12.706 e329

M.S.S. Brooks
Orbital magnetism in UFe_2
doi:10.1016/j.jmmm.2003.12.1256 e331

P. Javorský, L. Havela, R. Bewley, D. Adroja and P. Boulet
High-energy magnetic excitations in UCoAl
doi:10.1016/j.jmmm.2003.11.269 e333

O. Isnard, V. Pop, J.C. Toussaint and K.H.J. Buschow
Intrinsic magnetic properties of $ThFe_{11}C_x$ compounds ($x = 1.5, 1.8$) doi:10.1016/j.jmmm.2003.11.271 e335

A.V. Andreev, N.V. Mushnikov, F. Honda, V. Sechovský, P. Javorský and T. Goto

Magnetic, magnetoelastic and other electronic properties of a UIrAl single crystal
doi:10.1016/j.jmmm.2003.11.273 e337

C. Cardoso, T. Gasche and M. Godinho
Noncollinear magnetism and Jahn–Teller effect in the U_2T_2In series doi:10.1016/j.jmmm.2003.11.275 e341

A.V. Kolomiets, L. Havela, A.V. Andreev, K. Miliyanchuk, S. Heathman and T. Goto
High-field and high-pressure studies of UPdSi and UNiSi hydrides doi:10.1016/j.jmmm.2003.12.560 e343

K. Yagasaki, M. Misashi, S. Notsu, Y. Shimoji, K. Uchima, H. Niki, T. Nakama, M. Hedo, Y. Uwatoko and A.T. Burkov
Transport properties of $Y_{1-x}Ho_xCo_2$ in magnetic field doi:10.1016/j.jmmm.2003.11.278 e345

A. Szajek
Electronic structure of the uranium monogermanide UGe doi:10.1016/j.jmmm.2003.12.601 e347

R. Troć and A.M. Strydom
Magnetoresistivity of single-crystal UPtGe doi:10.1016/j.jmmm.2003.12.603 e351

C.T. Lie, P.C. Kuo, C.Y. Chou, S.C. Chen, T.H. Wu and A.C. Sun
Microstructure and magnetic properties of $Co_{70.5-x}Tb_{29.5}Pd_x$ films doi:10.1016/j.jmmm.2003.11.369 e353

Y. Saito, H. Ido and H. Yosida
Fe-substitution effect on magnetic properties of $Ce_2Co_7B_3$ compound doi:10.1016/j.jmmm.2003.11.283 e357

L.N. Bezmaternykh, S.G. Ovchinnikov, A.D. Balaev, S.A. Kharlamova, V.L. Temerov and A.D. Vasil'ev
Structural ordering and magnetism in trigonal gadolinium ferroborates substituted by gallium doi:10.1016/j.jmmm.2003.11.286 e359

Y. Andoh, M. Kurisu, G. Nakamoto, T. Himi and S. Kawano
Magnetic properties of TbPdSn single crystal doi:10.1016/j.jmmm.2003.11.289 e361

S. Kawano, B. Lebech, M. Takahashi, T. Shigeoka, N. Iwata and T. Kosugi
Frustration and two-dimensional spin ordering in $TbRu_2Si_2$, $TbRu_2Ge_2$ and $DyRu_2Si_2$ doi:10.1016/j.jmmm.2003.11.292 e363

Y. Hashimoto, S. Kawano and M. Takahashi
Neutron diffraction studies on modulated $Tb_2Ni_3Si_5$ single crystal doi:10.1016/j.jmmm.2003.11.296 e367

C. Santos, V. Eyert and W. Nolting
Ferromagnetism and temperature-dependent electronic structure of HCP gadolinium doi:10.1016/j.jmmm.2003.12.1291 e371

Ch. Paul, E. Bauer, S. Berger, A. Grytsiv, G. Hilscher, H. Michor and P. Rogl
Magnetic and thermoelectric features of $Pr_yFe_{4-x} \times (Ni, Co)_xSb_{12}$ doi:10.1016/j.jmmm.2004.01.035 e373

K. Kaneko, N. Metoki, K. Ohoyama, H. Onodera and Y. Yamaguchi
Unusual antiferromagnetic properties affected by antiferroquadrupolar interaction in TbB_2C_2 doi:10.1016/j.jmmm.2003.11.301 e375

G. Litsardakis, S.S. Makridis, M. Daniil, K.G. Efthimiadis, E. Pavlidou, I. Tsiaoussis, N. Frangis and A.C. Stergiou
Structure and magnetic properties of $Sm_9(Co_{1-x}Zr_x)_4$ alloys doi:10.1016/j.jmmm.2003.12.597 e377

W. Dagula, O. Tegus, X.W. Li, L. Zhang, E. Brück, F.R. de Boer and K.H.J. Buschow
Electrical and magnetic transport properties of DyTiGe doi:10.1016/j.jmmm.2003.11.391 e381

J. Rusz, M. Diviš and V. Sechovský
Magnetism in $RECo_2$ compounds under pressure doi:10.1016/j.jmmm.2003.12.609 e383

K. Hense, U. Witte, M. Rotter, R. Schedler, E. Gratz, H. Nowotny and M. Loewenhaupt
Comparison of the CF-induced phonon shifts in $CeCu_2$ and $NdCu_2$ doi:10.1016/j.jmmm.2003.12.530 e387

M.W. Pieper, H. Niki, U. Seto, E. Gratz, K. Hense, N. Stuesser, V. Paul-Boncour, A.S. Markosyan and A. Hoser
Metamagnetic phase transitions in $ErCo_3$ investigated with microscopic methods doi:10.1016/j.jmmm.2003.12.459 e389

A. Yaresko and P. Thalmeier
Pressure effect on the electronic structure of UGe_2 doi:10.1016/j.jmmm.2003.12.1257 e391

J. Prokleška, J. Vejpravová and V. Sechovský
Magnetism, transport, elastic and thermodynamic properties of $Er(Co_{0.97}X_{0.03})_2$ compounds doi:10.1016/j.jmmm.2003.12.474 e393

C.B. Cizmas, S. Sab, L. Bessais and C. Djega-Mariadassou
Magnetocrystalline anisotropy in $PrFe_{11-x}Co_xTiC$ doi:10.1016/j.jmmm.2004.01.028 e395

S. Araki, N. Metoki, A. Thamizhavel and Y. Ōnuki
Strong uniaxial crystal field and ising like exchange interaction of ferromagnet $CeAgSb_2$ doi:10.1016/j.jmmm.2003.12.1258 e399

P. de la Presa, M. Forker and L.T. Cavalcante
Orientation of the magnetic hyperfine field at ^{111}Cd in HCP Gd metal studied by perturbed angular correlations doi:10.1016/j.jmmm.2003.12.1104 e401

B. Idzikowski, G. Chełkowska, A. Jezierski and K.-H. Müller
X-ray photoemission spectroscopy and band structure calculation of cubic $DyCu_5$ doi:10.1016/j.jmmm.2003.12.1224 e403

F. Honda, J. Vejpravová, P. Svoboda, V. Sechovský, G. Oomi and T. Komatsubara
Magnetism in $CeAu_2Si_2$ (single crystal) doi:10.1016/j.jmmm.2003.11.306 e405

F. Honda, J. Kamarád, A.V. Andreev and V. Sechovský
Magnetism and magnetoelasticity of a $U(Ni_{0.91}Pd_{0.09})_2Si_2$ single crystal doi:10.1016/j.jmmm.2003.12.425 e409

H. Sakai, H. Kato, Y. Tokunaga, S. Kambe, R.E. Walstedt, A. Nakamura, N. Tateiwa and T.C. Kobayashi
Magnetism of uranium dioxide UO_2 under high pressure doi:10.1016/j.jmmm.2003.11.307 e413

Z. Gajek
Crystal field effect in light actinide dioxides and oxychalcogenides—a unified phenomenological description doi:10.1016/j.jmmm.2003.11.309 e415

N.H. Hai, D. Fruchart, D. Gignoux, N.H. Luong and N. Chau
Spin reorientation in tetragonal $Er_xY_xCo_{10}Mo_2$ and $ErCo_{10-x}Ni_xMo_2$ compounds doi:10.1016/j.jmmm.2003.12.754 e417

J. Prchal, A.V. Andreev, P. Javorský, F. Honda and K. Jurek
Bulk study of a DyNiAl single crystal doi:10.1016/j.jmmm.2004.01.029 e419

T. Tsutaoka, Y. Nishiume and T. Tokunaga
Magnetic and transport properties of R_5Ge_3 (R = Gd,Tb) single crystals doi:10.1016/j.jmmm.2003.12.393 e421

H.C. Kim, M.H. Jung, J. Rhyee and B.K. Cho
Pressure-dependent studies of electron doped hexaboride $Eu_{1-x}La_xB_6$ ($x = 0.05, 0.1$) doi:10.1016/j.jmmm.2003.12.692 e423

J. Sebek, H. Onodera, K. Indoh and E. Santava
Magnetic order in PrB_2C_2 doi:10.1016/j.jmmm.2003.11.350 e425

A. Hannan, K. Kuwahara, D. Kawana, M. Kohgi, Y. Narumi, Y. Tabata and K. Katsumata
High field magnetic phase diagram of CeP studied by synchrotron radiation X-ray diffraction doi:10.1016/j.jmmm.2003.11.352 e427

T. Shigeoka, K. Ohishi, M. Fukuhara and Y. Uwatoko
Magnetic characteristics of $DyCu_2Si_2$ single crystal doi:10.1016/j.jmmm.2003.11.355 e429

M.H. Jung, S.H. Park, H.C. Kim and Y.S. Kwon
Magnetism of the new rare-earth intermetallic compounds $RAl_{0.9}Si_{1.1}$ (R = Ce, Pr, Gd) doi:10.1016/j.jmmm.2003.11.358 e431

T. Hori, H. Shiraishi, K. Indoh, K. Ohoyama, A. Tobo, Y. Yamaguchi, T. Sakon and M. Motokawa
Magnetic properties of $Y_{1-x}Dy_xMn_6Sn_6$ alloys doi:10.1016/j.jmmm.2003.11.361 e433

S. Mat'aš, I. Bat'ko, K. Flachbart, Y. Paderno, N. Shitsevalova and K. Siemensmeyer
Neutron diffraction on HoB_{12} doi:10.1016/j.jmmm.2003.11.362 e435

A.V. Andrianov, E. Bauer, S. Gabani and O.A. Savel'eva
Magnetic phase diagram of Y_xGd_{1-x} under hydrostatic pressure doi:10.1016/j.jmmm.2003.11.363 e439

E. Gratz, H. Nowotny, J. Enser, E. Bauer and K. Hense
Magnetoresistance in RCo_2 spin-fluctuation systems doi:10.1016/j.jmmm.2003.12.529 e441

L. Gondek, A. Szytula, S. Baran and J. Hernandez-Velasco
Neutron diffraction studies of the hexagonal RTIn (R = rare earth, T = Au or Ni) compounds doi:10.1016/j.jmmm.2003.12.641 e443

M. El-Hagary, H. Michor, E. Bauer, M. Della Mea, K. Hense and G. Hilscher
First-order magnetic phase transition in $PrCo_9Si_4$ and $NdCo_9Si_4$ doi:10.1016/j.jmmm.2003.12.1164 e445

L. Keller, T. Herrmannsdörfer, F. Juranyi, H. Mutka, J.A. Konter, B. van den Brandt and K. Conder
Magnetic ordering phenomena in $DyPd_3S_4$ doi:10.1016/j.jmmm.2003.11.365 e449

A.V. Andrianov, E. Bauer, C. Paul and O.A. Savel'eva
Pressure-induced helical antiferromagnetism in ferromagnetic $Ho_{40}Gd_{60}$ doi:10.1016/j.jmmm.2003.11.366 e451

H. Mori, H. Ido, M. Yamada and H. Yoshida
Ni-substitution effect on the anomalous magnetic properties of $SmCo_3B_2$ compound doi:10.1016/j.jmmm.2003.12.1031 e453

G. Chełkowska, A. Bajorek, A. Katolik and Ł. Śliwiński
XPS and magnetic studies of $Gd(Ni_{1-x}M_x)_5$ compounds (M = Fe, Co) doi:10.1016/j.jmmm.2003.12.1052 e455

S. Streule, A. Podlesnyak, K. Conder, N. Golosova and E. Mitberg
Magnetic properties of $Ho_{0.1}Sr_{0.9}CoO_{3-x}$ perovskites ($0.15 \leqslant x \leqslant 0.49$) doi:10.1016/j.jmmm.2003.11.398 e457

H. Suzuki, D. Gignoux, D. Schmitt, T. Shigeoka, P.C. Canfield and C. Detlefs
Polar measurement of metamagnetic processes in X–Y tetragonal systems doi:10.1016/j.jmmm.2003.12.376 e459

K. Ohoyama, A. Hino, K. Indoh, A. Tobo, H. Onodera and Y. Yamaguchi
Development of magnetic correlations around the transition temperatures in ErB_2C_2 doi:10.1016/j.jmmm.2003.12.488 e461

A. Tobo, H. Yamauchi, E. Kishi, M. Sakata, K. Ishimoto, K. Ohoyama, H. Onodera and Y. Yamaguchi

Magnetic phase diagrams of $Ce_{1-x}M_xB_2C_2$ (M = La and Lu) doi:10.1016/j.jmmm.2003.11.399 e463

T. Hamasaki, T. Yokoo, M. Arai, S. Ohara and I. Sakamoto
Observation of spin reorientation phase transition in $GdGa_2$ single crystal by neutron diffraction doi:10.1016/j.jmmm.2003.12.1292 e465

M. Suzuki, T. Kimura, M. Suetake, Y. Takahashi, K. Asai, S. Isida and H. Takeya
Elastic constants of $HoNi_2B_2C$ doi:10.1016/j.jmmm.2003.12.481 e467

A. Kohout, A. Czopnik, K. Flachbart, M. Meissner, Y. Paderno, N. Shitsevalova and K. Siemensmeyer
Magnetic phase diagram of HoB_{12} doi:10.1016/j.jmmm.2003.12.1185 e469

R.I. Zainullina, N.G. Bebenin, V.V. Ustinov and Y.M. Mukovskii
Elastic properties of $La_{1-x}Sr_xMnO_3$ single crystals doi:10.1016/j.jmmm.2003.12.346 e473

T. Mizushima, Y. Isikawa, A. Mitsuda, K. Kobayasi, F. Ishikawa, T. Goto and S. Kawano
High-field magnetization of $TbNiAl_4$ doi:10.1016/j.jmmm.2003.12.1308 e475

A. Kowalczyk, A. Szajek, G. Chełkowska and T. Toliński
Electronic structure of $YbNi_4B$ compound: experiment and theory doi:10.1016/j.jmmm.2003.12.1293 e477

O. Stockert, Z. Hossain, M. Deppe, D. Hohlwein and C. Geibel
Magnetic order of $CePd_5Ge_3$ and $CePt_5Ge_3$ doi:10.1016/j.jmmm.2003.12.476 e479

M. Rotter
Using *McPhase* to calculate magnetic phase diagrams of rare earth compounds doi:10.1016/j.jmmm.2003.12.1394 e481

H. Gamari-Seale, I.O. Troyanchuk, D. Khalyalin, H. Szymczak, K.L. Stefanopoulos and J. Hernández-Velasco
Magnetic structure of $Nd_{0.92}Ca_{0.08}MnO_3$ doi:10.1016/j.jmmm.2003.12.1294 e483

P.C. Kuo, C.T. Lie, S.C. Chen, C.Y. Chou, T.H. Wu and Y.C. Chen
Effects of Tb content on the microstructure and magnetic properties of $Co_{85-X}Tb_XDy_{15}$ films doi:10.1016/j.jmmm.2003.12.1295 e485

H. Ido and Y. Yamaguchi
Magnetic and neutron diffraction study of $Ce_3Co_{11}B_4$ and $Ce_2Co_7B_3$ doi:10.1016/j.jmmm.2003.12.1296 e487

M. Hofmann, S.J. Campbell and A.V.J. Edge
Valence and magnetic transitions in $YbMn_2Si_{2-x}Ge_x$ doi:10.1016/j.jmmm.2003.12.668 e489

J.A.M. Santos, J.F. Collingwood, J.B. Sousa and S.B. Palmer
Anomalous magnetoresistance near the spin reorientation transition of dilute Gd–Y single crystals doi:10.1016/j.jmmm.2003.12.1297 e491

Chapter 11. Magnetization processes and micromagnetic modeling

J. Fidler, T. Schrefl, W. Scholz, D. Suess, R. Dittrich and M. Kirschner
Micromagnetic modelling and magnetization processes 641

O. Gutfleisch, N.M. Dempsey, A. Yan, K.-H. Müller and D. Givord
Coercivity analysis of melt-spun $Sm_2(Co,Fe,Cu,Zr)_{17}$ 647

G. Asti, M. Ghidini, F.M. Neri and M. Solzi
Flux reversal in hard-soft composite magnets 650

C. Viddal, R.M. Roshko, H. Kunkel, L. Wei, X.Z. Zhou and G. Williams
Critical behaviour and irreversibility in a mixed perovskite $Ca_{0.6}Sr_{0.4}RuO_3$ 652

R. Hertel and J. Kirschner
Resonant modes of vortex structures in soft-magnetic nanodiscs 655

W. Zamboni, G. Coppola, M. d'Aquino, G. Miano and C. Serpico
A new approach to computations of forces in magnetic fluids 657

K. Higuchi and M. Higuchi
Density functional theory with arbitrary basic variables 659

D. Tikhonov, J. Zentner and A. Tkachev
Algorithm for simulation of electromagnetic processes using combined finite and boundary elements method 662

S.I. Denisov, T.V. Lyutyy and K.N. Trohidou
Thermal decay of the magnetization in two-dimensional nanoparticle ensembles 665

E. Soika and H.J. Möller
Magnetic field measurements and numerical simulation of the current distribution in the emitter region of solar cells 667

J. Štěpánek, H. Rostaing, J. Delamare and O. Cugat
Fast dynamic modeling of magnetic micro-actuator 669

T. Iwashita, K. Uragami, K. Goto, M. Arao, T. Kasama and T. Idogaki
Monte Carlo simulation on Ising spin system with two-spin and four-spin interactions 672

M.S. Magdoń-Maksymowicz, P. Gronek, A.Z. Maksymowicz and A. Dydejczyk
Temperature dependence of switching curve for spatially oscillating field in antiferromagnetic Ising model 674

J.R. Stewart and R. Cywinski
Nuclear and magnetic short-range order in some dilute β-Mn alloys 676

F. Matsubara and S. Endoh
Computer simulation of magnetic domains in ultra-thin magnetic films with a few monolayers 679

J. Restrepo, Y. Labaye, L. Berger and J.M. Greneche
Effects of surface anisotropy and vacancies in ferromagnetic nanoparticles 681

D. Ledue, P.E. Berche and R. Patte
Monte Carlo study of the thermally activated magnetisation reversal in a single nanoparticle 683

O. Iglesias and A. Labarta
Shape and surface anisotropy effects on the hysteresis of ferrimagnetic nanoparticles 685

D.V. Berkov and N.L. Gorn
Micromagnetic simulations using Langevin dynamics studying thermal field correlations 687

A.A. Adly and S.K. Abd-El-Hafiz
Field computation in non-linear magnetic media using particle swarm optimization 690

W. Scholz, D. Suess, R. Dittrich, T. Schrefl, V. Tsiantos, H. Forster and J. Fidler
Implementation of a high performance parallel finite element micromagnetics package 693

K.H. Kim, D.W. Hwang, H.S. Park, K.I. Woo and Y.H. Cho
The magnetic coupling coefficient calculation of contact-less power supply 695

N.L. Gorn and D.V. Berkov
Adaptation and performance of the fast multipole method for dipolar systems 698

R. García Calderón, J.C. Gómez Sal and J.R. Iglesias
Hysteresis jumps in magnetic systems with random anisotropy 701

E. Vives, X. Illa and A. Planes
A simple lattice model for hysteresis loops with exchange bias 703

U.K. Rößler, A.N. Bogdanov and K.-H. Müller
Phenomenological theory of surface-induced interactions in magnetic nanostructures 705

F. Boust, N. Vukadinovic and S. Labbé
High-frequency susceptibility of soft ferromagnetic nanodots 708

H. Endo, Y. Uesaka, Y. Nakatani, N. Hayashi and H. Fukushima
Effects of exchange interaction and grain size distribution on cluster size in perpendicular media 711

O. Šipr, M. Košuth and H. Ebert
Ab initio calculation of magnetic structure of small iron nanoclusters 713

B.B. Van Aken, J.L. Prieto and N.D. Mathur
Ground state and constrained domain walls in Gd/Fe multilayers 715

L. Dupré, F. Olyslager and J. Melkebeek
Macroscopic fields in thin ferromagnetic sheets taking into account eddy currents and Landau–Lifshitz magnetization 717

D.-H. Kim, S.-B. Choe and S.-C. Shin
Statistical analysis of fluctuating domain wall during Barkhausen avalanche in Co nanofilms 720

J. Guo and M.B.A. Jalil
Simulation of magnetic recording of periodic antidot array 722

A. Killinger, R. Höllinger and U. Krey
Dynamics of ferromagnetic nanomagnets with vortex or single-domain configuration 724

S. Aly, S. Yehia and M. Mahgoob
A statistical mechanics-based model for uniaxial ferromagnetic systems 726

R. Szewczyk and A. Bieńkowski
Application of the energy-based model for the magnetoelastic properties of amorphous alloys 728

M. d'Aquino and C. Serpico
A new Preisach-type vector model of hysteresis 731

C. Serpico, M. d'Aquino, G. Bertotti and I.D. Mayergoyz
Analysis of quasiperiodic Landau–Lifshitz–Gilbert dynamics 734

J. Lee, K. Oh, H. Kim and K. Youn Kim
Magnetization reversal process of the nanosized elliptical permalloy magnetic dots with various aspect ratios 736

I. Firăstrău, L.D. Buda, J.-Ch. Toussaint and J.-P. Nozières
Boundary element method and micromagnetism coupling for magneto-resistive heads modeling 738

A. Kákay and L.K. Varga
Micromagnetic simulation of random anisotropy model 741

A. Van den Bossche, V. Valchev and M. De Wulf
Wide frequency complex permeability function for linear magnetic materials 743

H. Fukushima, Y. Uesaka, Y. Nakatani and N. Hayashi
Effects of damping constant and gyromagnetic term on switching time of single-domain particle 745

R. Dittrich, T. Schrefl, A. Thiaville, J. Miltat, V. Tsiantos and J. Fidler
Comparison of Langevin dynamics and direct energy barrier computation 747

V. Karpasyuk, E. Beznisko and A. Abdullina
Generalized integro-differential equation of magnetization reversal dynamics in polycrystals and its application to processes in manganite-based CMR materials 750

M. El-Hilo, A. Rousan and A. Al-Hattab
Magnetization reversal in granular powder systems doi:10.1016/j.jmmm.2003.11.279 e493

R.S. Turtelli, P. Kerschl, H. Fukunaga, Y. Kawazoe, A. Shintani and R. Grössinger
Effect of magnetostatic interaction on magnetic properties of mixed powders: computer simulation and experimental results doi:10.1016/j.jmmm.2003.12.1422 e497

A. Chizhik, J. Yamasaki, A. Zhukov, J. Gonzalez and J.M. Blanco
Magnetization reversal and magnetic domain structure in glass-covered Co-rich microwires in presence of tensile stress doi:10.1016/j.jmmm.2004.01.065 e499

F.Y. Ogrin, S.L. Lee and C.J. Oates
Micromagnetic torque studies of the intergranular exchange coupling and magnetocrystalline anisotropy in longitudinal recording media doi:10.1016/j.jmmm.2003.11.282 e501

M.H. Phan, S.C. Yu, Y.M. Moon and N.H. Hur
Magnetic characteristics of La-deficient manganate single crystals doi:10.1016/j.jmmm.2003.11.284 e503

D.H. Choi, G.H. Kim, K.H. Lee and W.Y. Jeung
Tailoring the magnetic properties of CoFePtP alloys with variations in iron content doi:10.1016/j.jmmm.2003.12.533 e507

M. Mino and H. Yamazaki
Magnetic domain structure in thin film under alternate magnetic field doi:10.1016/j.jmmm.2003.12.1298 e509

A.A. Parilov, A.S. Lileev, Y.Y. Lileeva, M. Reissner and W. Steiner
Temperature dependence of the magnetic hysteresis in Nd–Fe–B alloy film magnets doi:10.1016/j.jmmm.2003.11.287 e511

V.M.T.S. Barthem, R.L. de Oliveira Jr., D. Givord and P.E.V. de Miranda
Magnetisation processes in an assembly of randomly oriented uniaxial particles doi:10.1016/j.jmmm.2003.11.291 e513

J. Marcos, E. Vives, L. Mañosa, A. Planes, E. Duman and M. Acet
Criticality in Cu–Al–Mn hysteresis loops doi:10.1016/j.jmmm.2003.11.293 e515

B.A. Jones, M. el Hilo and K. O'Grady
Magnetic viscosity effects on the determination of the switching field distribution in CoNiCr thin films doi:10.1016/j.jmmm.2003.12.334 e517

T. Ros-Yanez, M. De Wulf and Y. Houbaert
Influence of the Si and Al gradient on the magnetic properties of high-Si electrical steel produced by hot dipping and diffusion annealing doi:10.1016/j.jmmm.2003.11.295 e521

M.J. Sablik, B. Augustyniak and L. Piotrowski
Modeling incipient creep damage effects on Barkhausen noise and magnetoacoustic emission doi:10.1016/j.jmmm.2003.11.297 e523

C. Papusoi and T. Suzuki
The Field- and Zero-Field-Blocked transverse susceptibilities for high-density recording media doi:10.1016/j.jmmm.2003.11.300 e527

R.C. Woodward, K.L. Livesey and R.L. Stamps
Effect of reversal field on domain structures in TbFeCo doi:10.1016/j.jmmm.2003.12.369 e531

F. Colaiori, S. Zapperi and G. Durin
Shape of a Barkhausen pulse doi:10.1016/j.jmmm.2003.12.1063 e533

L. Vandenbossche, L. Dupré, M. De Wulf and J. Melkebeek
Mechanical stress evaluation of steel utilizing its magnetic properties: an inverse problem approach doi:10.1016/j.jmmm.2003.12.405 e535

V. Basso, C. Beatrice, G. Bertotti, G. Durin, M. Lo Bue and C.P. Sasso
Barkhausen noise in nucleation-type hard magnetic materials doi:10.1016/j.jmmm.2003.12.355 e539

B. Augustyniak, L. Piotrowski, M. Augustyniak, M. Chmielewski and M.J. Sablik
Impact of eddy currents on Barkhausen and magnetoacoustic emission intensity in a steel plate magnetized by a C-core electromagnet doi:10.1016/j.jmmm.2003.11.303 e543

G. Kádár and Z. Szabó
Magnetization process as a combined function of field and temperature in the product model of hysteresis doi:10.1016/j.jmmm.2003.11.308 e547

R.L. Sommer and A.P. Guimarães
Applying the zipping method to Barkhausen noise in order to estimate the degree of (dis)order doi:10.1016/j.jmmm.2003.11.310 e551

V. Permiakov, L. Dupré, A. Pulnikov and J. Melkebeek
Loss separation and parameters for hysteresis modelling under compressive and tensile stresses doi:10.1016/j.jmmm.2003.11.381 e553

J. Jaworowicz, A. Maziewski, V. Zablotskii, T. Ślęzak, N. Spiridis and J. Korecki
Domain structures and magnetization processes of ultrathin ordered iron–gold alloys films doi:10.1016/j.jmmm.2003.11.319 e555

T. Shima, T. Seki, K. Takanashi, Y.K. Takahashi and K. Hono
Fabrication of $L1_0$ ordered FePt thin films with a canted easy magnetization axis on MgO (110) substrate doi:10.1016/j.jmmm.2003.11.322 e557

A. Gündel, A.M. Severino, F.J.G. Landgraf and R.L. Sommer
Barkhausen noise and high induction losses in non-oriented electrical steel
doi:10.1016/j.jmmm.2003.11.324 e561

Z.-H. Wei, M.-F. Lai, C.-R. Chang, N.A. Usov, J.C. Wu and J.-Y. Lai
Magnetization processes in single domain elliptical permalloy thin films
doi:10.1016/j.jmmm.2003.11.326 e563

T. Yonamine and F.J.G. Landgraf
Correlation between magnetic properties and crystallographic texture of silicon steel
doi:10.1016/j.jmmm.2003.12.1220 e565

Part II

Chapter 12. Transition metal alloys and compounds

Yu.V. Kudryavtsev, J.B. Kim, Y. Lee and R. Gontarz
Structural and compositional dependences of the magneto-optical and optical properties of Mn–Fe alloy films 753

D.J. Robinson, A.P. Murani and T.J. Hicks
Comparison of theory and experiment for the magneto-compositional correlation in a ferromagnetic Fe–V crystal 755

H.J. Elmers, S. Wurmehl, G.H. Fecher, G. Jakob, C. Felser and G. Schönhense
Enhanced orbital magnetic moments in the Heusler compounds Co_2CrAl, $Co_2Cr_{0.6}Fe_{0.4}Al$, Co_2FeAl 758

R. Kirsch, M.J. Prandolini, M. Gierlings, M. Gruyters, W.D. Brewer and D. Riegel
Implantation of single-impurity Fe and its magnetic coupling in Er studied by TDPAD 760

J. Belošević-Čavor, N. Novaković, B. Cekić, N. Ivanović and M. Manasijević
Hyperfine spectroscopic study of Laves phase $HfFe_2$ 762

K. Rećko, B.C. Hauback, L. Dobrzynski, K. Szymański, D. Satula, B.Y. Kotur and W. Suski
Modulated magnetic structure of $ScFe_4Al_8$ by X-ray, neutron powder diffraction and Mössbauer effect 764

E. Talik, M. Skutecka, J. Kusz and H. Böhm
Magnetic properties of DyPdAl 767

A.A. Coelho, M. Imaizumi, B. Laks, A.A. Araújo, M.A. Mota, S. Gama, M. Jafelicci and L.C. Varanda
The change in magnetic properties of Fe_3Al compound due to substitution of Fe by Co 769

A.K. Azad, S.-G. Eriksson, J. Eriksen and H. Rundlöf
Magnetic ordering of Fe in $Sr_{2-x}Ba_xFeWO_6$ ($x=0.0$, 0.33, 0.67, 1.00) studied by neutron powder diffraction 771

H. Ishibashi, K. Harada, M. Kogachi and S. Noguchi
Magnetic properties and long range order parameter in B2-type CoFe alloys 774

Y. Tsunoda and H. Kobayashi
Temperature variation of the tetragonality in ordered PtFe alloy 776

T. Kato, H. Ito, K. Sugihara, S. Tsunashima and S. Iwata
Magnetic anisotropy of MBE grown $MnPt_3$ and $CrPt_3$ ordered alloy films 778

A. Díaz-Ortiz, R. Drautz, M. Fähnle and H. Dosch
First-principles study of the interplay between magnetism and phase equilibria in Fe–Co alloys 780

A. Matsushita, T. Naka, H. Mamiya, Y. Takano, T.C. Ozawa, K. Fukuda and Y. Yamada
Magnetic and transport properties in $Fe_{3-x}V_xAl$ 783

S.S.M. Tavares, H.F.G. Abreu, J.M. Neto, M.R. da Silva and I. Popa
A magnetic study of the maraging 350 steel 785

M.F. Wang, Y.S. Shi, D. Qian, G.S. Dong and X.F. Jin
Electronic structure and magnetism of $Co_{1-x}Pd_x$ alloys 788

R.Y. Umetsu, Y. Okamoto, M. Miyakawa, K. Sasao, K. Fukamichi and A. Sakuma
Very high antiferromagnetic stability of $L1_0$-type MnIr alloys 790

S. Kaji, S. Chiyoda, R. Saito, G. Oomi, M. Yoshimura, A. Tokunaga and T. Kagayama
Effect of pressure on Martensitic transition and Curie temperatures of $Fe_{72}(Ni_xPt_{1-x})_{28}$ alloys 792

E. Apiñaniz, F. Plazaola and J.S. Garitaonandia
Study of the weight of different contributions to the magnetic reinforcement in the order–disorder transition of FeAl alloys 794

V. Kuncser, M. Valeanu, F. Lifei, D. Predoi, P. Palade, G. Schinteie, O. Crisan and G. Filoti
Magnetic interactions and spin structure in composite $Fe/Nd_2Fe_{14}B$ systems 797

O.N. Mryasov
Magnetic interactions in 3d–5d layered ferromagnets 800

J.C. Téllez-Blanco, R. Grössinger, G. Wiesinger, H. Levitschnig and G. Hilscher
Intrinsic properties of $Y_3Fe_{27.4}Ti_{1.6}$ and its interstitial nitride 802

S.S.A. Razee
Magnetic correlations in $Cu_mFe_n/Cu(1\,0\,0)$ and $Co_mFe_n/Cu(1\,0\,0)$ 804

M. Al-Jawad and S.H. Kilcoyne
^{57}Fe Mössbauer studies of a novel Y–Fe phase 806

J. Arai, H. Shinmen, S. Takeshita and T. Goko
Mössbauer study of impurity effect on ferrimagnet $Ca_3Co_2O_6$ with 1-D ferromagnetic chains 809

H. Shiraishi, T. Hori, K. Ohoyama and Y. Yamaguchi
Magnetic properties of Ni_2In-type $(Mn_{1-x}\ T_x)_{65}Sn_{35}$ (T=Ti, Cr) 811

M. Reissner, E. Bauer, W. Steiner and P. Rogl
High field Mössbauer and magnetic investigations of $Pr_{0.73}Fe_4Sb_{12}$ 813

H. Kuroe, Y. Yagi, H. Kuwahara and T. Sekine
Effects of magnetic field on Raman spectra in $(Nd_{0.50}Sr_{0.50})MnO_3$ 816

Y. Uchida, M. Isobe and E. Takayama-Muromachi
NMR study of the magnetic properties of the ordered perovskite $Sr_2Cu(Re_{0.69}Ca_{0.31})O_6$ 818

V. Pomjakushin, D. Sheptyakov, P. Fischer, A. Balagurov, A. Abakumov, M. Alekseeva, M. Rozova, E. Antipov, D. Khomskii and V. Yushankhai
Atomic and magnetic structures, and unconventional superexchange interactions in Sr_2GaMnO_{5+x} ($0<x<0.5$) and $Sr_2GaMn(O,F)_6$ 820

T. Eriksson, S. Felton, R. Lizárraga, O. Eriksson, P. Nordblad and Y. Andersson
Crystal structure and magnetic properties of the new phase Mn_3IrSi 823

D.R. Parker, T. Tomita, S.T. Bramwell, M.A. Green and J.S. Schilling
Effect of pressure on the magnetic properties of the series $Cu_{1-x}Zn_xCr_2Se_4$ 826

W. Schnelle, R. Niewa and F.R. Wagner
Magnetic and electronic properties of lithium nitridometalates $Li_2[(Li_{1-x}T_x)N]$ (T = Co, Ni, Cu) 828

A. Rabis, A. Leithe-Jasper, A.A. Gippius, E. Morozova, M. Baenitz, W. Schnelle, N. Senthilkumaran, J.A. Mydosh, F. Steglich and Y. Grin
Magnetic resonance investigations on $NaFe_4Sb_{12}$ 830

C.C. Yang, F.C. Tsao, S.Y. Wu, W.-H. Li, K.C. Lee, J.W. Lynn and R.S. Liu
Short range magnetic corrections in spinel $Li(Mn_{0.976}Co_{0.024})_2O_4$ 833

N. Senthilkumaran, M. Baenitz, A. Leithe-Jasper, W. Schnelle, A. Rabis, A. Gippius, J.A. Mydosh, F. Steglich and Y. Grin
Specific heat and AC magnetic susceptibility of the alkali-metal iron antimonides $(Na,K)Fe_4Sb_{12}$ and $BaFe_4Sb_{12}$ 835

M.E. Villafuerte-Castrejón, E. Castillo-Pereyra, J. Tartaj, L. Fuentes, D. Bueno-Baqués, G. González and J.A. Matutes-Aquino
Synthesis and AC magnetic susceptibility measurements of $Fe_{(2-x)}Al_xO_3$ compounds 837

M.M. Cruz, R.C. da Silva, J.V. Pinto, R.G. González, E. Alves and M. Godinho
Magnetic behavior of Co and Ni implanted MgO 840

J. Lindén, H. Yamauchi and M. Karppinen
^{57}Fe Mössbauer spectroscopy investigation of the $Fe^{II/III}$ mixed-valence state and the B-site order in double perovskite A_2FeMoO_6 843

K. Krezhov
Low temperature neutron diffraction study of $RbNiF_3$ 845

S. Gama, C.S. Alves, A.A. Coelho, C.A. Ribeiro, A.I.C. Persiano and D. Silva
On the determination of the phase composition of the $Gd_5Ge_2Si_2$ alloy 848

A.S. Wills, S. Raymond and J.-Y. Henry
Magnetic ordering in a distorted $S=\frac{1}{2}$ pyrochlore antiferromagnet 850

C. Ritter, D. Rubí, J. Navarro, C. Frontera, J. Garcia-Muñoz and J. Fontcuberta
Magnetization and neutron diffraction studies on $Sr_{2-x}Ca_xFeMoO_6$ 852

M. Sánchez-Andújar, B. Rivas-Murias, D. Rinaldi, R. Caciuffo, J. Mira, J. Rivas and M.A. Señarís-Rodríguez
Magnetic order in the lamellar compounds $La_{1-x}Sr_{1+x}CoO_4$ ($0\leqslant x\leqslant 0.4$) 855

M. Tovar, J.G. Sereni, P. Pedrazzini, A. Caneiro, F. Prado, A. Butera and M.T. Causa
Magnetization and specific heat of La doped Sr_2FeMoO_6 857

T. Ohki, Y. Uwatoko, H. Fujii and H. Onodera
Mössbauer spectroscopic studies of $(Fe_{1-x}Ru_x)_2P$ ($x=0$ and 0.02) 859

M.R. Benam and S.M. Hosseini
The measurement of hyperfine field of ^{60}Co in $MnCl_2\cdot 4H_2O$ crystal by the method of nuclear orientation doi:10.1016/j.jmmm.2003.12.347 e567

D. Rinaldi, R. Caciuffo, J.J. Neumeier, D. Fiorani and S.B. Oseroff
Dynamic magnetic response of $LaMn_{0.5}Ga_{0.5}O_3$ doi:10.1016/j.jmmm.2004.01.004 e571

M.M. Korshunov, S.G. Ovchinnikov and A.V. Sherman
Spin fluctuations influence on quasiparticle spectrum of realistic p–d model doi:10.1016/j.jmmm.2003.12.645 e575

T. Kato and S. Kawano
Field-induced incommensurate–commensurate phase transition of distorted-triangular-lattice antiferromagnet $RbMn_{1-x}Fe_xBr_3$ doi:10.1016/j.jmmm.2003.12.388 e579

T. Morikawa and H. Wada
Effect of deviation from stoichiometry on magnetic and magnetocaloric properties in $MnAs_{1-x}Sb_x$ doi:10.1016/j.jmmm.2003.12.1036 e583

T. Tohei, H. Wada and T. Kanomata
Large magnetocaloric effect of $Mn_{3-x}Co_xGaC$ doi:10.1016/j.jmmm.2003.12.1035 e585

H. Jinushi, Y. Kasamatsu, K. Hiraoka and T. Hihara
NMR study of MnAs at atmospheric and high pressures doi:10.1016/j.jmmm.2003.12.1004 e587

A. Guzik, E. Talik and M. Kuznietz
Electronic structure of $TbNi_2Ge_2$ by the XPS method doi:10.1016/j.jmmm.2003.11.290 e589

Y. Kasamatsu, T. Kanomata, T. Kaneko and T. Hihara
NMR study of pressure-induced phase transition in $Mn_3Ga_{1-x}Al_xC$ ($x = 0.02$) doi:10.1016/j.jmmm.2003.11.298 e591

Y. Takano, N. Arai, A. Arai, Y. Takahashi, K. Takase and K. Sekizawa
Magnetic properties and specific heat of MPS_3 (M = Mn, Fe, Zn) doi:10.1016/j.jmmm.2003.12.621 e593

K. Sekizawa, M. Sashida, Y. Takano, Y. Takahashi and K. Takase
Magnetic properties and specific heat of $KV_{1-x}Cr_xP_2S_7$ doi:10.1016/j.jmmm.2003.11.299 e597

R. Tetean and E. Burzo
Magnetic properties of $TbCo_{3-x}Al_x$ compounds doi:10.1016/j.jmmm.2003.12.608 e599

Y. Matsuda, S. Hashimoto, S. Anzai, T. Sato, Y. Yamada and A. Ohta
Magnetic field effect on the magnetic properties of $(Cr_{1-x}Ti_x)_5S_6$ doi:10.1016/j.jmmm.2003.11.302 e601

S. Anzai, F. Abe, Y. Takayama, S. Fujii, R. Sugi, A. Kakimoto, M. Narita, A. Kikuchi and E. Mori
Magnetic properties of $(Mn_{1-v}Cr_v)_7Sn_4$, $(Mn_{1-z}Fe_z)_7Sn_4$, $(Mn_{4.5}Fe_{2.0}Co_{0.5})Sn_4$ and $(Mn_5Fe_2)(Sn_3Ge)$ doi:10.1016/j.jmmm.2003.11.304 e605

N. Auth, G. Jakob, W. Westerburg, C. Ritter, I. Bonn, C. Felser and W. Tremel
Crystal structure and magnetism of the double perovskites A_2FeReO_6 (A = Ca, Sr, Ba) doi:10.1016/j.jmmm.2003.12.484 e607

K. Yoshii, A. Nakamura, M. Mizumaki, H. Tanida, N. Kawamura, H. Abe, Y. Ishii, Y. Shimojo and Y. Morii
Neutron diffraction and X-ray absorption study of $CaMn_{0.6}Ru_{0.4}O_3$ doi:10.1016/j.jmmm.2003.11.305 e609

V. Pop, M. Coldea, M. Neumann, O. Isnard and S.G. Chiuzbaian
Magnetic behavior of the Al–Gd–Ni hexagonal compounds doi:10.1016/j.jmmm.2003.11.311 e613

K. Koyama, T. Kanomata, T. Watanabe, T. Suzuki, H. Nishihara and K. Watanabe
Magnetic transitions in $Mn_3Ga_{1-x}Al_xC$ ($0 \leqslant x \leqslant 0.1$) doi:10.1016/j.jmmm.2003.11.312 e615

S.M. Dunaevsky and V.V. Deriglazov
Magnetic and orbital structures of manganites in the model with four non-equivalent Mn ions doi:10.1016/j.jmmm.2003.11.313 e619

M. Isobe, Y. Uchida, K. Kimoto, M. Arai and E. Takayama-Muromachi
Structure and magnetic properties of a new ordered perovskite $Sr_2Cu(Re_{0.69}Ca_{0.31})O_y$ system doi:10.1016/j.jmmm.2003.12.643 e623

N. Ohkubo, S. Ban and T. Hori
The magnetic and crystallographic properties of the Y–Ba–Ir–O system doi:10.1016/j.jmmm.2003.11.318 e625

A. Fujita, S. Fujieda and K. Fukamichi
Influence of spin fluctuations on thermodynamics of itinerant-electron metamagnetic transition in $La(Fe_{0.88}Si_{0.12})_{13}$ compound doi:10.1016/j.jmmm.2003.12.1147 e629

A.L. de Oliveira, N.A. de Oliveira and A. Troper
Local magnetic moment on a Ta impurity diluted in YFe_2 and $GdFe_2$: a functional integral approach doi:10.1016/j.jmmm.2003.12.394 e631

T. Goko, N. Nomura, S. Takeshita and J. Arai
Pressure effect on magnetic transitions in one-dimensional $Ca_3Co_2O_6$ doi:10.1016/j.jmmm.2003.12.687 e633

Chapter 13. Low dimensional systems and quantum phenomena

Y. Fujii, T. Nakamura, H. Kikuchi, M. Chiba, T. Goto, S. Matsubara, K. Kodama and M. Takigawa
NMR study of $S = \frac{1}{2}$ quasi-two-dimensional antiferromagnet Cs_2CuBr_4 861

H. Manaka, I. Yamada and W. Higemoto
Muon spin relaxation study of the Haldane state formed in ferromagnetic–antiferromagnetic alternating Heisenberg chains $(CH_3)_2CHNH_3CuCl_3$ 863

T. Sakai
Field-induced spin liquids and orders in quasi-1D gapped systems 865

M. Kajňaková, A. Orendáčová, M. Orendáč, J.-H. Park, O.V. Kravchyna, A.G. Anders, J. Černák, A. Feher and M.W. Meisel
Magnetic properties of $Cu(phen)(H_2O)_2SO_4$ – $S = \frac{1}{2}$ zigzag ladder with spatially anisotropic exchange coupling 867

M. Hase, K. Ozawa and N. Shinya
Magnetic properties of a three-dimensional antiferromagnet formed by three bonds, $Cu_6Ge_6O_{18} \cdot xH_2O$ ($x = 0$–6) 869

Y. Yoshida, N. Tateiwa, M. Mitoh, M. Hidaka, T. Kawae, Y. Hosokoshi, K. Inoue and K. Takeda
Magnetic field effects on an organic $S = \frac{1}{2}$ alternating linear Heisenberg antiferromagnet F_5PNN 872

E. Čižmár, J.-H. Park, S.J. Gamble, B.H. Ward, D.R. Talham, J.V. Tol, L.-C. Brunel, M. Orendáč, A. Feher, J. Šebek and M.W. Meisel
Experimental study of $MnCl_3(C_{12}H_8N_2)$ – an $S=2$ Heisenberg antiferromagnetic chain 874

M. Hagiwara, Y. Narumi, K. Kindo, H. Nakano, M. Kohno, R. Sato and M. Takahashi
Magnetic properties of $S=1$ antiferromagnetic chains with bond alternation 876

Y. Narumi, Z. Honda, K. Katsumata, J.-C. Domenge, P. Sindzingre, C. Lhuillier, A. Matsuo, K. Suga and K. Kindo
A magnetization plateau in a kagomé antiferromagnet 878

A.I. Smirnov, H.-A. Krug von Nidda, A. Loidl, L.N. Demianets and A.Y. Shapiro
Interaction of triplet excitations with spin chain ends in the Haldane magnet $PbNi_2V_2O_8$ 880

K.-H. Müller, C. Sekar, D. Eckert, B. Schüpp, M. Wolf and G. Krabbes
Magnetic properties of the ladder compounds $La_2(Cu,Zn)_2O_5$ and $La_8(Cu,Zn)_7O_{19}$ 882

A. Cuccoli, T. Roscilde, R. Vaia and P. Verrucchi
XY behaviour of the 2D $S=\frac{1}{2}$ antiferromagnet in a field 884

J.G. Carvalho, D. Medeiros and G.G. Cabrera
Anomalous slow dynamics in quantum spin chains 886

I. Harada, M.M. Rahman, A. Hamaguchi and Y. Nishiyama
Magnetic properties of $S=1$ spin chains with alternating interactions 888

F. Heidrich-Meisner, A. Honecker, D.C. Cabra and W. Brenig
Transport in dimerized and frustrated spin systems 890

B.B Beard, A. Cuccoli, R. Vaia and P. Verrucchi
Reconciling field-theoretical and semiclassical approaches to quantum 2D antiferromagnets 892

H. Yamamoto, H. Kikuchi, Y. Fujii and M. Chiba
^{1}H-NMR of $S=1$ antiferromagnets with bond alternation 894

N.B. Christensen, D.F. McMorrow, H.M. Rønnow, A. Harrison, T.G. Perring and R. Coldea
Deviations from linear spin wave theory in the 2D, $S=\frac{1}{2}$ Heisenberg antiferromagnet CFTD 896

T. Tonegawa and M. Kaburagi
Ground-state properties of an $S=\frac{1}{2}$ Δ-chain with ferro- and antiferromagnetic interactions 898

H. Kikuchi, Y. Fujii, M. Chiba, S. Mitsudo, T. Idehara and T. Kuwai
Experimental evidence of the one-third magnetization plateau in the diamond chain compound $Cu_3(CO_3)_2 \times (OH)_2$ 900

A.K. Kolezhuk and H.-J. Mikeska
Excitation spectra of gapped 1D spin systems in strong magnetic field 902

M. Müller, T. Vekua and H.-J. Mikeska
Ring exchange in low-dimensional spin systems 904

S. Tani, T. Suzuki, T. Goto, H. Tanaka, S. Takahiko, S. Awaji and K. Watanabe
NMR study on quantum spin magnet NH_4CuCl_3 906

K. Tanaka, K. Takeda and T. Idogaki
Absence of spontaneous symmetry breaking in the ground state of one-dimensional spin-orbital model 908

Y. Fukumoto and A. Oguchi
Quantum phase transition in the transverse field Ising model on a Δ chain 910

S. Okubo, T. Kamikawa, T. Kunimoto, Y. Inagaki, H. Ohta, H. Nojiri and H. Kikuchi
Submillimeter and millimeter wave ESR measurements of diamond-chain substance $Cu_3(CO_3)_2(OH)_2$ 912

T. Momoi, T. Hikihara and M. Nakamura
Scalar chiral order in spin ladders with four-spin exchanges 914

W. Brenig and M. Grzeschik
Triplet dynamics in the VBC-phase of the crossed-chain quantum magnet 916

A. Bosse, D. Mienert, H.-J. Grafe, U.J. Janke, F.J.L. Litterst, U.A. Ammerahl, B. Büchner and H.-H. Klauss
The interplay of charge order and magnetism in $Sr_{14}Cu_{24}O_{41}$ and $Sr_{13}LaCu_{24}O_{41}$ 918

C.J. Mukherjee, R. Coldea, D.A. Tennant, M. Koza, M. Enderle, K. Habicht, P. Smeibidl and Z. Tylczynski
Field-induced quantum phase transition in the quasi 1D XY-like antiferromagnet Cs_2CoCl_4 920

E.E. Kaul, H. Rosner, N. Shannon, R.V. Shpanchenko and C. Geibel
Evidence for a frustrated square lattice with ferromagnetic nearest-neighbor interaction in the new compound $Pb_2VO(PO_4)_2$ 922

X.M. Ren, R.K. Kremer and Q.J. Meng
Investigation of the magneto-structural phase transition in [1-benzyl-4-aminopyridinium][bis(maleonitriledithiolato)nickelate] 924

B.J. Gibson, R.K. Kremer, A.V. Prokofiev, W. Assmus and B. Ouladdiaf
Elastic neutron diffraction study of long-range antiferro-magnetic order in the $S=\frac{1}{2}$ quantum chain system $CuSb_2O_6$ 927

H. Ohta, S. Okubo, D. Fukuoka, Y. Inagaki, T. Kunimoto, M. Kimata, K. Koyama, M. Motokawa and Z. Hiroi
Breather excitation observed by high-field ESR in one-dimensional antiferromagnet $BaCu_2 \times (Si_{1-x}Ge_x)_2O_7$ ($x=0.65$) 929

H. Otsuka
Crossover behavior of the frustrated quantum spin chain in a staggered magnetic field 931

V. Kataev, J. Pommer, K.-Y. Choi, P. Lemmens, A. Ionescu, Y. Pashkevich, K. Lamonova, A. Möller, A. Freimuth and G. Güntherodt
Magnetic exchange in a low-dimensional complex oxide $(Cu, Zn)_2V_2O_7$ 933

R. López-Sandoval and G.M. Pastor
Lattice density-functional theory applied to the three-dimensional Hubbard model 935

A.A. Belik, M. Azuma and M. Takano
Magnetic properties of some Cu-containing phosphates 937

S. Kawamata, K. Okuda and K. Kindo
ESR study on Li_2CuO_2 single crystal 939

C.H. Booth, S.-W. Han, S. Süllow and J.A. Mydosh
Local lattice symmetry of spin-glass and antiferromagnetic URh_2Ge_2 941

F. Qu, D.R. Santos, Jr. and P.C. Morais
The effects of external magnetic field upon the stability of ionic magnetic fluids 943

K. Borejsza and N. Dupuis
Antiferromagnetism and single-particle properties in the two-dimensional half-filled Hubbard model: Slater vs. Mott–Heisenberg 946

M. Isobe and Y. Ueda
Magnetic properties of quasi-one-dimensional magnets $AM^{3+}Si_2O_6$ (A = Li, Na; M = Ti, V, Cr) 948

H. Ueda, A. Tanaka and T. Idogaki
Ferromagnetism in the Hubbard model on a lattice of three coupled chains 950

H. Deguchi, Y. Mori, S. Watanabe, T. Tajiri, M. Mito and S. Takagi
Pressure-induced antiferromagnetic order in a quantum spin liquid system $Cu_2(C_5H_{12}N_2)_2Br_4$ 952

S. Süllow, S.A.M. Mentink, T.E. Mason and J.A. Mydosh
Magnetotransport of the moderately disordered heavy fermion URh_2Ge_2 954

A.A. Gippius, E.N. Morozova, R.V. Spanchenko, E. Kaul, C. Geibel, A. Rabis, M. Baenitz and F. Steglich
Low-dimensional V-based complex oxides: an NMR study 956

P.G. Freeman, A.T. Boothroyd, D. Prabhakaran and D. González
Magnetization of charge-ordered $La_{2-x}Sr_xNiO_{4+\delta}$ 958

V.A. Ivanshin, V. Yushankhai, J. Sichelschmidt, D.V. Zakharov, E.E. Kaul and C. Geibel
Electron spin resonance of the low-dimensional spin-system $Sr_2V_3O_9$ 960

M. Clémancey, H. Mayaffre, M.-H. Julien, C. Berthier, P. Ségransan, A. Hassan, A.G.M. Jansen, I. Sheikin, B. Chiari, A. Cinti and O. Piovesana
Structural and magnetic properties of methylated CuHpCl 962

C.A. Macedo and A.M.C. Souza
Magnetic properties of low-dimensional half-filled-band Hubbard systems 964

G. Litak
Specific heat of disordered superconductors induced by negative centers 966

V.C. Long, E.C. Schundler, P.O. Makumbe, X. Wei, C.P. Landee and M.M. Turnbull
Magnetic field-induced changes in the electronic absorption intensities of NENB 968

J. Choi, T.C. Messina, J. Yan, G.I. Drandova and J.T. Markert
Thermal conductivity and ^{89}Y NMR of $Ca_{2+x}Y_{2-x}Cu_5O_{10}$ 970

A. Voigt
Quantum phase transition in the Plaquette lattice with anisotropic spin exchange 972

C. Laschinger, T. Kopp, V. Eyert and R. Frésard
Microscopic derivation of magnetic coupling in $Ca_3Co_2O_6$ 974

E. Ohmichi, Y. Yoshida, S.I. Ikeda, N.V. Mushnikov, T. Goto and T. Osada
Metamagnetic transitions in the bilayered ruthenates 976

J. Chakhalian, R.F. Kiefl, J. Brewer, S.R. Dunsiger, G. Morris, S. Eggert, I. Affleck and I. Yamada
Impurity effects in quasi-one-dimensional $S = \frac{1}{2}$ antiferromagnetic chain $KCuF_3$ studied by muon spin rotation 979

F. Waldner
2D periodically ordered states of vortices–antivortices and skyrmion-like excitations in planar up to isotropic heisenberg classical spin arrays 981

M. Jaščur and J. Strečka
Spin frustration in an exactly solvable Ising–Heisenberg diamond chain 984

J. Strečka and M. Jaščur
On the Ising–Heisenberg model with the doubly decorated network structure I 987

A. Bobák, F.O. Abubrig and T. Balcerzak
Phase diagrams of the mixed ferro-ferrimagnetic ternary alloy with a single-ion anisotropy 989

Y.V. Kobljanskyj, V.S. Tiberkevich, A.V. Chumak, V.I. Vasyuchka, G.A. Melkov and A.N. Slavin
Methods of relaxation reversal for spin waves and oscillations 991

R.G. Mints
Equilibrium current temperature quasi-oscillations in a mesoscopic ferromagnetic loop 993

H. Okuno, Y. Waizumi, R. Nakazato and T. Morimatsu
Peak collapse and shift of energy loss in a CoZrMo/SiO_2 multi-layered thin-film core 995

E. Rastelli, S. Regina and A. Tassi
Breaking-symmetry fields in two-dimensional planar models 997

G.M. Dudko, Yu.A. Filimonov, A.A. Galishnikov, R. Marcelli and S.A. Nikitov
Nonlinear Schroedinger equation analysis of MSSW pulse propagation in ferrite-dielectric-metal structure 999

A. Melnikov, U. Bovensiepen, I. Radu, O. Krupin, K. Starke, E. Matthias and M. Wolf
Picosecond magnetization dynamics of the Gd(0 0 0 1) surface 1001

W. Araújo, F.M. de Aguiar, A. Azevedo and S.M. Rezende
Spin wave instability in simultaneous orthogonal and parallel pumping 1003

H. Betsuyaku
Phase coherence in 2D XY and Heisenberg models 1005

H. Nakamura, Y. Fujii, H. Kikuchi and M. Chiba
^{11}B-NMR in soliton lattice system CuB_2O_4 1007

Y.A. Filimonov, G.T. Kazakov, Y.V. Khivintsev, I.M. Kotelaynskii and A.V. Maryachin
Nonlinear properties of magnetoelastic Rayleigh waves in ferrite films 1009

M.S. Reis, J.P. Araújo, V.S. Amaral and I.S. Oliveira
Magnetic nonextensivity in CMR manganites 1011

Y. Furukawa, K. Aizawa, K. Kumagai, A. Lascialfari and F. Borsa
Tunneling dynamics of the magnetization in transverse field: ^{1}H-NMR study in single crystal of Fe8 1013

A. Morello, O.N. Bakharev, H.B. Brom and L.J. de Jongh
Low-temperature NMR study of quantum tunneling of magnetization in the molecular magnet Mn_{12}-ac 1015

E. M. Chudnovsky
Generic mechanisms of decoherence of quantum oscillations in magnetic double-well systems 1017

J.J. Alonso and J.F. Fernández
Magnetic tunnel window's imprint and beyond 1022

B. Barbara, R. Giraud, W. Wernsdorfer, D. Mailly, P. Lejay, A. Tkachuk and H. Suzuki
Evidence for resonant magnetic tunneling of rare-earth ions: from insulating to metallic matrix 1024

M. Luban
New issues in zero dimensions: magnetic molecules
doi:10.1016/j.jmmm.2003.12.630 e635

A. Matsuo, T.C. Kobayashi, M. Suzuki, K. Kindo, R. Kitaura, R. Matsuda, H.-C. Chang and S. Kitagawa
Magnetism of a one-dimensional array of oxygen in a micro-porous metal-organic solid
doi:10.1016/j.jmmm.2003.11.327 e643

S. Eggert and I. Affleck
Magnetic order and moment distribution in doped spin-chain systems
doi:10.1016/j.jmmm.2003.12.1088 e647

R. Coldea, D.A. Tennant and Z. Tylczynski
Neutron scattering from deconfined spinons in the 2D frustrated quantum magnet Cs_2CuCl_4
doi:10.1016/j.jmmm.2004.01.055 e649

A. Cuccoli, T. Roscilde, V. Tognetti, R. Vaia and P. Verrucchi
Signatures of XY behavior in 2D weakly anisotropic antiferromagnets doi:10.1016/j.jmmm.2003.12.407 e651

M.-T. Suzuki and H. Harima
Electronic band structure of 1T-$TaSe_2$ in CDW phase
doi:10.1016/j.jmmm.2003.12.513 e653

S. Miyashita, A. Kawaguchi and N. Kawakami
Magnetic properties of the one-dimensional spin–orbital model
doi:10.1016/j.jmmm.2003.12.1020 e655

M.J. Konstantinović, J. van den Brink, Z.V. Popović, V.V. Moshchalkov, M. Isobe and Y. Ueda
Orbital dimerization in $NaTiSi_2O_6$. An orbital analogue of the spin-Peierls phase transition
doi:10.1016/j.jmmm.2003.11.328 e657

A. Bombardi, L. Paolasini, P. Carretta, J. Rodriguez-Carvajal, P. Millet and R. Caciuffo
Magnetic order in a $S=\frac{1}{2}$ frustrated antiferromagnet on a square lattice doi:10.1016/j.jmmm.2003.12.498 e659

Y. Inagaki, S. Takeda, S. Okubo, H. Ohta, H. Kikuchi, N. Ogawa and T. Tonegawa
Direct determination of magnetic anisotropy in $S=1$ bond alternating system by high field ESR
doi:10.1016/j.jmmm.2003.12.1024 e661

E. Orignac and R. Citro
Phase diagram of a quarter filled ladder
doi:10.1016/j.jmmm.2003.12.1084 e663

I. de Pedro, V. Jubera, J.M. Rojo, L. Lezama, J. Sánchez Marcos, J. Rodríguez Fernández, J.L. Mesa, T. Rojo and M.I. Arriortua
Magnetic properties of $Co_{2-x}Cu_x(OH)PO_4$ ($x=0$, 1 and 2) doi:10.1016/j.jmmm.2003.11.331 e665

Y. Takahashi, T. Masutani and H. Nakano
Magnetic entropy and specific heat of weak itinerant electron ferromagnets
doi:10.1016/j.jmmm.2003.11.332 e667

K. Takahashi, N. Kida and M. Tonouchi
Optical evidence of a pseudogap in the ferromagnetic metallic phase of the bilayered manganite
doi:10.1016/j.jmmm.2003.11.333 e669

Y. Ito, K. Okazaki and Y. Teraoka
Wigner rod state in a quasi-two-dimensional electron gas doi:10.1016/j.jmmm.2003.11.334 e671

B. Schmidt, V. Yushankhai, L. Siurakshina and P. Thalmeier
Chain segmentation and the origin of low-T magnetic moments in quasi one-dimensional $Ba_2V_3O_9$ doi:10.1016/j.jmmm.2003.12.1120 e673

C.F. Miclea, H.D. Hochheimer, P.K. Dorhout, B. Martin and G. Sparn
Interplay between superconductivity and charge density wave instability in $Tl_xV_6S_8$ doi:10.1016/j.jmmm.2004.01.057 e675

M. Yashima, S. Kawasaki, Y. Kawasaki, G.-q. Zheng, Y. Kitaoka, H. Shishido, R. Settai and Y. Onuki
Unconventional superconductivity and antiferromagnetic spin fluctuations in the heavy fermion compound $CeCoIn_5$: ^{115}In-NQR study under pressure doi:10.1016/j.jmmm.2003.11.335 e679

S. Ohsugi, S. Matsumoto, Y. Kitaoka, M. Matsuda, M. Uehara, T. Nagata and J. Akimitsu
Observation of field-induced long-range order in disordered $Sr_{14}Cu_{24}O_{41}$ doi:10.1016/j.jmmm.2003.11.337 e683

T. Asano, Y. Ajiro, Y. Inagaki, H. Nojiri, T. Sakon, T. Ishida, T. Nogami, J.P. Boucher and M. Motokawa
ESR of quantum spin chains with staggered fields doi:10.1016/j.jmmm.2003.11.339 e685

A. Ralko and T.T. Truong
Induced anyonicity and consequences doi:10.1016/j.jmmm.2003.11.340 e687

A.V. Sologubenko, S.M. Kazakov, H.R. Ott, T. Asano and Y. Ajiro
Diffusive energy transport in the $S = 1$ Haldane-gap spin chain compound $AgVP_2S_6$ doi:10.1016/j.jmmm.2003.12.1136 e689

Z. Gajek and R. Lemański
Influence of the inter-ion interaction on the phase diagrams of the 1D Falicov–Kimball system doi:10.1016/j.jmmm.2003.12.1263 e691

J. Das, A.V. Mahajan, J. Bobroff and H. Alloul
Universal behavior of spinless defects in the Haldane chain $Y_2Ba(Ni,Zn)O_5$: a study via bulk (squid) and local (NMR) probes doi:10.1016/j.jmmm.2003.11.341 e693

V.N. Glazkov, A.I. Smirnov, H.-A. Krug von Nidda, A. Loidl, T. Masuda and K. Uchinokura
ESR study of the impurity-induced antiferromagnetic ordering in the diluted spin-Peierls magnet $CuGeO_3$ doi:10.1016/j.jmmm.2003.12.350 e695

S. Itoh, S. Takaishi and R. Ikeda
Magnetic excitations in halogen-bridged nickel complex, $[Ni(chxn)_2Br]Br_2$ doi:10.1016/j.jmmm.2003.12.478 e697

A. Zorko, D. Arčon, C.J. Nuttall and A. Lappas
X-band ESR study of the 2D spin-gap system $SrCu_2(BO_3)_2$ doi:10.1016/j.jmmm.2003.12.336 e699

A. Sanchez, S. Paschen, B. Wand, H. Aoki, A. Ochiai and F. Steglich
Thermal conductivity of the one-dimensional $S = 1/2$ antiferromagnet $Yb_4(As_{1-x}P_x)_3$ ($x = 0$ and 0.3) doi:10.1016/j.jmmm.2003.11.345 e703

Chapter 14. Organic and molecular magnetism

D. Gatteschi and R. Sessoli
Molecular nanomagnets: the first 10 years 1030

W. Wernsdorfer, N. Aliaga-Alcalde, R. Tiron, D.N. Hendrickson and G. Christou
Quantum dynamics of exchange biased single-molecule magnets 1037

A. Lascialfari, F. Borsa, M.-H. Julien, E. Micotti, Y. Furukawa, Z.H. Jang, A. Cornia, D. Gatteschi, M. Horvatic and J. Van Slageren
Spin dynamics at level crossing in molecular AF rings probed by NMR 1042

D. Arčon, P. Jeglič, T. Apih, A. Omerzu and R. Blinc
Belt-like C_{60}^- electron spin density distribution in the organic ferromagnet TDAE-C_{60} 1048

M. Affronte, T. Guidi, R. Caciuffo, S. Carretta, G. Amoretti, J. Hinderer, I. Sheikin, A.A. Smith, R.E.P. Winpenny, J. van Slageren and D. Gatteschi
Level crossing in a molecular Cr_8 ring 1050

A. Lascialfari, R. Ullu, M. Affronte, F. Cinti, A. Caneschi, D. Gatteschi, D. Rovai, M.G. Pini and A. Rettori
Indication for a chiral phase in the molecular magnetic chain $Gd(hfac)_3NiTiPr$ by specific heat and μ^+SR measurements 1052

R. Feyerherm, A. Loose and H. Nojiri
Low-temperature magnetization of the distorted triangular magnet manganese tricyanomethanide 1054

A.U.B. Wolter, P. Wzietek, S. Süllow, F.J. Litterst, P. Auban-Senzier, D. Jérome, R. Feyerherm and H.-H. Klauss
^{13}C-NMR under pressure on $[PM \cdot Cu(NO_3)_2 \cdot (H_2O)_2]_n$ 1056

B. Sieklucka, T. Korzeniak, R. Podgajny, M. Bałanda, Y. Nakazawa, Y. Miyazaki, M. Sorai and T. Wasiutyński
Ferromagnetic ordering in new layered copper octacyanometallates 1058

C. Bellitto, E.M. Bauer, G. Righini and A. Altomare
Synthesis and magnetic properties of a new Cr(II) ammonium-ethyl-phosphonate: $Cr_{1.5}[H_3N(CH_2)_2PO_3]\text{-}(SO_4) \cdot 2H_2O$ 1060

A.I. Coldea, A.F. Bangura, J. Singleton, A. Ardavan, A. Akutsu-Sato, H. Akutsu, S. S. Turner and P. Day
The role of magnetic ions on the magnetotransport

properties of the charge-transfer salts β″-BEDT-TTF$_4$[$(H_3O)M(C_2O_4)_3$]C_5H_5N where M = Ga^{3+}, Cr^{3+} or Fe^{3+} 1062

N.Dj. Lazarov, V. Spasojevic, V. Kusigerski, V.M. Matić and M. Milić
Magnetic susceptibility calculation of the dinuclear cobalt complex $[Co_2(ox)tpmc](ClO_4)_2 \cdot 3H_2O$ 1065

N. Guskos, V. Likodimos, S. Glenis, J. Typek, M. Wabia, D.G. Paschalidis, I. Tossidis and C.L. Lin
Magnetic properties of rare-earth hydrazone compounds 1067

T. Tajiri, H. Deguchi, M. Mito, S. Takagi, H. Nojiri, T. Kawae and K. Takeda
Magnetic properties of isostructural spin-ladder systems $(C_5H_{12}N)_2CuCl_4$ and $(C_5H_{12}N)_2CuCl_2Br_2$ 1070

S. Takagi, K. Ejima, M. Yamashita, T. Tajiri, M. Yoshihiro, M. Mito and H. Deguchi
Anisotropic pressure dependence of the magnetism of a spin-Peierls substance MEM-$[TCNQ]_2$ 1072

Z. Drzazga, J. Habdas, D. Kaczorowski and A. Winiarska
Magnetic properties of some meso-tolyl- and meso-pirydyl-porphyrins and their metal derivatives 1074

M. Hiraoka, H. Sakamoto, K. Mizoguchi, T. Kato, K. Furukawa, R. Kato, K. Hiraki and T. Takahashi
Spin soliton dynamics and pressure effects in the spin-Peierls system $(DMe\text{-}DCNQI)_2M$ (M = Li, Ag) 1077

L. Rolland, V. Simonet, W. Wernsdorfer, L. Bogani and R. Sessoli
Micro-Hall magnetometry on a Co-organic chain compound 1079

A. Matsuo, Y. Narumi, T. Asano, Y. Ajiro, T. Ishida, T. Nogami and K. Kindo
High-field magnetization process in the $S = 1/2$ chain $[PM \cdot Cu(NO_3)_2 \cdot (H_2O)_2]_n$ (PM = pyrimidine) 1081

A. Dei, D. Gatteschi, C. Sangregorio, L. Sorace and M.G.F. Vaz
Antiferromagnetic exchange in meta-phenylene bridged bis(tris-*o*-iminosemiquinonato)metal complexes 1083

D. Arčon, A. Zorko, P. Cevc, E. Wortham, R.N. Das, E.P. Giannelis and A. Lappas
Modified magnetic interactions in hybrid perovskite nanocomposites 1085

E. Micotti, A. Lascialfari, A. Rigamonti, S. Aldrovandi, A. Caneschi, D. Gatteschi and L. Bogani
Novel spin dynamics in ferrimagnetic molecular chains from ^1H NMR and μSR spin–lattice relaxation measurements 1087

N.S. Ovanesyan, G.V. Shilov, A.A. Pyalling, C. Train, P. Gredin, M. Gruselle, L.F. Kiss and L. Bottyán
Structural and magnetic properties of two- and three-dimensional molecule-based magnets $(cat)^+ \times [M^{II}M^{III}(C_2O_4)_3]^-$ 1089

Y. Kobayashi, M. Itoi, K. Kojima and K. Asai
Pressure-induced charge-transfer phase transition in a mixed-valence iron complex 1091

M. Itoi, M. Enomoto and N. Kojima
Ferromagnetism of iron mixed-valence complex $(n\text{-}C_3H_7)_4N[Fe^{II}Fe^{III}(dto)_3]$ (dithiooxalato:dto = $C_2O_2S_2$) 1093

R.D. Willett, C.J. Gomez-García and A. Ghosh
Magnetic behavior of some 1D Cu chains 1095

L. Anfuso, D. Rovai, R. Sessoli, G. Gaudin and J. Villain
Resonant quantum tunneling of the magnetization beyond the giant spin approximation 1097

E. Micotti, D. Procissi, A. Lascialfari, P. Carretta, P. Kögerler, F. Borsa, M. Luban and C. Baines
NMR and μSR investigation of spin dynamics in $\{Mo_{72}Fe_{30}\}$ molecular clusters 1099

S. Kimura, T. Otani, Y. Narumi, K. Kindo, M. Nakano and G. Matsubayashi
ESR study of spin-crossover complex $[Mn^{III}(taa)]$ using pulsed high magnetic field 1102

G.-H. Kim
Quantum tunneling of a large spin via exchange interaction in single-molecule magnets: a perturbative approach 1104

R. Amigó, J. Tejada, E.M. Chudnovsky, J.M. Hernandez and A. García-Santiago
Quantum dynamics of crystals of molecular magnets inside microwave resonators 1106

W. Wernsdorfer, S. Bhaduri, R. Tiron, D.N. Hendrickson and G. Christou
Two-body tunnel transitions in a Mn_4 single-molecule magnet 1109

F. Torres, J.M. Hernandez, A. García-Santiago, J. Tejada and E. Molins
Experimental evidence of the dependence of spin tunneling on the concentration of dislocations in Mn_{12} crystals 1111

S. Fernández, J.L. Mesa, J.L. Pizarro, A. Peña, J. Gutiérrez, M.I. Arriortua and T. Rojo
Magnetic behavior of inorganic–organic hybrid phosphite compounds with 3-d transition metals 1113

J.-H. Park, Y.D. Huh, E. Čižmár, S.G. Gamble, D.R. Talham and M.W. Meisel
Photoinduced magnetization in a thin Fe–CN–Co film 1116

M. Mito, N. Shindo, T. Tajiri, H. Deguchi, S. Takagi, H. Miyasaka, M. Yamashita, R. Clérac and C. Coulon
Pressure effects on single chain magnets 1118

M.A. Novak
Magnetic relaxation in molecular nanostructures doi:10.1016/j.jmmm.2003.12.1384 e707

M. Ruben, E. Breuning, J.-M. Lehn, V. Ksenofontov, P. Gütlich and G. Vaughan
Magneto-structural correlations in self-assembled spin-transition nano-architectures of the $[Fe_4^{II}L_4]^{n+}$ [2 × 2]-grid-type doi:10.1016/j.jmmm.2003.12.1423 e715

K.M. Mertes, Y. Suzuki, M.P. Sarachik, Y. Myasoedov, H. Shtrikman, E. Zeldov, E.M. Rumberger, D.N. Hendrickson and G. Christou
Tunnel splitting distributions and dipolar shuffling in Mn_{12}-acetate doi:10.1016/j.jmmm.2003.12.535 e719

C. Schröder, J. Schnack, D. Mentrup and M. Luban
Critical slowing-down in classical and quantum Heisenberg magnetic molecules doi:10.1016/j.jmmm.2004.01.064 e721

A. Cornia, A.C. Fabretti, M. Pacchioni, L. Zobbi, D. Bonacchi, A. Caneschi, D. Gatteschi, R. Biagi, U. del Pennino, V. De Renzi, L. Gurevich and H.S.J. Van der Zant
Organized single-molecule magnets: direct observation of new Mn_{12} derivatives on gold doi:10.1016/j.jmmm.2003.12.639 e725

T. Kubo, A. Nagano, T. Goto, K. Takeda and K. Awaga
Comparison of ^{55}Mn NMR between two kinds of Mn_{12} molecular magnets: Mn_{12}Ac and Mn_{12}Ph doi:10.1016/j.jmmm.2003.12.048 e727

V.S. Mironov
Strong exchange anisotropy in orbitally degenerate complexes. A new possibility for designing single-molecule magnets with high blocking temperatures doi:10.1016/j.jmmm.2003.12.051 e731

J.H. Kim, S.C. Wi, J.-S. Kang, D. Jung, S.W. Han and K.H. Kim
PES and XAS studies of Mn12-Ac molecular magnet doi:10.1016/j.jmmm.2003.12.1175 e735

K. Kusakabe, M. Maruyama, S. Tsuneyuki, K. Akagi, Y. Yoshimoto and J. Yamauchi
Indication of flat-band magnetism in theoretically designed nanographite with modified zigzag edges doi:10.1016/j.jmmm.2003.12.1350 e737

Y. Suzuki, K.M. Mertes, M.P. Sarachik, Y. Myasoedov, H. Shtrikman, E. Zeldov, E.M. Rumberger, D.N. Hendrickson and G. Christou
Thermally assisted tunneling for a distribution of tunnel splittings in Mn_{12}-acetate doi:10.1016/j.jmmm.2003.12.054 e739

D. Procissi, B.J. Suh, E. Micotti, A. Lascialfari, Y. Furukawa and F. Borsa
Critical slowing down of the spin dynamics in antiferromagnetic rings doi:10.1016/j.jmmm.2003.12.1262 e741

S. Yoon, S.W. Yoon, M. Heu, S.-B. Cho, W.S. Jeon, Y.J. Kim, D.-Y. Jung, Y.-J. Shin and B.J. Suh
Magnetization relaxation of Mn_{12}-Ac in the presence of crystal imperfections doi:10.1016/j.jmmm.2003.12.511 e743

M. Heu, S.W. Yoon, W.S. Jeon, D.-Y. Jung, B.J. Suh and S. Yoon
Transverse anisotropy of the single-molecule magnet Mn_{12}-PrCl doi:10.1016/j.jmmm.2003.12.649 e745

A. Cornia, A.C. Fabretti, P. Garrisi, C. Mortalò, D. Bonacchi, R. Sessoli, L. Sorace, A.-L. Barra and W. Wernsdorfer
Tuneable energy barriers in tetrairon(III) single-molecule magnets doi:10.1016/j.jmmm.2003.12.1150 e749

M. Zentková, M. Mihalik, I. Tóth, Z. Mitróová, A. Zentko, M. Sendek, J. Kováč, M. Lukáčová, M. Maryško and M. Miglierini
Magnetic and Mössbauer study of some transition metal based nitroprussides doi:10.1016/j.jmmm.2003.12.626 e753

V. Pashchenko, B. Brendel, B. Wolf, M. Lang, M. Kollar, F. Schütz, P. Kopietz, Y. Molodtsova, O. Shchegolikhina, N. Auner and J. Bats
Structural and magnetic investigations on a new molecular quantum magnet doi:10.1016/j.jmmm.2003.12.059 e755

B.J. Suh, D. Procissi, P. Kögerler, E. Micotti, A. Lascialfari and F. Borsa
^{1}H NMR study of dodecanuclear polyoxovanadate cluster {V12} doi:10.1016/j.jmmm.2003.12.606 e759

M. Affronte, J.C. Lasjaunias, W. Wernsdorfer, R. Sessoli, D. Gatteschi, S.L. Heath, A. Fort and A. Rettori
Inter-cluster coupling effects in high-spin molecular magnets doi:10.1016/j.jmmm.2003.12.1125 e763

J. van Slageren, S. Vongtragool, B. Gorshunov, A.A. Mukhin and M. Dressel
Frequency-domain magnetic resonance spectroscopy doi:10.1016/j.jmmm.2003.12.1000 e765

S. Vongtragool, B. Gorshunov, J. van Slageren, M. Dressel and A.A. Mukhin
Lineshape of magnetodipole transitions and magnetization relaxation in Mn_{12}Ac doi:10.1016/j.jmmm.2003.12.999 e769

S.H. Baek, S. Kawakami, Y. Furukawa, B.J. Suh, F. Borsa, K. Kumagai and A. Cornia
^{57}Fe NMR in oriented powder of Fe8 in zero and applied field doi:10.1016/j.jmmm.2003.12.062 e771

L. Spanu, A. Parola and A. Lascialfari
Spin-Peierls-like distortion in antiferromagnetic molecular rings doi:10.1016/j.jmmm.2003.12.633 e773

Moshe Belinsky
Antisymmetric double exchange in mixed-valence clusters doi:10.1016/j.jmmm.2003.12.1281 e775

T. Guidi, G. Amoretti, R. Caciuffo, S. Carretta, A. Cornia, C.D. Frost and E. Liviotti
Inter-multiplet transitions in the Fe_4 magnetic cluster doi:10.1016/j.jmmm.2003.12.1113 e777

Chapter 15. Surface films multilayers and superlattices

H. Kumigashira, K. Horiba, H. Ohguchi, M. Oshima, N. Nakagawa, M. Lippmaa, K. Ono, M. Kawasaki and H. Koinuma
Surface electronic structures of terminating-layer-controlled $La_{0.6}Sr_{0.4}MnO_3$ thin films studied by in situ synchrotron-radiation photoemission spectroscopy 1120

A.J. Freeman, K. Nakamura and T. Ito
Noncollinear magnetism phenomena induced at surfaces, domain walls and in vortex cores of magnetic quantum dots 1122

H. Luetkens, J. Korecki, E. Morenzoni, T. Prokscha, A. Suter, M. Birke, N. Garifianov, R. Khasanov, T. Ślezak and F.J. Litterst
Long range electron spin polarization in the Ag layer of a Fe/Ag film 1128

K. Baberschke
The magnetism of ultrathin trilayers: a playground to study fundamentals 1130

L. Maritato and A.Y. Petrov
High metal–insulator transition temperature in $La_{1-x}Sr_xMnO_3$ thin films grown in low oxygen partial pressure by molecular beam epitaxy 1135

A. Vaterlaus, O. Portmann, C. Stamm and D. Pescia
Domain configuration in perpendicularly magnetized atomically thin iron particles 1137

L. Krusin-Elbaum, T. Shibauchi, B. Argyle, V.M. Vinokur and B.D. Terris
Controlling jaggedness of magnetic domains with linear defects 1140

Y. Sakuraba, H. Kato, F. Sato, T. Miyazaki, N. Kimura and H. Aoki
Structure and magnetism in nanocrystalline $Ca(La)B_6$ films 1145

D.V. Vyalikh, M. Richter, Y.S. Dedkov and S.L. Molodtsov
Oscillations in photoemission from Cr/Fe/W(1 0 0) and Cr/W(1 0 0) 1147

A. Kulińska, K.P. Lieb, G.A. Müller, M. Uhrmacher and K. Zhang
Magnetic texture in Ni films after Xe ion implantations measured with perturbed angular correlation spectroscopy 1149

M.G. Pini, A. Rettori, D.P. Pappas, A.V. Anisimov and A.P. Popov
Surface magnetic canting in a nonuniform film 1152

F. Iikawa, M. Knobel, P.V. Santos, C. Adriano, O.D.D. Couto, M.J.S.P. Brasil, C. Giles, R. Magalhães-Paniago and L. Däweritz
Apparent split between magnetic and structural phase transitions in epitaxial MnAs films 1154

H.B. de Carvalho, M.J.S.P. Brasil, M. Knobel and J.C. Denardin
Magnetotransport and electric properties of Co–SiO_2–Si structure 1157

Z.G. Sun, H. Kuramochi, M. Mizuguchi, F. Takano, Y. Semba and H. Akinaga
Magnetic properties and domain structures of FeSiB thin films prepared by RF-sputtering method 1160

K. Zhang, R. Gupta, K.P. Lieb, Y. Luo, G.A. Müller, P. Schaaf and M. Uhrmacher
Ion-induced phase transition in thin Co films 1162

F.T. Yuan, L.S. Lee, S.K. Chen, T.S. Chin and W.C. Chang
Magnetic properties of Fe–Pt–Mn thin films 1164

B.Z. Rameev, A. Gupta, A. Anguelouch, G. Xiao, F. Yıldız, L.R. Tagirov and B. Aktaş
Probing magnetic anisotropies in half-metallic CrO_2 epitaxial films by FMR 1167

F. Spizzo, E. Angeli, D. Bisero, A. Da Re, F. Ronconi and P. Vavassori
Mössbauer investigation of sputtered Fe_xAg_{100-x} films 1169

M. Sirena, N. Haberkorn, M. Granada, L.B. Steren and J. Guimpel
Oxygen and disorder effect in the magnetic properties of manganite films 1171

F. Chemam, A. Bouabellou and R. Boukhalfa
The influence of Ag buffer layer on the structural and magnetic properties in epitaxial Fe films 1174

K.W. Kim, Y.V. Kudryavtsev, J.Y. Rhee and Y.P. Lee
Physical properties of the ordered and disordered Ni_2MnGa Heusler alloy films 1176

J. Dubowik, Y.V. Kudryavtsev and Y.-P. Lee
Ferromagnetic resonance observation of martensitic phase transformation in Ni_2MnGa films 1178

S.-P. Chen and C.-R. Chang
Spin-diffusion effect in the ferromagnet–metal bilayer 1180

A. Urbaniak-Kucharczyk and F.L. Castillo Alvarado
Magnetisation distribution in magnetic bilayers with rough surfaces and interface 1182

D. Spišák and J. Hafner
Theoretical analysis of ultrathin FCC Fe films on Cu(1 1 1) substrates 1184

J.I. Lee and I.G. Kim
A first-principles study on surface and interface magnetism of Fe/*B*2-FeSi(0 0 1) 1186

I.G. Kim and J.I. Lee
Thickness dependence of magnetism in the vanadium overlayers on Ag(0 0 1): a first-principles study 1188

K.-H. Han, D. Spemann, P. Esquinazi, R. Höhne, V. Riede and T. Butz
Magnetic signals of proton irradiated spots created on highly oriented pyrolytic graphite surface 1190

J.F. Bobo, R. Mamy, D. Martrou and S. Dubourg
Growth and magnetism of cobalt nanowires, and continuous films on nanofaceted NiO (1 1 0) 1192

F. Máca, A.B. Shick, G. Schneider and J. Redinger
The spin-reorientation transition on Ni/Cu(0 0 1) surface covered with hydrogen 1194

R. Thamankar and F.O. Schumann
Tuning spin reorientation transition of Ni/Cu(1 0 0) by Fe cap layers 1196

A.V. Ponomareva, E.I. Isaev, L.V. Pourovskii, Y.K. Vekilov, B. Johansson and I.A. Abrikosov
Ab initio investigations of surface magnetism in V–Mo 1198

M. Pratzer and H.J. Elmers
Magnetic and structural investigations of ultra-thin Co–Fe alloy films on W(1 1 0) 1201

R. Meckenstock, D. Spoddig, Z. Frait, V. Kambersky and J. Pelzl
Anisotropic Gilbert damping in epitaxial Fe films on InAs(0 0 1) 1203

H. Uchida, J. Kim, T. Yuasa, K. Kashiwagi, H. Kim, K. Nishimura and M. Inoue
STM observation of enhanced atomic migration by Ni tip on Au(1 1 1) surface 1205

P.E. Roy, C. Andersson, R. Gunnarsson, O. Karis, Z. Ivanov and P. Svedlindh
Interface magnetic properties of $La_{0.7}Sr_{0.3}MnO_3$ thin films 1207

J.C. Eckert, M. Seetin, T. Gredig and E.D. Dahlberg
Effects of seed layer on the coercivity and exchange bias in Co/Ag/CoO heterostructures 1210

R.L. Rodríguez-Suárez, L.H. Vilela Leão, F.M. Aguiar, S.M. Rezende and A. Azevedo
On the controversial measurements of the exchange-bias field in magnetic bilayers 1212

S. Meza-Aguilar, B. M'Passi-Mabiala and C. Demangeat
The magnetic map of thin Mn overlayers on Ni(0 0 1) 1215

B. M'Passi-Mabiala, S. Meza-Aguilar and C. Demangeat
Magnetic structure of FeMn thin films on Co(0 0 1) FCC substrate 1217

A. Gupta, A. Paul, M. Gupta, C. Meneghini, U. Pietsch, K. Mibu, A. Maddalena, S.D. Toé and G. Principi
Structural characterization of epitaxial Fe/Cr multilayers using anomalous X-ray and neutron reflectivity 1219

A. Brambilla, M. Portalupi, M. Finazzi, G. Ghiringhelli, L. Duò, F. Parmigiani, M. Zacchigna, M. Zangrando and F. Ciccacci
Magnetic anisotropy of NiO epitaxial thin films on Fe(0 0 1) 1221

Y.-R. Jang, I.G. Kim and J.I. Lee
Surface and interface magnetism of V overlayers on W(0 0 1) 1223

N.-T.H. Kim-Ngan and W. Soszka
Investigations of the Fe_3O_4 (0 0 1) surface by low-energy He^+ ions scattering 1225

H. Chihaya, M. Kamiko, S. Oh and R. Yamamoto
Effect of seed layers on the structure of Co/Cu(1 0 0) metallic multilayers 1228

K. Suenaga, G. Oomi, Y. Uwatoko, T. Sakai, K. Saito, K. Takanashi and H. Fujimori
Temperature dependence of electrical resistivity of Co/Cu multilayers at static magnetic field 1231

N. Jiko, M. Almokhtar, M. Takeda, J. Suzuki, T. Shinjo and K. Mibu
Growth-orientation dependence of magnetic properties of Cr-based multilayers with ^{119}Sn monatomic layers 1233

J.M. Pereira Jr., R.N.C. Filho and M.G. Cottam
Dipole-exchange spin waves in heterostructures with a non-magnetic spacer 1235

P. Blomqvist and K. M. Krishnan
Exchange coupling in nanoscale MnPd/Fe heterostructures 1237

M. Rateo, M. Carbucicchio, M. Ghidini and M. Solzi
Temperature dependence of in-plane magnetic anisotropy of Co/Fe multilayers 1240

V.N. Men'shov and V.V. Tugushev
The effect of proximity-induced spin density wave order and interface roughness on magnetic coupling in Fe/Cr multilayers 1242

N. Haberkorn, M. Sirena, J. Guimpel and L.B. Steren
Disorder influence on the magnetic properties of $La_{0.55}Sr_{0.45}MnO_3/SrTiO_3$ superlattices 1244

I.L. Soroka and B. Hjörvarsson
Origin of uniaxial in-plane magnetic anisotropy in $Fe_{81}Ni_{19}$/Co superlattices 1247

Z. Bak
Indirect magnetic interactions in the metallic superlattices. The effective dimensionality approach 1249

J.-R. Jeong and S.-C. Shin
In situ layer-resolved magnetoelastic coupling and growth stress study of Co/Pd nanomultilayer films 1251

M. Żołądź, T. Ślęzak, D. Wilgocka-Ślęzak, N. Spiridis, J. Korecki, T. Stobiecki and K. Röll
Observation of the domain structure in Fe–Au superlattices with perpendicular anisotropy 1253

S. Soriano, C. Dufour, K. Dumesnil, P. Mangin and A. Stunault
New Nd magnetic phase in Sm/Nd superlattices 1255

J.D. O'Neill, S. Langridge, R.M. Dalgliesh, A.A. Zhukov, J.-M.L. Beaujour, G.J. Bowden, P.A.J. de Groot, B.D. Rainford, R.C.C. Ward and M.R. Wells
Neutron reflectometry studies of exchange springs in $DyFe_2/YFe_2$ superlattices 1258

C.C. Abilio, M. Rosina, C. Dubourdieu, F. Weiss, K. Fröhlich and M. Godinho
Effect of magnetic field orientation on magnetization of $(La_{0.7}Sr_{0.3}MnO_3/SrTiO_3)_{15}$ superlattices 1260

S. Kamali-M, A.M. Blixt, L. Häggström, R. Wäppling, V. Stanciu and P. Nordblad
Magnetic properties of a $Fe_{0.82}Ni_{0.18}/V(0\,0\,1)$ superlattice studied by Mössbauer spectroscopy 1263

A. Bill and H.B. Braun
Magnetic properties of exchange springs 1266

Y. Sakurai and H. Fujiwara
Unidirectional anisotropy and spin-configurations in ferro/antiferromagnetic exchange coupled layers with FCC(1 0 0) and FCC(1 1 1) interfaces 1268

C. Rüdt, A. Scherz, P. Poulopoulos and K. Baberschke
Harmonics of the ac susceptibility in ultrathin film ferromagnets 1270

S.W. Kim, J.Y. Lee, B.K. Kim, J.K. Kim, J.R. Rhee, K.A. Lee, K.H. Lee, S.S. Lee and D.G. Hwang
Blocking effect of Mn diffusion in NiFe/FeMn/NiFe multilayers 1272

N.D. Telling, G.A. Jones, M.T. Georgieva and P.J. Grundy
Effect of local variations in interlayer coupling on magnetization reversal in spin-valve multilayers 1274

R. Thamankar, S. Bhagwat and F.O. Schumann
Instabilites in ultrathin Fe-rich alloy films on Cu(1 0 0) doi:10.1016/j.jmmm.2003.12.116 e779

T. Furubayashi
Magnetite films prepared by reactive evaporation doi:10.1016/j.jmmm.2003.12.1058 e781

R. Mathieu, A. Asamitsu, K. Takahashi, H. Yamada, M. Kawasaki, Z. Fang, N. Nagaosa and Y. Tokura
Anomalous Hall effect in Ca-doped $SrRuO_3$ films doi:10.1016/j.jmmm.2003.12.119 e785

T. Muramatsu, Y. Muraoka, T. Yamauchi, J. Yamaura and Z. Hiroi
Photocarrier injection to perovskite manganites doi:10.1016/j.jmmm.2003.12.121 e787

D. Kolberg, A. Borgschulte, R. Eloirdi, T. Gouder, G.H. Lander, M. Marutzky, D. Menzel, J. Schoenes, F. Wastin and S. Weber
Switching of magnetic thin films—model systems based on hydrogenated Eu and U doi:10.1016/j.jmmm.2003.12.562 e789

T. Goto, H. Ogata, T. Sato, K. Yamaguchi, T. Shima and H. Yoshida
Growth of FeRh thin films and magnetic properties of FePt/FeRh bilayers doi:10.1016/j.jmmm.2003.12.686 e791

P.D. Kulkarni, M. Desai, N. Venkataramani, S. Prasad and R. Krishan
Low power RF sputter deposition of oriented copper ferrite films doi:10.1016/j.jmmm.2004.01.020 e793

R.C. Oliveira, R.L. Rodríguez-Suárez, F.M.D. Aguiar, S.M. Rezende, J.R. Fermin and A. Azevedo
Magnetization relaxation in sputtered thin permalloy films doi:10.1016/j.jmmm.2003.12.126 e795

A. Lisfi, L.T. Nguyen, J.C. Lodder and C.M. Williams
Investigation of magnetic anisotropy and role of underlayer in obliquely sputtered metallic thin films doi:10.1016/j.jmmm.2003.12.1251 e797

G. Fratucello, P. Vavassori, P. Luches, M. Liberati and S. Valeri
Magnetism and morphology of Ni/Cu(1 0 0) and Ni–Fe–Ni/Cu(1 0 0) ultrathin films doi:10.1016/j.jmmm.2003.12.1062 e801

T. Blon, D. Chassaing, G. Ben Assayag, D. Hrabovsky, J.F. Bobo, J.C. Ousset and E. Snoeck
Effects of ion irradiation on cobalt thin films magnetic anisotropy doi:10.1016/j.jmmm.2003.12.130 e803

S. Tacchi, M. Madami, G. Gubbiotti, G. Carlotti and L. Verdini
In situ Brillouin scattering investigation of thin Fe/Cu(1 1 1) films doi:10.1016/j.jmmm.2003.12.132 e807

C. Driemeier, L.C.C.M. Nagamine, J.E. Schmidt and J. Geshev
Tuning the antiferromagnetic easy axis direction in exchange bias bilayers doi:10.1016/j.jmmm.2003.12.151 e811

M. Almokhtar, K. Mibu and T. Shinjo
Mössbauer study of magnetism of Rh layers in Ag(0 0 1)/Rh/Sn/Rh superlattice structures doi:10.1016/j.jmmm.2003.12.153 e813

D.P. Landau, S.-H. Tsai and T.C. Schulthess
Phase transitions in ferro–antiferromagnetic bilayers with a stepped interface doi:10.1016/j.jmmm.2003.12.432 e817

S. Ishio, G.Q. Li, H. Takahoshi, H. Ito, H. Saito, T. Shima and K. Takanashi
Domain structure movement in $L1_0$ FePt islands observed by in situ MFM doi:10.1016/j.jmmm.2003.12.157 e819

C. Gatel and E. Snoeck
Epitaxial growth and exchange coupling in NiO–Fe_3O_4 bilayers deposited on MgO(0 0 1) and Al_2O_3(0 0 0 1) doi:10.1016/j.jmmm.2003.12.160 e823

M. Kisielewski, A. Maziewski, T. Polyakova and V. Zablotskii

Models and simulations for analysis of domain sizes in ultrathin magnetic films
doi:10.1016/j.jmmm.2003.12.162 e825

T. Kume, Y. Sugiyama, T. Kato, S. Iwata and S. Tsunashima
Exchange anisotropy of MBE grown $Mn_{1-x}Pt_x$/NiFe bilayers with (0 0 1) orientation
doi:10.1016/j.jmmm.2003.12.385 e827

J.S. Tsay, H.Y. Nieh, C.S. Yang and Y.D. Yao
Thickness dependence of the magnetic properties in ultrathin Co/Ge(1 1 1) films
doi:10.1016/j.jmmm.2003.12.164 e829

E. Pina, M.A. García, I. Carabias, F.J. Palomares, F. Cebollada, A. de Hoyos, R. Almazán, M.I. Verdú, M.T. Montojo, G. Vergara, A. Hernando and J.M. González
Temperature dependence of the hysteretic properties in SmCo films doi:10.1016/j.jmmm.2003.12.1073 e833

F. Lucari and F. D'Orazio
Magneto-optical study of exchange-biased sputtered Co/CoO films doi:10.1016/j.jmmm.2003.12.1074 e837

R. Höhne, K.-H. Han, P. Esquinazi, A. Setzer, H. Semmelhack, D. Spemann and T. Butz
Magnetism of pure, disordered carbon films prepared by pulsed laser deposition
doi:10.1016/j.jmmm.2003.12.765 e839

J.R.L. de Almeida, J.R. Steiner and S.M. Rezende
Field dependence of the interface energy in AF/AFM bilayers doi:10.1016/j.jmmm.2003.12.174 e841

D. Vempaire, S. Miraglia, A. Sulpice, L. Ortega, E.K. Hlil, D. Fruchart and J. Pelletier
Structure and magnetic properties of nickel nitride thin film synthesized by plasma-based ion implantation doi:10.1016/j.jmmm.2004.01.069 e843

V.L. Aksenov, V.I. Bodnarchuk, S.V. Kozhevnikov and Yu.V. Nikitenko
Three-layered Fe/Si/Cu structure as a neutron spin-precessor for low-frequency spectrometry of thin layers and surfaces doi:10.1016/j.jmmm.2003.12.176 e845

T. Pokhil, R. Chantrell, C. Hou and E. Singleton
Rotational relaxation of pinning field in AFM/FM bilayer films doi:10.1016/j.jmmm.2003.12.177 e849

K. Takanashi, T. Shima and T. Moriguchi
Enhanced coercivity of $L1_0$ ordered FePt thin films fabricated by alternate monatomic layer deposition on stepped Pt(0 0 1) doi:10.1016/j.jmmm.2003.12.179 e853

R. Morales, J.I. Martín and J.M. Alameda
Incomplete magnetization switching processes in exchange coupled double layers of Gd–Co alloys
doi:10.1016/j.jmmm.2003.12.182 e855

U. Hannemann, S. Melcher and S. Fähler
Highly textured Nd–Fe–B films grown on amorphous substrates doi:10.1016/j.jmmm.2003.12.695 e859

M. Kisielewski, Z. Kurant, A. Maziewski, M. Tekielak, A. Wawro, A. Maneikis and L.T. Baczewski
Overlayer induced changes of magnetic ordering in ultrathin cobalt film
doi:10.1016/j.jmmm.2003.12.185 e861

G. Bergmann and F. Song
Electronic transition of vanadium impurities in different alkali hosts
doi:10.1016/j.jmmm.2003.12.186 e863

M. Zani and E. Puppin
Temperature dependent criticality of Barkhausen noise in thin Fe films
doi:10.1016/j.jmmm.2003.12.191 e865

Y. Dumont, N. Keller, O. Popova, D.S. Schmool, F. Gendron, M. Tessier and M. Guyot
Modified magnetic properties of oxygen off-stoichiometric yttrium iron garnet thin films
doi:10.1016/j.jmmm.2003.12.193 e869

B. Paci, A. Generosi, V. Rossi Albertini, E. Agostinelli and G. Varvaro
Structural, morphological and magnetic study of CoPt/Cr/MgO films by energy dispersive X-ray diffractometry and reflectometry measurements
doi:10.1016/j.jmmm.2003.12.1366 e873

Y. Xu, K. Steenbeck, P. Das, J. Wei, M. Koblischka and U. Hartmann
Local electronic properties of manganite films studied by STM/STS under ambient conditions
doi:10.1016/j.jmmm.2003.12.196 e875

T. Speliotis, D. Niarchos, V. Skumryev, Y. Zhang and G. Hadjipanayis
Effect of post deposition annealing on the hysteresis loops of sputtered NdFeB films
doi:10.1016/j.jmmm.2003.12.198 e877

M. Venkatesan, J. Buschbeck, F.M.F. Rhen and J.M.D. Coey
Effect of annealing on magnetic properties of Nd–Fe–B films doi:10.1016/j.jmmm.2003.12.204 e881

F.M.F. Rhen and J.M.D. Coey
Structural characterization and magnetic properties of electrodeposited CoPt alloys
doi:10.1016/j.jmmm.2003.12.207 e883

M. Veis, V. Kolinsky, S. Visnovsky, P.D. Kulkarni, M. Desai, N. Venkataramani, S. Prasad and R. Krishnan
Moke spectroscopy of sputter deposited Cu-ferrite films doi:10.1016/j.jmmm.2003.12.212 e885

J. Kienert and W. Nolting
Magnetism of finite-n Kondo-lattice films
doi:10.1016/j.jmmm.2003.12.215 e887

J.E. Kim, J.S. Han, E.C. Kim, C.J. Yang and E.B. Park
Magnetic property of $Sm_2Fe_{17}N_3$ films grown by RF magnetron sputtering
doi:10.1016/j.jmmm.2003.12.1265 e889

E.R. Spada, L.S. de Oliveira, A.S. da Rocha, A.A. Pasa, G. Zangari and M.L. Sartorelli
Thin films of Fe_xNi_{1-x} electroplated on silicon (1 0 0) doi:10.1016/j.jmmm.2003.12.218 e891

Y.E. Kalinin, A.V. Sitnikov, N.E. Skryabina, L.V. Spivak and A.A. Shadrin
Barkhausen effect and percolation threshold in metal-dielectric nanocomposites doi:10.1016/j.jmmm.2003.12.220 e893

M. Mulazzi, K. Chesnel, A. Marty, G. Asti, M. Ghidini, M. Solzi, M. Belakhovsky, N. Jaouen, J.M. Tonnerre and F. Sirotti
Stripe domains nucleation observed by X-ray magnetic scattering: temperature variation of exchange and anisotropy doi:10.1016/j.jmmm.2003.12.1183 e895

N. Kumar, D.S. Misra, N. Venkataramani, S. Prasad and R. Krishnan
Magnetic properties of pulsed laser ablated YIG thin films on different substrates doi:10.1016/j.jmmm.2003.12.223 e899

L. Malkinski, W.L. Zhou, J. He, Z. Celinski, R. Camley, T. O'Keevan, J. Yano, T. Pivoda, A. Vovk, M. Hecker, C.M. Schneider, J. Szade and D. Skrzypek
Microstructure and magnetic properties of $Fe/KCoF_3$ thin films doi:10.1016/j.jmmm.2003.12.226 e901

A.K. Arzhnikov, L.V. Dobysheva and D.V. Fedorov
Magnetism and hyperfine magnetic fields in Fe/Cr/Sn/Cr and Cr/Sn multilayers doi:10.1016/j.jmmm.2003.12.338 e905

E. Agostinelli, G. Varvaro, L. Del Bianco, D. Fiorani, P. Imperatori, G. Scavia and A.M. Testa
Structural and magnetic properties of pulsed laser deposited $CoPt_3$ films doi:10.1016/j.jmmm.2003.12.1337 e907

A. Getman, A. Sivov, N.S. Perov, I.T. Iakubov, K.N. Rozanov, I.A. Ryzhikov and S.N. Starostenko
Static and dynamic magnetic properties of Fe films doi:10.1016/j.jmmm.2003.12.697 e909

R. Gieniusz, A. Stupakiewicz, O. Liedke, A. Maziewski, P. Gogol and P. Beauvillain
FMR study of ultrathin Co magnetic films on vicinal Si(1 1 1) substrates doi:10.1016/j.jmmm.2003.12.229 e911

L. Santi, L.S. Dorneles, R.L. Sommer, F. Colaiori, S. Zapperi, A. Magni and G. Durin
Investigation of scaling properties of hysteresis in Finemet thin films doi:10.1016/j.jmmm.2003.12.231 e913

K. Hirai
First-principles study of proximity effects on spin-density wave in chromium multilayers doi:10.1016/j.jmmm.2003.12.1338 e915

S.A. Haque, Y. Yamamoto, H. Hori and M. Yamamoto
Magnetization process of Ni/Si/Ni/GaAs multilayer and its magnetoresistance doi:10.1016/j.jmmm.2003.12.694 e917

Y.P. Lee, S.M. Kim, J.S. Park, Y.V. Kudryavtsev and K.W. Kim
Physical properties of as-deposited and post-treated Ni/Si-multilayered films doi:10.1016/j.jmmm.2003.12.234 e921

J. Dubowik, F. Stobiecki, I. Gościańska and K. Röll
Temperature dependence of magnetic anisotropy in Co/Au layered structures doi:10.1016/j.jmmm.2003.12.1092 e923

K.H. Lee, S.W. Kang, G.H. Kim and W.Y. Jeung
Fabrication of multi-layered CoPtP alloy with high coercivity and squareness by electrochemical deposition doi:10.1016/j.jmmm.2003.12.1015 e925

G.B. Fratucello and P. Vavassori
Magnetic interface anisotropy in Ni/Fe/Ni(1 1 1) trilayers doi:10.1016/j.jmmm.2003.12.766 e927

T. Sakai, G. Oomi, E. Duman, M. Acet, K. Saito and K. Takanashi
Thermal variation of magnetotransport properties of Co/Cu magnetic multilayers doi:10.1016/j.jmmm.2003.12.244 e929

J. Milano, L.B. Steren and A.M. Llois
Band contribution to electronic transport in Co/Ag based multilayered granular alloys doi:10.1016/j.jmmm.2003.12.1013 e931

C.-H. Lee, K.-L. Yu, J.C.A. Huang and M.M. Chen
X-ray study of the relation between the coercivity and atomic structural properties of the epitaxial Co/Pt multilayers on $Al_2O_3(11-20)$ substrates doi:10.1016/j.jmmm.2003.12.249 e933

Yu.A. Filimonov, A.S. Dzhumaliev, A.V. Kozhevnikov and S.L. Vysotsky
Influence of growth temperature on the easy magnetization axis switch and domain structure in Fe/GaAs(1 0 0) structures doi:10.1016/j.jmmm.2003.12.1266 e937

E. Holmström, L. Bergqvist, B. Skubic and O. Eriksson
Structural and magnetic aspects of multilayer interfaces doi:10.1016/j.jmmm.2003.12.1165 e941

Y.-W. Lee, S. Hong, C. Kim and C.-O. Kim
Asymmetric exchange bias in NiFe/FeMn/NiFe multilayer films doi:10.1016/j.jmmm.2003.12.253 e943

N. Takenouchi, T. Sato and T. Ogawa
Unidirectional magnetic anisotropy in Ni/(Al, Cu)/NiMn trilayer films doi:10.1016/j.jmmm.2003.12.255 e945

P. Vavassori, G. Gubbiotti, G. Carlotti, M. Madami, A. Di Cristoforo, P. Mengucci, J. Weston and G. Zangari
Magnetization reversal in exchange-coupled FeTaN/FeSm/FeTaN multilayers doi:10.1016/j.jmmm.2003.12.258 e949

T. Sato, T. Goto, H. Ogata, K. Yamaguchi and H. Yoshida
Perpendicular magnetic anisotropy of (Co, Fe)/Pt multilayers doi:10.1016/j.jmmm.2003.12.261 e951

S. Gallego, L. Szunyogh, M.C. Muñoz and P. Weinberger
Influence of Au segregation on the magnetic anisotropy of Fe/$Cu_3Au(0\,0\,1)$ doi:10.1016/j.jmmm.2003.12.1250 e953

T. El Bahraoui, H. Errahmani, A. Berrada, A. Dinia, G. Schmerber, F. Cherkaoui El Moursli, F. Hajji and H. Lassri
Structural, magnetic and transport properties of CoZn/Cu electrodeposited multilayers doi:10.1016/j.jmmm.2003.12.266 e955

A. Enders, D. Repetto, T.Y. Lee and K. Kern
Perpendicular coupling and spin reorientation transition in FCC Fe/Cu/Fe trilayers doi:10.1016/j.jmmm.2003.12.568 e959

S.O. Demokritov, A.B. Drovosekov, D.I. Kholin, N.M. Kreines, H. Nembach and M. Rickart
Temperature dependence of interlayer coupling in Fe/Cr/Fe wedge samples: static and dynamic studies doi:10.1016/j.jmmm.2003.12.1339 e963

J.S. Micha, B. Dieny, J.R. Régnard, J.F. Jacquot and J. Sort
Estimation of the Co nanoparticles size by magnetic measurements in Co/SiO_2 discontinuous multilayers doi:10.1016/j.jmmm.2003.12.268 e967

Y. Harada, Y. Nakanishi, N. Yoshimoto, A. Yamaguchi, M. Nakamura and M. Yoshizawa
Structural and magnetic properties of epitaxial Fe/Cu multilayers doi:10.1016/j.jmmm.2003.12.269 e969

T. Ślęzak, D. Wilgocka-Ślęzak, N. Spiridis, J. Meersschaut and J. Korecki
Spin polarization and interlayer coupling in Fe/FeAl/Fe sandwiches doi:10.1016/j.jmmm.2003.12.270 e971

H. Lassri, H. Ouahmane, A. Berrada, A. Kaabouchi, A. Dinia and R. Krishnan
Ferromagnetic resonance studies in Fe/Ti multilayers doi:10.1016/j.jmmm.2003.12.1155 e973

Chapter 16. Disordered and frustrated systems

V. Dupuis, F. Bert, E. Vincent, J. Hammann and J.-P. Bouchaud
Influence of anisotropy on the memory effect in spin glasses: from Ising to Heisenberg spins 1276

H. Kawamura
Fluctuation–dissipation ratio of the Heisenberg spin glass 1278

D. Hérisson and M. Ocio
Fluctuation dissipation relation in an ageing spin glass 1280

M.C. de Moura and S. Coutinho
Temperature chaos in the local magnetization of spin glasses 1282

S. Kobe and J. Krawczyk
Relationship between energy landscape and low-temperature dynamics of $\pm J$ spin glasses 1284

E.T. Seppälä, M.J. Alava and I.J. Sillanpää
Domain walls in random field Ising magnets: wetting 1286

S.M. Yusuf, K.R. Chakraborty, R. Ganguly, P.K. Mishra, S.K. Paranjpe, J.V. Yakhmi and V.C. Sahni
Evidence of ferromagnetic domains in the $(La_{0.757}Dy_{0.243})_{0.7}Ca_{0.3}MnO_3$ perovskite 1288

P.E. Jönsson, H. Mamiya and H. Takayama
Glassy dynamics of an interacting Fe–N nanoparticle system 1290

N. Chau, D.H. Cuong, N.D. Tho, H.N. Nhat, N.H. Luong and B.T. Cong
Large positive entropy change in several charge-ordering perovskites 1292

Md.A. Choudhury, S. Akhter, D.L. Minh, N.D. Tho and N. Chau
Large magnetic-entropy change above room temperature in the colossal magnetoresistance $La_{0.7}Sr_{0.3}Mn_{1-x}Ni_xO_3$ materials 1295

F. Ye, M. Matsuda, S. Katano, H. Yoshizawa, D.P. Belanger, E.T. Seppälä, J.A. Fernandez-Baca and M.J. Alava
Percolation fractal dimension in scattering line shapes of the random-field Ising model 1298

A.S. Wills, A.M.L. Smith, W.E. Dubbin, K.A. Hudson-Edwards and K. Wright
Interlayer exchange in the plumbo-jarosites: *kagomé* systems 1300

L.J. Shelton, F. Ye, W.C. Barber, L. Zhou and D.P. Belanger
Simulations of irreversibilities of the random-field Ising model order parameter 1302

J.L. Gavilano, D. Rau, C. Beeli, M. Weller, H.R. Ott and A.P. Tsai
Magnetic properties of amorphous and quasicrystalline $Al_{75}Cu_{15}V_{10}$ 1304

G.E. Granroth, D. Mandrus, V. Keppens and S.E. Nagler
Long- and short-range magnetic order in the spinel $Co_2Ru_{1-x}Mn_xO_4$ 1306

J.C. Mantilla Ochoa, V. Bindilatti, E. ter Haar, J.A.H. Coaquira, G.E. de Souza Brito, X. Gratens and V. Sagredo
Spin glass behavior in $MnIn_2Se_4$ and $Zn_{1-x}Mn_xIn_2Se_4$ magnetic semiconductors 1308

A.V. Klopper and R.L. Stamps
Site-disordered glassy systems 1310

T. Sakakibara, T. Tayama, K. Matsuhira, S. Takagi and Z. Hiroi
Liquid–gas transition in the spin-ice dysprosium titanate 1312

T. Mori
Irreversibility in a new spin glass system; crystalline rare earth B_{12} boron cluster compounds 1314

S. Sahoo, O. Petracic, W. Kleemann, P. Nordblad, S. Cardoso and P.P. Freitas
Non-equilibrium collective dynamics of a superspin glass 1316

T. Saito, A. Suto and S. Takenaka
Long relaxation phenomena studied by measurements of dynamic susceptibility in a weak random anisotropy magnet 1319

K. Komatsu, T. Sato, P. Jönsson and H. Takayama
Aging behavior of spin glass fine particles in restricted space 1321

D. Sedmidubský, Z. Jirák, J. Hejtmánek and M. Maryško
Mn-site doped $Y_{1-x}Ca_xMnO_3$ ($x = 0.3$–0.4)—from spin glass to FM cluster formation 1323

S. Sanna, G. Concas, F. Congiu and A. Geddo Lehmann
The magnetization behavior of lightly doped $YBa_2Cu_3O_{6+x}$ 1325

H. Szymczak, R. Szymczak, M. Baran and J. Fink-Finowicki
Cluster glass behavior of $La_{0.9}Ca_{0.1}CoO_3$ single crystals 1327

D. Rau, J.L. Gavilano, S. Mushkolaj, C. Beeli and H.R. Ott
Inhomogeneous Mn-magnetism in Al–Pd–Mn quasicrystals 1330

P. Rusek
Spin dynamics of ferromagnetic spin glass 1332

Y.M. Jana, O. Sakai, R. Higashinaka, H. Fukazawa, Y. Maeno, P. Dasgupta and D. Ghosh
Magnetic susceptibility and specific heat studies of a geometrically frustrated pyrochlore antiferromagnet $Tb_2Nb_2O_7$ 1334

T. Sato and A. Hori
Aging behavior of semiconductor spin-glass under photo illumination 1337

J.A. De Toro, T. Muñoz, P. Muñiz and J.M. Riveiro
Glassy magnetism in mechanically alloyed $Fe_{35}Cr_{65}$ 1340

D.S. Schmool, E. Araújo, M.M. Amado, M. Alegria Feio, D. Martín Rodríguez, J.S. Garitaonandia and F. Plazaola
Magnetic properties of the Fe-rich Fe_xAl_{1-x} alloy system 1342

S. Radha and A.K. Nigam
Magnetic and transport measurements in $Au_{(1-x)}Mn_x$ alloys in the cluster glass regime 1345

L.V. Bau, N.V. Khiem, L.V. Hong, N.X. Phuc, P. Nordblad and D.N.H. Nam
Non-uniform behavior of $La_{0.7}Sr_{0.3}Co_{1-y}Mn_yO_3$ ($y = 0.3$ and 0.5) compounds
doi:10.1016/j.jmmm.2003.12.106 e975

Y.G. Pogorelov and M.D. Costa
Apparent phase transition in a chain of magnetic dipoles? doi:10.1016/j.jmmm.2003.12.618 e979

K. Matsuhira, C. Sekine, C. Paulsen and Y. Hinatsu
Low-temperature magnetic properties of the geometrically frustrated pyrochlore $Pr_2Sn_2O_7$
doi:10.1016/j.jmmm.2003.12.500 e981

J. Gutiérrez, J.M. Barandiarán, F.J. Bermejo, A. Peña, J.J. Blanco, T. Rojo, L. Fernández Barquín, C. Mondelli and M.A. González
Spin-glass like behaviour in Fe-containing manganites
doi:10.1016/j.jmmm.2003.12.108 e983

K. Kamazawa, K. Nakajima, K. Kohn and Y. Tsunoda
High magnetic field susceptibility and neutron scattering measurements for $ZnFe_2O_4$ single crystal
doi:10.1016/j.jmmm.2003.12.109 e987

M. Kajňaková, M. Orendáč, A. Orendáčová, A. Vlček, T. Fennell and S.T. Bramwell
Thermodynamic properties of magnetically diluted dipolar spin ice doi:10.1016/j.jmmm.2003.12.702 e989

S. Mitsuda, H. Okano, S. Kobayashi and K. Prokes
Non-magnetic impurity effect on domain growth kinetics in an isosceles triangular Ising antiferromagnet $CoNb_2O_6$ doi:10.1016/j.jmmm.2003.12.600 e993

Y. Muraoka, T. Kasama and T. Idogaki
The nature of phase transition in the ANNNI model with alternating intralayer interactions
doi:10.1016/j.jmmm.2003.12.423 e995

N. Terada, S. Mitsuda, Y. Oohara, H. Yoshizawa and H. Takei
Anomalous magnetic excitation on triangular lattice antiferromagnet $CuFeO_2$
doi:10.1016/j.jmmm.2003.12.509 e997

S. Kawahara, M. Ueda, S. Maegawa, K. Fujita and R. Yamaguchi
Magnetization and NMR studies of the spin $\frac{1}{2}$ antiferromagnet on the kagome lattice
doi:10.1016/j.jmmm.2003.12.413 e999

H. Kitazawa, S. Eguchi, K. Hashi, H. Mamiya, T. Furubayashi and G. Kido
Giant magnetoresistance in geometrically frustrated system $TbPd_{1-x}Ni_xAl$
doi:10.1016/j.jmmm.2003.12.537 e1001

S. Mitsudo, T. Higuchi, T. Idehara, H. Noda, Y. Fujii, H. Kikuchi and M. Chiba

High-field ESR measurements of the diluted pyrochlore slab antiferromagnets $Ba_2Sn_2Ga_{10-7p}ZnCr_{7p}O_{22}$ doi:10.1016/j.jmmm.2003.12.113 e1003

M. Mekata, H. Kikuchi, S. Itoh and H. Mamiya
Ising-cluster excitations in $Rb_2Co_cMg_{1-c}F_4$ near percolation threshold
doi:10.1016/j.jmmm.2003.12.120 e1005

N. Hamaguchi, T. Matsushita, N. Wada, Y. Yasui and M. Sato
Field dependence of magnetic ordering in $Tb_2Ti_2O_7$
doi:10.1016/j.jmmm.2003.12.451 e1007

S. Zapperi, F. Colaiori, L. Dante, V. Basso, G. Durin, A. Magni and M.J. Alava
Is demagnetization an efficient optimization method?
doi:10.1016/j.jmmm.2003.12.627 e1009

V.Yu. Galkin, W.A. Ortiz and V.V. Tugushev
Spin-density-wave glass state in Cr-based alloys with 3d impurities doi:10.1016/j.jmmm.2003.12.1055 e1011

T. Kasama, Y. Muraoka and T. Idogaki
Partially disordered states of mixed-spin axial next-nearest-neighbor Ising model
doi:10.1016/j.jmmm.2003.12.1341 e1015

H. Noda, Y. Fujii, H. Kikuchi, M. Chiba, Y. Yamamoto, H. Hori and N. Wada
Ga-NMR study of pyrochlore slab antiferromagnets $Ba_2Sn_2Ga_{10-7p}ZnCr_{7p}O_{22}$
doi:10.1016/j.jmmm.2003.12.486 e1017

A. Otop, I. Maksimov, F.J. Litterst, J.A. Mydosh and S. Süllow
Hall effect in $URh_2Ge_{2-x}Sn_x$
doi:10.1016/j.jmmm.2003.12.1267 e1019

J. Lorenzana, C. Castellani and C. Di Castro
Maximum size of self-organized inhomogeneities in electronic systems doi:10.1016/j.jmmm.2003.12.442 e1021

N.O. Moreno, C. Israel, P.G. Pagliuso, A.J. Garcia-Adeva, C. Rettori, J.L. Sarrao, J.D. Thompson and S.B. Oseroff
Magnetic properties of the frustrated antiferromagnet $LiCrO_2$ doi:10.1016/j.jmmm.2003.12.122 e1023

M. Maryško and Z. Jirák
Magnetic susceptibility of a two phase manganite $Pr_{0.925}Na_{0.075}MnO_3$ doi:10.1016/j.jmmm.2003.12.127 e1025

O. Klein, V. Charbois, V.V. Naletov and C. Fermon
Direct measurement of the spin–lattice relaxation in a ferromagnet doi:10.1016/j.jmmm.2003.12.129 e1027

Z. Jirák, J. Hejtmánek, K. Knížek, S. Krupička and M. Maryško
Effect of Cr doping in charge ordered $Y_{1-x}Ca_xMnO_3$ ($x \sim 0.5$) doi:10.1016/j.jmmm.2004.01.022 e1029

I. Kagomiya, M. Toki, K. Kohn, Y. Hata, E. Kita and K. Siratori
Magnetic clusters in three dimensional spin frustrated system $ZnCr_2O_4$ doi:10.1016/j.jmmm.2003.12.1028 e1031

E. Rastelli and A. Tassi
Spin reorientation in ultra-thin films with dipole and exchange interaction
doi:10.1016/j.jmmm.2003.12.152 e1033

T. Balcerzak
Application of the pair approximation method for the RKKY interaction
doi:10.1016/j.jmmm.2003.12.390 e1035

N. Ikeda, H. Ohsumi, M. Mizumaki, S. Mori, Y. Horibe and K. Kishimoto
Frustration and ordering of iron ions on triangular iron mixed valence system RFe_2O_4
doi:10.1016/j.jmmm.2003.12.155 e1037

T. Kambe, K. Oshima, W. Fujita and K. Awaga
ESR study on the distorted *kagome* antiferromagnet *m*-MPYNN BF_4 $\frac{1}{3}$ acetone
doi:10.1016/j.jmmm.2003.12.480 e1041

L. Callegaro, S. Ricci and P. Vavassori
Critical current hysteresis in a ferromagnet–superconductor device doi:10.1016/j.jmmm.2003.12.409 e1045

M.R. Cimberle, R. Masini, E. Gilioli, F. Cordero, C. Artini, M. Ferretti, P. Mele and A. Martinelli
Variations in structural and physical properties of $RuSr_2GdCu_2O_8$ samples submitted to annealing and deoxygenation procedures
doi:10.1016/j.jmmm.2003.12.158 e1047

M. Ito, Y. Yasui, S. Iikubo, M. Soda, A. Kobayashi, M. Sato, K. Kakurai, C.H. Lee and K. Yamada
Studies on the (non-) existence of "stripes" in high T_c superconductors doi:10.1016/j.jmmm.2003.12.638 e1051

S.N. Kaul and S. Kumar
Coexistence of superconductivity and antiferromagnetism in $La_{0.5}(Ag_{1-x}Mn_x)_{0.5}$ alloys
doi:10.1016/j.jmmm.2003.12.482 e1055

I.G. Deac, R. Tetean, V. Pop and E. Burzo
Structural, electrical and magnetic properties of $Y_{(1-x)}Ca_xBa_2Cu_{3-y}M_yO_{7-\delta}$ compounds, where M = Ni, Fe, Al, Cr
doi:10.1016/j.jmmm.2003.12.1032 e1057

I. Watanabe, T. Adachi, S. Yairi, Y. Koike and K. Nagamine
Precise muon-spin-relaxation measurements on the Cu-spin dynamics in $La_{2-x}Sr_xCuO_4$
doi:10.1016/j.jmmm.2003.12.450 e1061

C.D. Buioca, S. Noaghi, V. Iusan, M. Buioca and A. Stanci
Nano- and microparticles characterisation using Brownian diffusion measurements
doi:10.1016/j.jmmm.2003.12.161 e1063

K.R. Mavani, D.S. Rana, R. Nagarajan and D.G. Kuberkar
Effect of Sc and Ti doping on superconducting and magnetic properties in $DyBa_2Cu_3O_{7-z}$
doi:10.1016/j.jmmm.2003.12.1207 e1067

A. Lascialfari, A. Rigamonti, L. Romanò, A. Varlamov and I. Zucca
On the character of the fluctuating diamagnetism above the superconducting transition in $La_{1.9}Sr_{0.1}CuO_4$ doi:10.1016/j.jmmm.2003.12.165 e1071

R. Kumar, A. Pushp, C.V. Tomy, R. Nagarajan and D. McK. Paul
Enhancement of T_c in $EuSr_2Cu_{2+x}Ru_{1-x}O_{8-y}$ magnetic superconductor
doi:10.1016/j.jmmm.2003.12.1282 e1073

C. Granata, A. Monaco, C. Di Russo, M.P. Lissitski and M. Russo
Temperature dependence of DC SQUID magnetometer performances
doi:10.1016/j.jmmm.2003.12.333 e1077

G. Tatara, M. Yamanaka and M. Onoda
Topological aspect of chirality-induced Hall conductivity in the perturbative regime
doi:10.1016/j.jmmm.2003.12.170 e1079

A.T. Burkov, A.Yu. Zyuzin, T. Nakama and K. Yagasaki
Disorder-induced positive magnetoresistivity in itinerant metamagnets
doi:10.1016/j.jmmm.2003.12.1117 e1081

A.T. Burkov, A.Y. Zyuzin, T. Nakama and K. Yagasaki
Thermopower of $(Y_{1-x}Gd_x)Co_2$ alloys in a vicinity of zero-temperature magnetic phase boundary
doi:10.1016/j.jmmm.2003.12.1118 e1083

K. Knížek, Z. Jirák, J. Hejtmánek, M. Maryško, C. Martin, A. Maignan and M. Hervieu
The nanoscopic separation of magnetic phases in Cr-doped manganites $Pr_{0.44}Sr_{0.56}MnO_3$
doi:10.1016/j.jmmm.2003.12.534 e1085

Y. Obi, H. Fujishiro and M. Ikebe
Evidence for zero and π phase from superconducting transition temperature in Nb/Co superconducting multilayers doi:10.1016/j.jmmm.2003.12.644 e1087

L.S. Uspenskaya, A.B. Kulakov and A.L. Rakhmanov
Crossover in magnetization behavior of Bi2212:Pb single crystal doi:10.1016/j.jmmm.2003.12.172 e1089

K. Yamane, K. Yakushiji, F. Ernult, M. Matsuura, S. Mitani, K. Takanashi and H. Fujimori
Inverse tunnel magnetoresistance associated with Coulomb staircases in micro-fabricated granular systems doi:10.1016/j.jmmm.2003.12.173 e1091

I.L. Landau, H.R. Ott, A. Bilusic, A. Smontara and H. Berger
Temperature dependencies of the upper critical field and the Ginzburg–Landau parameter for single-crystalline $NbSe_2$ doi:10.1016/j.jmmm.2003.12.1342 e1095

M. Cuoco, P. Gentile and C. Noce
Evolution of density of states for Fulde–Ferrell-type superconductors doi:10.1016/j.jmmm.2003.12.1382 e1097

Z. Janu, M. Novak and G. Tsoi
High-resolution magnetic measurements of HTSC
doi:10.1016/j.jmmm.2003.12.1014 e1099

G.P. Pepe, A. Ruotolo, L. Parlato, G. Peluso, G. Ausanio, G. Carapella and R. Latempa
Nb/NiCu bilayers in single and stacked superconductive tunnel junctions: preliminary results
doi:10.1016/j.jmmm.2003.12.1283 e1103

L. Horng, J.C. Wu, P.C. Kang, T.C. Wu and T.J. Yang
Matching effect and flux pinning force in a Nb superconducting thin film with a triangular lattice of artificial pinning centers
doi:10.1016/j.jmmm.2003.12.1040 e1107

P. Weber and M. Dressel
Effect of magnetic ordering on the infrared spectra of holmium doi:10.1016/j.jmmm.2003.12.492 e1109

Chapter 17. Amorphous and nanocrystalline materials

A. Hernando, A. González, P. Crespo and M. Multigner
Magnetization fluctuations in random anisotropy ferromagnets 1347

N.K. Chumakov, S.V. Gudenko, V.V. Tugushev, A.B. Davydov, V.I. Ozhogin, E. Helgren and F. Hellman
Interplay between charge localization and magnetic ordering in amorphous Gd_xSi_{1-x} 1351

S. Erokhina, T. Berzina, L. Cristofolini, D. Shchukin, G. Sukhorukov, L. Musa, V. Erokhin and M.P. Fontana
Patterned arrays of magnetic nano-engineered capsules on solid supports 1353

G.J. Tomka, J. Milne, S. Tweed and O. Thomas
Hysteresis in stress cycling of amorphous ribbons 1355

P. Crespo, M. Multigner, G. Rivero, A. Hernando, A. García-Escorial, N. Menéndez and J.D. Tornero
Magnetic and Mössbauer characterization of $(Fe_{0.5}Cu_{0.5})_{100-x}Zr_x$ alloys 1357

L.K. Varga, A. Ślawska-Waniewska, A. Roig, K. Racka, E. Fazakas, J. Ferenc and T. Kulik
Microstructure and magnetic properties of $Fe_{81}P_{13}Si_2Nb_3Cu_1$ nanocrystalline alloy 1360

M. Tejedor, J.A. García, J. Carrizo, L. Elbaile, J.D. Santos, J. Mira and J. Rivas
In-plane magnetic anisotropy along the width in amorphous magnetic ribbons 1362

S. Atalay and N. Bayri
Low field magnetoimpedance in FeSiB and CoSiB amorphous wires 1365

C.S. Yoo, S.K. Lim, C.S. Yoon and C.K. Kim
Study of crystallization and magnetic properties of Co-based amorphous metallic alloys as a function of the Pt content 1368

K. Yano and E. Kita
Effect of covalent element boron on exchange inter-

action and magnetic moment in $Fe_{0.4}Gd_{0.6}$ binary alloy 1370

M. Asato and T. Hoshino
First-principles calculations for vacancy formation energies in Cu-based alloys 1372

P. Gawroński, L. Dominguez, J.M. Blanco, J. González and K. Kułakowski
Magnetoelastic oscillations of the magnetisation in a bistable wire 1374

E.E. Shalyguina, V.V. Molokanov, C. Kim, C.-O. Kim and Y. Rheem
Influence of precursor on magnetostatic and dynamic properties of $Co_{68}Fe_4$ $Cr_4Si_{12}B_{12}$ amorphous ribbons 1376

J.L. Soubeyroux and N. Claret
Magnetic properties and crystallization behavior of $Fe_{28.75}Co_{28.75}Ni_{17.5}X_8B_{17}$ (X = Si, Ge) metallic glasses 1379

K. Yano
Molecular field analysis for pseudo-binary $Fe_{40}(Gd_{1-X}Y_X)_{60}$ $(0 \leqslant X \leqslant 0.4)$ amorphous alloy 1381

S.H. Kilcoyne, P.M. Bentley and D. Greig
The magnetic properties of melt-spun amorphous $Pd_{40}Ni_{22.5}Fe_{17.5}P_{20}$ 1383

H. Moradi
Curie temperature of coupled magnetic planes 1385

M. Koyano, T. Kida, K. Higashimine and S. Katayama
Magnetism in Co-sputtered MnO–$MoO_{2+\delta}$ composite thin films 1387

D. Markovic, V. Kusigerski, V. Spasojevic, J. Blanusa, B. Antic, R. Tellgren and V. Srdanov
Magnetic properties of polycrystalline $Co_xZn_{1-x}O$ $(0.75 \leqslant x \leqslant 1)$ solid solutions 1390

G.C. DeFotis, C.D. Wallo, R.L. Smith, D.B. Bodkin, G.L. Mirabilio, T.R. Leftwich and A.D. Slansky
Magnetic behavior of a ternary insulating mixed magnet 1393

O. Crisan, J.M. Le Breton, A.D. Crisan and F. Machizaud
Influence of Gd addition on the magnetism and structure of Finemet-type nanocrystalline alloys 1396

N.H. Dan, V.H. Ky, N.C. Kien, L.T. Minh, V.M. Quang, L.V. Hong, N.X. Phuc and C. Djega-Mariadassou
High coercivity in Nd–Fe–Al based melt-spun ribbons 1398

M.D. Mukadam, S.M. Yusuf, P. Sharma and S.K. Kulshreshtha
Particle size-dependent magnetic properties of γ-Fe_2O_3 nanoparticles 1401

V.H. Ky, N.H. Dan, N.C. Kien, L.T. Minh, V.M. Quang, L.V. Hong, N.X. Phuc and C. Djega-Mariadassou
Influence of quenching rate on magnetic properties of $Nd_{25}Fe_{30}Co_{30}Al_{10}B_5$ alloy 1404

C.Y. Chou, P.C. Kuo, Y.D. Yao, S.C. Chen, C.T. Lie and A.C. Sun
Effects of the process parameters on the microstructure and magnetic properties of nanocrystalline FeTaCN films 1406

S. Luby, E. Majkova, A.P. Caricato, M. Fernandez, A. Luches, Z. Frait, D. Fraitova and R. Malych
Pulsed excimer laser deposited Co- and Fe-based magnetic films for fast magnetic sensors 1408

L.F. Kiss, D. Kaptás, J. Balogh, J. Gubicza, T. Kemény and I. Vincze
Study of the unusual increase in the Curie temperature of the residual amorphous phase in nanocrystalline $Fe_{90}Zr_7B_2Cu_1$ 1410

I.-W. Park, M. Yoon, Y.M. Kim, Y. Kim, J.H. Kim, S. Kim and V. Volkov
Synthesis of cobalt nanoparticles in polymeric membrane and their magnetic anisotropy 1413

K. Peng, F. Xu, S. Li, D. Fu, Z. Huang and Y. Du
Effects of ambient gasses on the magnetic properties of $Fe_{84.8}Zr_{3.4}Nb_{3.4}B_{7.4}Cu_1$ nanocrystalline alloy 1415

C. Morón, F. Maganto and A. García
Nanometric crystallization of amorphous ribbons by DC Joule heating 1417

T. Itoh, Y. Shimada, S. Okamoto and O. Kitakami
RF permeability of the fiber structure in ferromagnetic metal/oxide films deposited by co-evaporation 1419

M. Coisson, P. Tiberto, F. Vinai and S.N. Kane
Effect of the amorphous-to-nanocrystalline transformation on the high-frequency magneto-impedance in $Fe_{63.5}Cr_{10}Cu_1Nb_3Si_{13.5}B_9$ melt-spun ribbons 1421

A. Bracchi, S. Schneider, P. Thiyagarajan and K. Samwer
Cooling rate-dependent microstructure and magnetic properties of the glass forming alloy $Nd_{60}Fe_{30}Al_{10}$ 1423

J. Zbroszczyk, W.H. Ciurzyńska, H. Fukunaga, J. Olszewski, M. Hasiak, A. Młyńczyk, M. Piasecki, P. Brągiel and J. Lelątko
Microstructure and magnetic relaxation in amorphous and nanocrystalline $Fe_{42.7}Co_{42.7}Zr_{6.8-x}Nb_xB_{6.8}Cu_1$ $(x = 0 \text{ or } 1)$ alloys 1425

R. Morales, L.M. Álvarez-Prado, J.I. Martín and J.M. Alameda
Compensation temperatures and composition homogeneity in amorphous Gd_xCo_{1-x} films 1427

C.F. Conde, V. Franco, A. Conde and L.F. Kiss
Microstructure and magnetic permeability of Hitperm (FeMn)CoNbB(Cu) alloys 1430

J. Olszewski, H. Fukunaga, J. Zbroszczyk, W.H. Ciurzyńska, K. Perduta, M. Hasiak, P. Brągiel, M. Piasecki and J. Lelątko
Nanocrystallization and magnetic properties of

$Fe_{85.4}Zr_{6.8-x}M_xB_{6.8}Cu_1$ ($x = 0$ or 1; M = Nb, Nd or Mo) alloys 1433

H. Chazal, O. Geoffroy, J.L. Porteseil and T. Waeckerlé
Influence of magnetoelastic effects on the coercivity of ultrasoft nanocrystalline alloys 1436

G. Buttino, A. Cecchetti and M. Poppi
Magnetoinductance and permeability in Co-based amorphous and nanocrystalline ribbons 1439

G. Principi, A. Maddalena, M. Meyer, S.D. Toè, A. Gupta, P. Sharma, B.A. Dasannacharya, N. Paul, S. Bernstorff and H. Amenitsch
Structural evolution of the amorphous grain boundary phase during nanocrystallisation of $Fe_{72}Cu_1Nb_{4.5}Si_{13.5}B_9$ 1441

T. Szumiata, K. Brzózka, M. Gawroński, B. Górka, J.S. Blázquez-Gámez, T. Kulik, R. Żuberek and A. Ślawska-Waniewska
Mössbauer and magnetoelastic investigations of the surface effects in $Fe_{72}Cu_{1.5}Nb_4Si_{13.5}B_9$ nanocrystalline alloy 1443

T. Bitoh, A. Makino and A. Inoue
The effect of grain-size distribution on coercivity in nanocrystalline soft magnetic alloys 1445

A. Kolano-Burian, T. Kulik, G. Vlasak, J. Ferenc and L.K. Varga
Effect of Co addition on nanocrystallization and soft magnetic properties of $(Fe_{1-x}Co_x)_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloys 1447

F. Xu, W. Qin, K. Peng, W. Gao and Y. Du
Effect of applied DC fields on the domain wall magnetization processes of FeNbBCu soft magnetic nanocrystalline ribbons at low frequencies 1449

L.V. Panina, D.P. Makhnovskiy and K. Mohri
Magnetoimpedance in amorphous wires and multifunctional applications: from sensors to tunable artificial microwave materials 1452

R.C. da Silva, E.M. dos Santos, M.L. Sartorelli, J.P. Sinnecker, A. Gündel, R.L. Sommer and A.A. Pasa
Magnetic properties and magnetoimpedance in electrodeposited amorphous CoP layers 1460

V. Raposo, D. García, M. Zazo, A.G. Flores and J.I. Iñiguez
Frequency dependence of the giant magnetoimpedance in current annealed amorphous wires 1463

G. Suran, H. Ouahmane, G. Gortais and J.P. Nozières
Variations of the induced anisotropy in a-CoZr(M) (M = Mo,Ta) films as a function of thickness and deposition parameters 1466

J. Ferenc, J. Latuch and T. Kulik
Magnetic properties of partially crystallised Fe–Co–Hf–Zr–B–Cu alloys 1469

N. Murillo, J. Rodriguez, I. Etxeberria and J. González
Influence of the additives (Nb, Cr, Ta) on the magnetostriction behaviour in Finemet alloys 1471

B. Hernando, M.L. Sánchez, V.M. Prida, J. Olivera, P. Gorria, M. Tejedor and M. Vázquez
Effect of the wire length on the torsion impedance in Fe-rich wires doi:10.1016/j.jmmm.2003.12.124 e1111

L. Stoleriu, D. Cimpoesu, A. Stancu, N. Lupu and H. Chiriac
Micromagnetic model for magnetisation processes in RE–TM based-amorphous alloys doi:10.1016/j.jmmm.2003.12.631 e1113

A.L. Adenot, S. Deprot, F. Bertin, D. Bois and O. Acher
Magneto-elastic anisotropy of ferromagnetic glass-coated microwires doi:10.1016/j.jmmm.2003.12.125 e1115

A. Bieńkowski, R. Szewczyk and R. Kolano
The influence of the thermomagnetic heat treatment on magnetoelastic properties of $Fe_{40}Ni_{38}Mo_4B_{18}$ alloy in amorphous state doi:10.1016/j.jmmm.2003.12.128 e1117

T. Žák, O. Schneeweiss and D. Minić
Structure and phase analysis of electrochemically synthesized Fe–W doi:10.1016/j.jmmm.2003.12.131 e1119

F. Congiu, M. Bionducci, G. Concas and G. Spano
Investigation of the ferromagnetic order in a crystalline Fe_2Zr alloy doi:10.1016/j.jmmm.2003.12.1329 e1123

M. Coisson, P. Tiberto, F. Vinai and S.N. Kane
High-frequency magnetotransport properties in $Co_{83.2}Mn_{7.6}Si_{5.9}B_{3.3}$ glass-covered amorphous microwires doi:10.1016/j.jmmm.2003.12.1332 e1127

P. Muñiz, J.A. De Toro and J.M. Riveiro
Influence of the quenched-in nuclei on the crystallisation of amorphous $Ni_{80}B_{20}$ doi:10.1016/j.jmmm.2003.12.424 e1129

P. Marín, A. Hernando, M. López, T. Kulik, L.K. Varga and G. Hadjipanayis
Influence of mechanical grinding on the structure and magnetic properties of FeCuNbSiB material doi:10.1016/j.jmmm.2003.12.133 e1131

H. Leiste, K. Seemann and V. Bekker
Realization of RF microinductors with magnetic cores for high quality factor applications doi:10.1016/j.jmmm.2003.12.134 e1135

N. Lupu, H. Chiriac, A. Takeuchi and A. Inoue
Nanoclusters—critical thickness—magnetic properties relationship in $Nd_{90-x}Fe_xAl_{10}$ amorphous ribbons doi:10.1016/j.jmmm.2004.01.008 e1137

A. Grabias, D. Oleszak, J. Latuch, T. Kulik and M. Kopcewicz
Soft magnetic properties of the amorphous $Fe_{63}Ni_7Zr_{10}B_{20}$ and $Fe_{53}Ni_7Co_{10}Zr_{10}B_{20}$ alloys doi:10.1016/j.jmmm.2003.12.135 e1141

M.W. Gutowski, R. Żuberek and A. Zhukov
Novel surface anisotropy term in the FMR spectra of amorphous microwires
doi:10.1016/j.jmmm.2003.12.136 e1145

Yvonna Jirásková, O. Schneeweiss, M. Vondráček and C. Blawert
Changes in Fe–B amorphous alloy driven by nitrogen implantation doi:10.1016/j.jmmm.2004.01.023 e1147

M.E. Dokukin, N.S. Perov, A.I. Beskrovnyi and E.B. Dokukin
Structural relaxation of amorphous metallic alloys
doi:10.1016/j.jmmm.2003.12.1095 e1151

M. López, R. Vlad, P. Crespo, P. Marín, M.D. Baró and A. Hernando
Influence of Co addition on the magnetic and thermal stability behavior of $Fe_{77-x}Co_xAl_{2.14}P_{8.4}C_5B_4Ga_{0.86}Si_{2.6}$ amorphous alloys
doi:10.1016/j.jmmm.2003.12.137 e1153

Chapter 18. Nanostructures and magnetic nanoparticles

E. Tronc, M. Noguès, C. Chanéac, F. Lucari, F. D'Orazio, J.M. Grenèche, J.P. Jolivet, D. Fiorani and A.M. Testa
Magnetic properties of γ-Fe_2O_3 dispersed particles: size and matrix effects 1474

R. Skomski
Nanomagnetic scaling 1476

P. Allia, M. Coisson, P. Tiberto and F. Vinai
Low-temperature magnetization and magnetoresistance of the interacting nanogranular superparamagnet Cu_{95} Co_5 1482

L. Theil Kuhn, A. Bojesen, L. Timmermann, K. Fauth, E. Goering, E. Johnson, M. Meedom Nielsen and S. Mørup
Core-shell iron–iron oxide nanoparticles: magnetic properties and interactions 1485

A. Wiedenmann, M. Kammel and A. Hoell
Pseudo-crystalline ordering in ferrofluids induced by magnetic fields 1487

S. Han, I. Kim, J. Kim, K.H. Kim and M. Yamaguchi
Soft magnetic properties and high-frequency characteristics of Fe(Co)-based nanocrystalline films 1490

A. Jianu, M. Valeanu, D.P. Lazar, F. Lifei, C. Bunescu and V. Pop
Effects of Zr and Ti substitutions on the crystallization processes of $Fe_3B/Nd_2Fe_{14}B$ nanocomposite magnetic system 1493

P. Kollár, A. Zeleňáková, J. Füzer, M. Kuźmiński, W. Riehemann and M. Kollárová
The influence of magnetic anisotropy caused by laser treatment on magnetic properties of FINEMET 1495

K. Sato and Y. Hirotsu
Magnetoanisotropy, long-range order parameter and thermal stability of isolated $L1_0$ FePt nanoparticles with mutual fixed orientation 1497

J.C. Sohn, D.J. Byun and S.H. Lim
Nanogranular Co–Fe–Al–O sputtered thin films for magnetoelastic device applications in the GHz frequency range 1500

I. Škorvánek, J. Kováč and J. Kötzler
Temperature evolution of coercive field and thermal relaxation effects in nanocrystalline FeNbB alloys 1503

L.K. Varga, G. Kovács, A. Kákay, F. Mazaleyrat, Z. Gercsi, J. Ferenc, É. Fazakas, T. Kulik and C. Conde
Microstructure and magnetic properties of $Fe_{85-x}Co_xNb_5B_8P_2$ high temperature nanocrystalline alloys 1506

M. Spasova, U. Wiedwald, M. Farle, T. Radetic, U. Dahmen, M. Hilgendorff and M. Giersig
Temperature dependence of exchange anisotropy in monodisperse cobalt nanoparticles with a cobalt oxide shell 1508

D. Martín Rodríguez, E. Apiñaniz, J.S. Garitaonandia, F. Plazaola, D.S. Schmool and G. Cuello
Studies on the influence of the order–disorder transition on the magnetic properties of Fe–Al alloys 1510

D.-G. Park, S.-S. Park, J.-S. Ju, K.-O. Chang and J.-H. Hong
Dependence of Barkhausen noise in the neutron irradiated reactor pressure vessel steel 1512

H. Oka, H. Tokuta, Y. Namizaki and N. Sekino
Effects of humidity on the magnetic and woody characteristics of powder-type magnetic wood 1515

S. Mallégol, C. Brosseau, P. Quéffélec and A.-M. Konn
Size dependence and field-induced magnetic anisotropy of granular nanophases. Application to microwave isolation 1518

H.K. Lachowicz, K. Závěta, M. Maryško and F. Vinai
Magnetic phases in nanogranular Co–Cu structures 1521

W. Scholz, J. Fidler, T. Schrefl, D. Suess, H. Forster, R. Dittrich and V. Tsiantos
Numerical micromagnetic simulation of Fe–Pt nanoparticles with multiple easy axes 1524

A.L. Brandl, J.C. Denardin, L.M. Socolovsky, M. Knobel and P. Allia
Study of anhysteretic magnetization loops of $Co_{0.35} \times (SiO_2)_{0.65}$ granular film 1526

J.M. González, F.J. Palomares, A. Hernando-Mañeru, M.P. Morales, C.J. Serna and F. Cebollada
Thermally activated demagnetization in elongated oxide-coated metal particles 1528

S.A. Makhlouf
Magnetic properties of Cr_2O_3 Nanoparticles 1530

L. Lanotte, G. Ausanio, C. Hison, V. Iannotti and C. Luponio Jr.
Particle dimension effects on magnetization and strain

sensitivity for a composite of nickel particles in silicone matrix 1533

D. Zitoun, M. Respaud, M.-C. Fromen, P. Lecante, M.-J. Casanove, C. Amiens and B. Chaudret
Bimetallic CoRh and CoRu nanoparticles: size-induced enhanced magnetisation 1536

R. Müller, H. Steinmetz, R. Hiergeist and W. Gawalek
Magnetic particles for medical applications by glass crystallisation 1539

A. Košak, D. Makovec, M. Drofenik and A. Žnidaršič
In situ synthesis of magnetic MnZn-ferrite nanoparticles using reverse microemulsions 1542

G. Albanese, A. Deriu, J. Moya, E. Angeli, D. Bisero, A. Da Re, F. Ronconi, F. Spizzo, P. Vavassori, M. Baricco and E. Bosco
Mössbauer investigation of Au/Fe alloys with giant magnetoresistence properties 1545

C. Vázquez-Vázquez, M. Bañobre-López, M.A. López-Quintela, L.E. Hueso and J. Rivas
Evidence of weak ferromagnetism in chromium(III) oxide particles 1547

N.J.O. Silva, V.S. Amaral, L.D. Carlos and V. de Zea Bermudez
Ferrihydrite antiferromagnetic nanoparticles in a sol–gel derived organic–inorganic matrix 1549

A.R. de Moraes, D.H. Mosca, W.H. Schreiner, J.L. Guimarães, A.J.A. de Oliveira, P.E.N. de Souza, V.H. Etgens and M. Eddrief
Magnetic properties of Fe clustering in GaSe epilayers on GaAs(1 1 1)B 1551

I. Bergenti, A. Deriu, E. Bosco, M. Baricco, E. Angeli, D. Bisero, A. Da Re, F. Ronconi, F. Spizzo and P. Vavassori
Small angle neutron investigation of Au–Fe alloys with GMR behaviour 1554

R.L. Novak and J.P. Sinnecker
Macroscopic system for studies of magnetic dipolar interaction in small particles 1557

F. Wiekhorst, E. Shevchenko, H. Weller and J. Kötzler
Temperature-dependent anisotropy effects on FMR and magnetization of $FePt_2$ and $CoPt_3$ nanocrystals 1559

F. Congiu, G. Concas, G. Ennas, A. Falqui, D. Fiorani, G. Marongiu, S. Marras, G. Spano and A.M. Testa
Magnetic properties of nanocrystalline $CoFe_2O_4$ dispersed in amorphous silica 1561

Y. Huang, W. Butler, Y. Zhang, G.C. Hadjipanayis and D. Weller
Magnetic viscosity study in FePt/C granular films 1563

N. Bagrets, N. Perov, A. Bagrets, A. Lermontov, G. Pankina and P. Chernavskii
Investigation of the Co particle size distribution in ensembles produced by reduction from Co oxide 1565

H. Mamiya, I. Nakatani and T. Furubayashi
Classical relaxation of magnetization in magnetic nanoparticles in the Kelvin regime 1568

O. Céspedes, A.R. Rocha, S. Lioret, M. Viret, C. Dennis, J.F. Gregg, S. van Dijken, S. Sanvito and J.M.D. Coey
I–V asymmetry and magnetoresistance in nickel nanoconstrictions 1571

T.G. Sorop, M. Evangelisti, M. Haase and L.J. de Jongh
Superparamagnetic behaviour of antiferromagnetic $DyPO_4$ nanoparticles 1573

R.D. Zysler, D. Fiorani, A.M. Testa, M. Godinho, E. Agostinelli and L. Suber
Size effects in the spin–flop transition of hematite nanoparticles 1575

A. Himeno, T. Ono, S. Nasu, T. Okuno, K. Mibu and T. Shinjo
Propagation velocity measurement of a magnetic domain wall in a submicron magnetic wire 1577

M.C. Mozzati, L. Malavasi, C.B. Azzoni and G. Flor
Magnetic properties of nanostructured sodium-doped lanthanum manganites 1579

J.-I. Shirakashi and Y. Takemura
SPM fabrication of nanometerscale ferromagnetic metal-oxide devices 1581

M. Shimizu, K. Sekiguchi, E. Saitoh and H. Miyajima
I–V non-linearity in ferromagnetic Ni quantum-wires 1584

S. Urazhdin, W.P. Pratt Jr. and J. Bass
Coupling effects on current-assisted magnetization switching 1586

J. Oster, M. Huth, L. Wiehl and H. Adrian
Growth of Fe nanostructures 1588

T. Last, S. Hacia, S.F. Fischer and U. Kunze
Switching behavior of single nanoscale permalloy wires studied with magnetoresistance 1590

Y. Yaguchi, E. Saitoh, H. Miyajima and T. Yamaoka
Domain wall pining in a jointed ferromagnetic nanowire 1592

K. Palotás, B. Lazarovits, P. Weinberger and L. Szunyogh
Electric transport in nanostructures: real space ab initio investigations 1594

M.R. Reyes, R. López-Sandoval and G.M. Pastor
Magnetic properties of small clusters as function of the geometry 1596

S. Shingubara, K. Morimoto, M. Nagayanagi, T. Shimizu, O. Yaegashi, G.R. Wu, H. Sakaue, T. Takahagi and K. Takase
Aspect ratio dependence of hysteresis property of high density Co wire array buried in porous alumina template 1598

N.S. Yartseva, S.V. Yartsev, N.G. Bebenin and C. Demangeat
Vector-simulated magnetism of Fe/V nanostructures 1600

W.A. Diño, R. Muhida, N. Arboleda, H. Nakanishi and H. Kasai
Inducing spin polarization in carbon materials by introducing magnetic adsorbates—Fe_2 on a planar C_{10} 1602

A. Hernando, P. Crespo, A. García-Escorial, M.A. Muñoz and D.G. Morris
Spin-wave excitations in nanocrystalline Fe particles 1604

S.M. Van Eek, I. Costina, V. Podgurski and R. Franchy
The structure and magnetic properties of Co films on $Ni_3Al(0\,0\,1)$ 1607

A.A. Eliseev, K.S. Napolskii, A.V. Lukashin and Y.D. Tretyakov
Ordered iron nanowires in the mesoporous silica matrix 1609

S. Kasai, E. Saitoh and H. Miyajima
Quantum transport properties in a ferromagnetic nanoring 1612

E. Clifford, M. Venkatesan and J.M.D. Coey
Large magnetoresistance in MnBi point contacts 1614

V. Šepelák, M. Menzel, I. Bergmann, M. Wiebcke, F. Krumeich and K.D. Becker
Structural and magnetic properties of nanosize mechanosynthesized nickel ferrite 1616

E.O. Kamenetskii, R. Shavit and M. Sigalov
Energy eigenstates for magnetostatic oscillations in thin-film ferrrite disks 1619

A.A. Zhukov, M.A. Ghanem, A.V. Goncharov, P.A.J. de Groot, I.S. El-Hallag, P.N. Bartlett, R. Boardman and H. Fangohr
Coercivity of 3D nanoscale magnetic arrays from self-assembly template methods 1621

H. Rolff, W. Pfützner, C. Heyn and D. Grundler
Hall magnetometry on a ferromagnetic nanoring 1623

J. Wan, S. Stoyanov, Y. Huang, Y. Zhang, G. Hadjipanayis, V. Skumryev and D. Weller
Thickness dependence of coercivity in FePt/C multilayers 1625

K. Woo and H.J. Lee
Synthesis and magnetism of hematite and maghemite nanoparticles doi:10.1016/j.jmmm.2003.12.201 e1155

J.-S. Jung, K.-H. Choi, Y.-K. Jung, S.H. Lee, V.O. Golub, L. Malkinski and C.J. O'Connor
Preparation and characterization of γ-Fe_2O_3 nanoparticles in SBA15 host material doi:10.1016/j.jmmm.2003.12.700 e1157

A.F. Bakuzis and P.C. Morais
Magnetic nanoparticle systems: an Ising model approximation doi:10.1016/j.jmmm.2003.12.210 e1161

E.V. Tartakovskaya, J.W. Tucker and B.A. Ivanov
New micromagnetic states in non-ellipsoidal nanoparticles doi:10.1016/j.jmmm.2003.12.214 e1165

Y. Chung, S.K. Lim, C.K. Kim, Y.-H. Kim and C.S. Yoon
Synthesis of γ-Fe_2O_3 nanoparticles embedded in polyimide doi:10.1016/j.jmmm.2003.12.217 e1167

O.A. Chubykalo and R.W. Chantrell
Numerical evaluation of multidimensional energy barriers for FePt and Co particles doi:10.1016/j.jmmm.2003.12.222 e1169

F. Carsughi, G. Baio, D. Rinaldi, T. Guidi, R. Caciuffo and D. Fiorani
Interparticle magnetic correlations in a nanosized γ-Fe_2O_3 system doi:10.1016/j.jmmm.2003.12.501 e1173

I. Nedkov, S. Kolev, K. Zadro, K. Krezhov and T. Merodiiska
Crystalline anisotropy and cation distribution in nanosized quasi-spherical ferroxide particles doi:10.1016/j.jmmm.2003.12.225 e1175

R. García Calderón, L. Fernández Barquín and Q.A. Pankhurst
Static and dynamic magnetic properties of mechanically alloyed $Fe_9Cu_5Ag_{86}$ doi:10.1016/j.jmmm.2003.12.232 e1177

Takenao Shinohara, T. Sato and T. Taniyama
Ferromagnetism of gas-evaporated Pd fine particles in mesoscopic size doi:10.1016/j.jmmm.2003.12.391 e1181

Y. Yamamoto, T. Miura, T. Teranishi, M. Suzuki, N. Kawamura, H. Miyagawa, T. Nakamura, K. Kobayashi and H. Hori
X-ray magnetic circular dichroism study of gold nanoparticles protected by polymer doi:10.1016/j.jmmm.2003.12.620 e1183

L. Del Bianco, D. Fiorani, A.M. Testa, E. Bonetti and L. Pasquini
Magnetization reversal process in a nanoscale Fe/FeOxide granular system doi:10.1016/j.jmmm.2003.12.1103 e1185

P. Allia, M. Coisson, P. Tiberto and F. Vinai
Effects of quenching and annealing on the high-temperature magnetic properties of rapidly quenched $Au_{80}Fe_{20}$ alloy doi:10.1016/j.jmmm.2003.12.235 e1189

R.D. Zysler, J. Tejada and E. Molins
Electron spin resonance measurements in $CoFe_2O_4$ free rotor nanoparticles doi:10.1016/j.jmmm.2003.12.647 e1191

G.Y. Guo, Y.K. Wang and Y.Y. Chen
Ab initio studies of the electronic structure and magnetic properties of bulk and nano-particle $CeCo_2$ doi:10.1016/j.jmmm.2003.12.689 e1193

L.B. Silveira, J.G. Santos, A.C. Oliveira, A.C. Tedesco, J.M. Marchetti, E.C.D. Lima and P.C. Morais

Susceptibility of cobalt ferrite nanoparticles dispersed in polylactic acid microspheres
doi:10.1016/j.jmmm.2003.12.435 e1195

M. Beleggia, S. Tandon, Y. Zhu and M. De Graef
On the computation of the demagnetization tensor for particles of arbitrary shape
doi:10.1016/j.jmmm.2003.12.665 e1197

O. Petracic, X. Chen, O. Sichelschmidt, C. Binek, W. Kleemann, A. Glatz, T. Nattermann, S. Cardoso and P.P. Freitas
Superferromagnetic domain state dynamics in discontinuous $CoFe/Al_2O_3$ multilayers
doi:10.1016/j.jmmm.2003.12.549 e1201

D. Rabelo, E.C.D. Lima, N. Tavares Filho, F.Q. Soares, L.C. Faria, F. Pelegrini, O. Silva, A.C. Oliveira, V.K. Garg and P.C. Morais
Synthesis of manganese ferrite nanoparticles in macroporous styrene-divinylbenzene copolymer
doi:10.1016/j.jmmm.2003.12.1235 e1205

A. Fraile Rodríguez, N.S. Sobal, U. Wiedwald, M. Spasova, M. Hilgendorff, M. Giersig, M. Farle and D. Arvanitis
Local structure of monodisperse Co nanoparticles
doi:10.1016/j.jmmm.2003.12.294 e1207

D.R. Cornejo, E. Padrón Hernández, H.R. Rechenberg, A. Azevedo and S.M. Rezende
Study of magnetic properties in ball-milled MnFeCo
doi:10.1016/j.jmmm.2004.01.067 e1211

E.C. Sousa, M.H. Sousa, G.F. Goya, H.R. Rechenberg, M.C.F.L. Lara, F.A. Tourinho and J. Depeyrot
Enhanced surface anisotropy evidenced by Mössbauer spectroscopy in nickel ferrite nanoparticles
doi:10.1016/j.jmmm.2003.12.295 e1215

Yu.L. Raikher and R. Perzynski
Ferromagnetic resonance in nanoparticles with surface pinning doi:10.1016/j.jmmm.2003.12.296 e1219

C. Thirion and W. Wernsdorfer
Simulation of magnetisation switching by non-linear resonance doi:10.1016/j.jmmm.2003.12.1202 e1221

Q. Zeng, Y. Zhang, H.L. Wang, V. Papaefthymiou and G.C. Hadjipanayis
Magnetic properties and microstructure of fine Fe–Pt nanoparticles prepared by chemical reduction
doi:10.1016/j.jmmm.2003.12.297 e1223

G.C. Papaefthymiou
Nanometer size clusters and particles: a comparative study of magnetic behavior
doi:10.1016/j.jmmm.2003.12.298 e1227

C.I. Pakes, D.P. George, S. Ramelow, A. Cimmino, D.N. Jamieson and S. Prawer
Manipulation of single magnetic protein particles using atomic force microscopy
doi:10.1016/j.jmmm.2003.12.299 e1231

C. de Julián Fernández, G. Mattei, C. Sangregorio, C. Battaglin, D. Gatteschi and P. Mazzoldi
Superparamagnetism and coercivity in HCP-Co nanoparticles dispersed in silica matrix
doi:10.1016/j.jmmm.2003.12.1111 e1235

C. Vouille, A. Thiaville and J. Miltat
Thermally activated switching of nanoparticles: a numerical study doi:10.1016/j.jmmm.2003.12.1353 e1237

R. Naik, E. Kroll, D. Rodak, G.M. Tsoi, E. McCullen, L.E. Wenger, R. Suryanarayanan, V.M. Naik, P.P. Vaishnava, Q. Tao and P. Boolchand
Magnetic properties of iron-oxide and (iron, cobalt)-oxide nanoparticles synthesized in polystyrene resin matrix doi:10.1016/j.jmmm.2003.12.300 e1239

A. Nandra, L. Bessais, C. Djega-Mariadassou and E. Burzo
Structure and intrinsic magnetic properties of $Sm(Fe,Si)_9$ alloys doi:10.1016/j.jmmm.2003.12.301 e1243

Y. Ichiyanagi, Y. Kimishima and S. Yamada
Magnetic study on Co_3O_4 nanoparticles
doi:10.1016/j.jmmm.2003.12.377 e1245

T. Sondón and J. Guevara
Electronic and magnetic properties of bimetallic Co_mRh_n clusters doi:10.1016/j.jmmm.2003.12.302 e1247

J. Viana Lopes and Y.G. Pogorelov
Indirect interactions between magnetic nanoparticles in granular alloys doi:10.1016/j.jmmm.2003.12.303 e1249

C. Sangregorio, C.d.J. Fernández, G. Battaglin, G. De, D. Gatteschi, G. Mattei and P. Mazzoldi
Magnetic properties of Co–Ni alloy nanoparticles prepared by the sol-gel technique
doi:10.1016/j.jmmm.2004.01.062 e1251

O. Crisan, M. Angelakeris, M. Noguès, T. Kehagias, P. Komninou, N. Sobal, M. Giersig and N.K. Flevaris
Correlation of structure and magnetism of AgCo nanoparticle arrays
doi:10.1016/j.jmmm.2003.12.304 e1253

E. Muñoz-Sandoval, F. López-Urías, A. Díaz-Ortiz, M. Terrones, M. Reyes-Reyes and J.L. Morán-López
Magnetic and transport properties of Fe nanowires encapsulated in carbon nanotubes
doi:10.1016/j.jmmm.2003.12.1379 e1255

M. Yoon, Y. Kim, Y.M. Kim, H. Yoon, V. Volkov, A. Avilov, Y.J. Park and I.-W. Park
Superparamagnetism of transition metal nanoparticles in conducting polymer film
doi:10.1016/j.jmmm.2003.12.456 e1259

T.L. Makarova
Magnetism in polymerized fullerenes
doi:10.1016/j.jmmm.2003.12.305 e1263

D. Buntinx, A. Volodin and C. Van Haesendonck
Magnetoresistance of a mesoscopic $Ni_{80}Fe_{20}$ ring
doi:10.1016/j.jmmm.2003.12.1119 e1269

A.S. Sachrajda, M. Korkusinski, P. Hawrylak, M. Ciorga, M. Pioro-Ladrière and P. Zawadzki
Spin textures in few electron quantum dots doi:10.1016/j.jmmm.2003.12.306 e1273

F. Bartolomé, F. Luis, F. Petroff, L.M. García, J. Bartolomé, V. Cros and H. Jaffrès
XMCD study of the anisotropy of nanometric Co clusters in insulating and metallic matrices doi:10.1016/j.jmmm.2003.12.1079 e1275

V.I. Stepanov and Yu.L. Raikher
Nonlinear magnetodynamics of a single-domain particle: the high-barrier approximation doi:10.1016/j.jmmm.2003.12.588 e1277

H.L. Wang, Y. Zhang, Y. Huang, Q. Zeng and G.C. Hadjipanayis
CoPt nanoparticles by chemical reduction doi:10.1016/j.jmmm.2004.01.050 e1279

D.V. Berkov, N. Gorn and D. Stock
Combined Langevin dynamics/Monte-Carlo simulations of the non-equilibrium ferrofluid remagnetization doi:10.1016/j.jmmm.2004.03.006 e1281

Part III

Chapter 19. Artificially structured materials

B. Gurovich, E. Kuleshova, E. Meilikhov and K. Maslakov
Selective removal of atoms as a new method for fabrication of single-domain patterned magnetic media and multi-layered nanostructures 1629

M. Kläui, C.A.F. Vaz, T.L. Monchesky, J. Unguris, E. Bauer, S. Cherifi, S. Heun, A. Locatelli, L.J. Heyderman, Z. Cui and J.A.C. Bland
Spin configurations and classification of switching processes in ferromagnetic rings down to sub-100 nm dimensions 1631

J. Stankiewicz, F. Luis, A. Camón, M. Kröll, J. Bartolomé and W. Blau
Magnetization switching of Fe nanowires at very low temperatures 1637

O. Kazakova, M. Hanson, R. Wäppling and A.C.C. Yu
Influence of interfaces on the magnetic properties of submicron FeCo elements 1640

N. Keller, C. Pham-Huu, T. Shiga, C. Estournès, J.-M. Grenèche and M.J. Ledoux
Mild synthesis of $CoFe_2O_4$ nanowires using carbon nanotube template: a high-coercivity material at room temperature 1642

S. Krompiewski
Non-equilibrium transport in ferromagnetically contacted metallic carbon nanotubes 1645

T.-J. Yang, Y.-J. Zhao and A.J. Freeman
Magnetism and electronic structure of Fe chains and nano-wires 1648

T. Kishi, H. Kasai, H. Nakanishi, W.A. Diño and F. Komori
Spin-dependent transport through Fe nanowires on Cu surfaces 1650

C.A. Ramos, M. Vazquez, K. Nielsch, K. Pirota, J. Rivas, R.B. Wehrspohn, M. Tovar, R.D. Sanchez and U. Gösele
FMR characterization of hexagonal arrays of Ni nanowires 1652

D. Reuter, S. Hoch, B. Hausmanns, B. Stahlmecke, G. Dumpich, R. Wieser, U. Nowak and A.D. Wieck
Hall magnetometry on Co, Fe, and Py nanowires 1654

T.G. Sorop, K. Nielsch, P. Göring, M. Kröll, W. Blau, R.B. Wehrspohn, U. Gösele and L.J. de Jongh
Study of the magnetic hysteresis in arrays of ferromagnetic Fe nanowires as a function of the template filling fraction 1656

B. Lazarovits, L. Szunyogh and P. Weinberger
Magnetic properties of finite iron wires on Cu(1 1 1) 1658

S. Glenis, V. Likodimos, N. Guskos and C.L. Lin
Magnetic properties of multiwall nanotubes 1660

G. Tatara and N. Garcia
Quantum logic gate of a small ring with quantum dots 1662

J.L. Tsai, K.T. Huang, W.C. Cheng, M.D. Lee, T.S. Chin, S.U. Jen, S.F. Lee and Y.D. Yao
Magnetic properties of patterned Fe_3O_4 films 1664

S. Kato, H. Kitazawa and G. Kido
Magnetic properties of Ni nanowires in porous alumina arrays 1666

F. Qu, R.H. Oliveira and P.C. Morais
Effects of nanocrystal shape on the surface charge density of ionic colloidal nanoparticles 1668

R. Antoš, J. Mistrík, M. Aoyama, T. Yamaguchi, Š. Višňovský and B. Hillebrands
Magneto-optical spectroscopy on permalloy wires in 0th and 1st diffraction orders 1670

T.M. Nguyen and M.G. Cottam
A microscopic theory of the dipole-exchange spin waves in ferromagnetic nanowires 1672

C.A.F. Vaz, L. Lopez-Diaz, M. Kläui, J.A.C. Bland, T.L. Monchesky, J. Unguris and Z. Cui
Observation of a geometrically constrained domain wall in epitaxial FCC Co small disks 1674

M.N. Kiselev, K.A. Kikoin and L.W. Molenkamp
Non-equilibrium Kondo effect in double quantum dot 1676

H. Chiriac, A.-E. Moga, M. Urse, I. Paduraru and N. Lupu
Preparation and magnetic properties of amorphous NiP and CoP nanowire arrays 1678

V. Madurga, J. Vergara and C. Favieres
Magnetic domain structures and nano-string mor-

phology of laser off-normal deposited amorphous cobalt films with controlled magnetic anisotropy 1681

O. Yalın, F. Yıldız, M. Özdemir, B. Aktaş, Y. Köseoğlu, M. Bal and M.T. Tuominen
Ferromagnetic resonance studies of Co nanowire arrays 1684

Y.D. Yao, E.W. Huang, S.F. Lee, C. Yu, M.S. Wong and Y.R. Ma
Magnetic studies in octagon-patterned permalloy submicro-wires 1686

J. Shibata, K. Shigeto and Y. Otani
Dynamics of nano-scale magnetic vortices in ferromagnetic dot arrays 1688

Y. Ikezawa, K. Nishimura, H. Uchida and M. Inoue
Preparation of two-dimensional magneto-photonic crystals of bismus substitute yttrium iron garnet materials 1690

J.C. Lodder
Methods for preparing patterned media for high-density recording 1692

I. Zana and G. Zangari
Magnetic properties of electrodeposited Co–Pt thin films with very high perpendicular magnetic anisotropy 1698

M. El-Hilo
Time-dependent coercivity in particulate recording media 1700

S. Takei, A. Morisako and M. Matsumoto
Fabrication of Sm–Co films with perpendicular magnetic anisotropy 1703

O. Crisan, M. Angelakeris, N. Vouroutzis, A.D. Crisan, E. Pavlidou, I. Kostic, N. Sobal, M. Giersig and N.K. Flevaris
Magnetic nanostructures obtained by colloidal crystallization onto patterned substrates doi:10.1016/j.jmmm.2003.12.184 e1285

N. Tezuka, N. Koike, K. Sakurada and K. Inomata
Magnetic domain structures and switching properties in submicron size synthetic antiferromagnets doi:10.1016/j.jmmm.2003.12.403 e1289

J. Grisolia, C. Martin, L. Ressier, F. Carcenac, C. Vieu, J.-F. Bobo and J.-P. Peyrade
Patterning of sub-micrometric Co/NiO dots by hot embossing lithography and study of their magnetic properties doi:10.1016/j.jmmm.2003.12.690 e1293

S. Felton, K. Gunnarsson, P. Svedlindh, M. Hanson and O. Kazakova
Micromagnetic studies of Fe/Co ellipses with competing anisotropy contributions doi:10.1016/j.jmmm.2003.12.428 e1297

C.C. Wang, A.O. Adeyeye and C.C. Lin
Magnetic properties of lithographically defined rectangular antidot permalloy arrays doi:10.1016/j.jmmm.2003.12.1343 e1299

L. Gao, L. Yuan, L. Nicholl, R. Sabirianov, Z.Y. Liu, S. Adenwalla and S.H. Liou
Domain structure and magnetoresistance in $Ni_{81}Fe_{19}$ zigzag wires doi:10.1016/j.jmmm.2003.12.436 e1301

H. Kato, T. Matsushita, A. Takayama, M. Egawa, K. Nishimura and M. Inoue
Preparation of magnetophotonic crystals with ND-controlled EB-evaporation method and their large enhancement of Faraday effect doi:10.1016/j.jmmm.2003.12.698 e1305

J.L. Tsai, J.H. Hsieh, T.Y. Chen, E.W. Huang, C. Yu, G.H. Huang, S.F. Lee and Y.D. Yao
Magnetization reversal process of patterned $Ni_{80}Fe_{20}$ zigzag wires doi:10.1016/j.jmmm.2003.12.1369 e1309

L.J. Heyderman, F. Nolting and P. Fischer
Photoemission electron microscopy investigation of patterned cobalt/Terfenol-D sandwich films doi:10.1016/j.jmmm.2003.12.188 e1311

H. Takahoshi, H. Saito and S. Ishio
MFM analysis of magnetization process in CoPt dot-array doi:10.1016/j.jmmm.2003.12.1037 e1313

M. Angelakeris, E.T. Papaioannou, O. Valassiades, N. Vouroutzis, I. Tsiaoussis, C. Mueller, P. Fumagalli, I. Kostic, L. Matay and N.K. Flevaris
The influence of patterned substrates on structure and magnetism of Au/Co multilayers doi:10.1016/j.jmmm.2003.12.190 e1317

Y. Nozaki, S. Nagayasu, S. Ishii and K. Matsuyama
Thermal stability of $Co_{90}Pt_{10}$ islands with relief-structured samples doi:10.1016/j.jmmm.2003.12.192 e1319

E. Papaioannou, K. Simeonidis, O. Valassiades, N. Vouroutzis, M. Angelakeris, P. Poulopoulos, I. Kostic and N.K. Flevaris
Measurements of the magnetoresistance effect in Co/Pt multilayers grown on patterned substrates doi:10.1016/j.jmmm.2003.12.194 e1323

H. Kato, T. Matsushita, A. Takayama, M. Egawa, K. Nishimura and M. Inoue
Coexistence of large Faraday rotation and high transmittance in magnetophotonic crystals with multi-cavity structures doi:10.1016/j.jmmm.2003.12.705 e1327

M.-F. Lai, Z.-H. Wei, C.-R. Chang, N.A. Usov, J.C. Wu and J.-Y. Lai
The metastable states in submicron elliptical thin films doi:10.1016/j.jmmm.2003.12.195 e1331

T. Kimura, Y. Otani, K. Tsukagoshi and Y. Aoyagi
Non-local Hall resistance measured in submicron-scale non-magnetic/ferromagnetic junctions doi:10.1016/j.jmmm.2003.12.197 e1333

J.I. Martín, A. Pérez-Junquera, M. Vélez, J.M. Alameda, J.V. Anguita, F. Briones, E.M. González and J.L. Vicent

Magnetic behavior of amorphous magnetic films with diluted arrays of antidots: induced vs. intrinsic anisotropy doi:10.1016/j.jmmm.2003.12.199 e1335

P.D. Sparks, N.P. Stern, D.S. Snowden, B.A. Kappus, J.G. Checkelsky, S.S. Harberger, A.M. Fusello and J.C. Eckert
Stripe domains and magnetoresistance in thermally deposited nickel films doi:10.1016/j.jmmm.2003.12.586 e1339

T. Korn, F. Müller, D. Grundler and C. Schüller
Characterization of Permalloy films on high-bandwidth striplines doi:10.1016/j.jmmm.2003.12.200 e1341

Y. Kageyama, A. Lapicki and T. Suzuki
Fabrication of cobalt particles by ion beam-induced chemical vapor deposition (IBICVD) doi:10.1016/j.jmmm.2003.12.202 e1343

P. Vargas and D. Laroze
Thermodynamics of three-dimensional magnetic nanoparticles doi:10.1016/j.jmmm.2003.12.203 e1345

T. Kimura, Y. Otani, I. Yagi, K. Tsukagoshi and Y. Aoyagi
Domain wall drag due to dc current injection into ferromagnetic nano-wires doi:10.1016/j.jmmm.2003.12.205 e1347

N. Shukla, J. Ahner and D. Weller
Dip-coating of FePt nanoparticle films: surfactant effects doi:10.1016/j.jmmm.2003.12.208 e1349

K. Nishimura, T. Kodama, K. Anno, A. Baryshev, H. Uchida and M. Inoue
Synthesis of ferrite coating LATEX spheres for three-dimensional magneto-photonic crystal doi:10.1016/j.jmmm.2003.12.209 e1353

H. Oishi, S. Ishii, Y. Nozaki and K. Matsuyama
Effect of magnetostatic fringe field coupling on magnetic properties of nanostructured single-domain particle arrays doi:10.1016/j.jmmm.2003.12.211 e1355

M. Hanson, O. Kazakova and E.B. Svedberg
Influence of post-annealing on the properties of $Fe_{50}Pt_{50}$ film and submicron size particles doi:10.1016/j.jmmm.2003.12.213 e1359

C. Martin, D. Zitoun, L. Ressier, F. Carcenac, O. Margeat, C. Amiens, B. Chaudret, M. Respaud, J.-P. Peyrade and C. Vieu
Self-organization of CoRh nanoparticles on chemical nanopatterns doi:10.1016/j.jmmm.2003.12.216 e1363

Y. Bao, M. Beerman and K.M. Krishnan
Controlled self-assembly of colloidal cobalt nanocrystals mediated by magnetic interactions doi:10.1016/j.jmmm.2003.12.219 e1367

A.A. Zhukov, M.A. Ghanem, A.V. Goncharov, P.N. Bartlett and P.A.J. de Groot
Magnetic nano-scale dot arrays from double-templated electrodeposition doi:10.1016/j.jmmm.2003.12.221 e1369

S. D'Addato, P. Vavassori, D. Bisero, M. Liberati, F. Feri, E. Di Fabrizio and S. Valeri
Evidence for interdot coupling in an array of micrometric Fe dots doi:10.1016/j.jmmm.2003.12.224 e1373

Chapter 20. Enhanced magnetoresistance (GMR and CMR) and magnetoimpedance

A. Fert, V. Cros, J.-M. George, J. Grollier, H. Jaffrès, A. Hamzic, A. Vaurès, G. Faini, J. Ben Youssef and H. Le Gall
Magnetization reversal by injection and transfer of spin: experiments and theory 1706

J. Inoue, S. Mitani, H. Itoh and K. Takanashi
Theory of CPP magnetoresistance in spring ferromagnets 1712

R. Lardé, J.-M.L. Breton, F. Richomme, A. Maignan and J. Teillet
Investigation of granular $Cu_{80}(Sm_{0.17}Co_{0.83})_{10}Fe_{10}$ ribbons with magnetoresistive properties 1714

G. Martínez, M. N. Baibich, M.G.M. Miranda and E. Vargas
Nanostructural phases and giant magnetoresistance in Cu–Co alloys 1716

R. Laiho, K.G. Lisunov, E. Lähderanta, V.N. Stamov and V.S. Zakhvalinskii
Thermopower of $La_{1-x}Ca_xMn_{1-y}Fe_yO_3$ as a result of asymmetric density of states 1718

A. Watanabe, H. Itoh and J. Inoue
Theory of magnetoresistance in ferromagnetic junctions with a semimetal 1720

N. Garcia, H. Cheng, H. Wang, N.D. Nikolic, C.A. Guerrero and A.C. Papageorgopoulos
Ballistic magnetoresistance of electrodeposited nanocontacts in thin film and micrometer wire gaps 1722

A.K. Solanki, R.F. Sabiryanov, E.Y. Tsymbal and S.S. Jaswal
Conductance of Ni nanocontacts within first-principle approach 1730

D. Sánchez, J.A. Alonso, M. García-Hernández, M.J. Martínez-Lope, M.T. Casais, J.L. Martínez and M.T. Fernández-Díaz
Electron and hole doping effects in Sr_2FeMoO_6 double perovskites 1732

C. Frontera, J.L. García-Muñoz, A.E. Carrillo, M. Hervieu, C. Martin, A. Llobet, A. Calleja, X.G. Capdevila and C. Ritter
Magnetism of $Bi_{0.75}Sr_{0.25}MnO_3$ and its dependence on bismuth concentration 1734

H. Martinho, C. Rettori, D.L. Huber, J.F. Mitchell and S.B. Oseroff
Phonons in the bilayered magnetic manganite $La_{2-2x}Sr_{1+2x}Mn_2O_7$ ($x = 0.30, 0.50$) 1736

Sh.B. Abdulvagidov, A.M. Aliev, A.B. Batdalov and I.K. Kamilov
Competition fluctuations and hysteresis in manganites in magnetic fields near T_c 1738

R.F.C. Marques, P.R. Abernethy, J.A.D. Matthew, C.O. Paiva-Santos, L. Perazolli, M. Jafelicci Jr. and S.M. Thompson
Contactless measurement of colossal magnetoresistance in $La_{1-x}Sr_xMnO_3$ using the infrared magneto-refractive effect 1740

A.M. Aliev, S.B. Abdulvagidov, A.B. Batdalov, I.K. Kamilov, O.Y. Gorbenko, V.A. Amelichev and A.R. Kaul'
Thermal conductivity of $Sm_{1-x}Sm_xMnO_3$ manganites in magnetic fields up to 26 kOe 1742

R.S. Freitas, L. Ghivelder, J. Sacanell, P. Levy and F. Parisi
Magnetoresistance in phase-separated $La_{0.5}Ca_{0.5}$-MnO_3 manganite 1745

A. Arroyo, J.M. Alonso, R. Cortés-Gil, J.M. González-Calbet, A. Hernando, J.M. Rojo and M. Vallet-Regí
Room-temperature CMR in manganites with 50% Mn^{4+} by generation of cationic vacancies 1748

E. Arisi, I. Bergenti, V. Dediu and G. Ruani
Magnetic field-induced variations in $Pr_{0.65}Ca_{0.35}$-MnO_3: Raman investigation 1751

F. Figueiras, J.P. Araújo, V.S. Amaral, P.B. Tavares, J.B. Sousa and J.M. Vieira
Structural and magnetic study of self-doped $La_{1-x-y}Ca_x\Box_yMnO_3$ 1753

D. Zając, C. Kapusta, P.C. Riedi, M. Sikora, C.J. Oates, D. Rybicki, J. Blasco, D. Serrate, J.M. De Teresa and M.R. Ibarra
NMR and X-MCD study of $Sr_{1-3x}Ba_{1+x}La_{2x}$-$FeMoO_6$ 1756

C. Kapusta, P.C. Riedi, D. Rybicki, C.J. Oates, D. Zając, M. Sikora, C. Marquina and M.R. Ibarra
NMR study of layered manganite $La_{1.4}Sr_{1.6}Mn_2O_7$ 1759

J.L. García-Muñoz, C. Frontera, A. Llobet, A.E. Carrillo, A. Caneiro, M.A.G. Aranda, M. Respaud, C. Ritter and E. Dooryee
Magnetic and electronic properties of the oxygen-deficient $PrBaCo_2O_{5+\delta}$ ($\delta > 0.50$) 1762

H.M. Lee, S.J. Kim, I.-B. Shim, S.B. Kim and C.S. Kim
Anisotropic hyperfine field fluctuation in $La_{0.67}Pb_{0.33}Mn^{57}_{1-x}Fe_xO_3$ 1764

A.M.L. Lopes, J.P. Araújo, A.M. Gomes, M.S. Reis, V.S. Amaral and P.B. Tavares
Cadmium doping at Mn site in $Pr_{0.5}Ca_{0.5}MnO_3$ 1767

J.-H. Hsu, Y.-S. Sun, H.-X. Wang, P.C. Kuo, T.-H. Hsieh and C.-T. Liang
Substrate dependence of large ordinary magnetoresistance in sputtered Bi films 1769

J.-H. Hsu, S.-Y. Chen, W.-M. Chang and C.-R. Chang
Temperature dependence of magnetoresistance effect in Ag-Fe_3O_4 composites films 1772

E. Carvajal, O. Navarro, R. Allub, M. Avignon and B. Alascio
Electronic and magnetic properties of the double perovskite $Sr_2FeMo_xW_{1-x}O_6$ 1774

A.C. Sun, P.C. Kuo, C.Y. Chou, S.C. Chen, C.T. Lie, M.H. Lin, J.W. Chen and H.L. Huang
Magnetoresistance of sintered $(Fe_2O_3)_{100-x}(Fe_3O_4)_x$ ferrites 1776

F.C. Tsao, P.J. Huang, C.C. Yang, S.Y. Wu, W.-H. Li, K.C. Lee, J.W. Lynn and H.C. Ku
Mn magnetic ordering in fully oxygenated $LuMnO_3$ 1778

O. Wessely, P. Roy, D. Åberg, C. Andersson, S. Edvardsson, O. Karis, B. Sanyal, P. Svedlindh, M.I. Katsnelson, R. Gunnarsson, O. Bengone and O. Eriksson
Final state effects in the X-ray absorption spectra of $La_{0.7}Sr_{0.3}MnO_3$ 1780

J.S. Park, H.G. Park, C.O. Kim, Y.P. Lee and V.G. Prokhorov
Resistivity and magnetotransport in $La_{1-x}Sr_xCoO_{3-\delta}$ ($0.15 \geqslant x \leqslant 0.5$) films fabricated by laser ablation 1782

P. Kober, M. Hennion, F. Moussa, A. Ivanov, L.-P. Regnault, L. Pinsard and A. Revcolevschi
Magnetic ground state of low-doped manganites probed by spin dynamics under magnetic field 1784

M. Auslender, E. Rozenberg, V. Markovich and G. Gorodetsky
Zn doping of $La_{0.91}Mn_{0.95}O_3$ polycrystalline manganite: transition from metallic-to insulating-like ferromagnetic ground state 1787

B. Fisher, K.B. Chashka, L. Patlagan and G.M. Reisner
ZERO-field and magneto-conductivity of sintered and granular Sr_2FeMoO_6 1790

V. Markovich, I. Fita, Y. Yuzhelevskii, R. Puzniak, E. Rozenberg, C. Martin, A. Wisniewski, A. Wahl, M. Tsindlekht and G. Gorodetsky
Magnetic and transport properties of $Pr_{0.8}Ca_{0.2}MnO_3$ crystal 1792

J. Bała and P. Horsch
CE correlations in a spin–orbital model for half-doped manganites 1794

H. Fujishiro, Y. Fujine, Y. Mita and M. Ikebe
Thermal conductivity and magnetism in $(Ca_{1-X}Sr_X)MnO_3$ 1796

M. Ikebe, H. Fujishiro, S. Kanoh and H. Yamazaki
Lattice effect on ferromagnetic-metal phase transition in $Pr_{0.65}Ca_{0.35}(Mn_{1-Z}Co_Z)O_3$ and $Pr_{0.65}Ca_{0.35} \times (Mn_{1-Z}Cr_Z)O_3$ 1798

G. Jung, V. Markovich, Y. Yuzhelevski, M. Indenbom, C.J. van der Beek, D. Mogilyansky and Y.M. Mukovskii

Transport properties and magnetic domain structure in low-doped LaCaMnO manganite single crystals 1800

L.M. Fisher, A.V. Kalinov, I.F. Voloshin, N.A. Babushkina, K.I. Kugel and D.I. Khomskii
Inhomogeneous ferromagnetic insulating state and isotope effect in $Pr_{1-x}Ca_xMnO_3$ 1802

Y. Motome, N. Furukawa and N. Nagaosa
Randomness effect on multicritical phenomena in double-exchange systems 1805

S. Angappane, M. Pattabiraman, G. Rangarajan, K. Sethupathi, G. Balakrishnan, D.M. Paul, M.R. Lees and V.S. Sastry
ESR study of $Nd_{0.5}Sr_{0.5}MnO_3$ single crystal 1807

J. Blasco, J. García and J. Stankiewicz
Effect of Ga-doping on magnetic and electrical properties of $La_{2/3}Sr_{1/3}Mn_{1-x}Ga_xO_3$ ($0<x\leqslant 0.5$) 1810

M. Koubaa, A.M. Haghiri-Gosnet, J.P. Renard, M. Veis, V. Kolinsky, S. Visnovsky, P. Lecoeur, W. Prellier and B. Mercey
Magneto-optical spectroscopy of strained $La_{2/3}Sr_{1/3}MnO_3$ thin films grown by "laser MBE" 1812

E. Favre-Nicolin and L. Ranno
Anisotropic magnetoresistance in manganite films 1814

Z. Szotek, W.M. Temmerman, A. Svane, L. Petit, G.M. Stocks and H. Winter
Half-metallic transition metal oxides 1816

X.H. Xiang, T. Zhu, Z.P. Zhang, T.P. Beebe and J.Q. Xiao
Bulk contribution to magneto-resistance In Co-based magnetic tunnel junction 1818

M. Pissas
Phase diagram of $La_{1-x}Ca_xMnO_3$ for $x\geqslant 0.5$ 1821

D.G. Kuberkar, D.S. Rana, C.M. Thaker, K.R. Mavani, D. C. Kundaliya and S.K. Malik
Ferromagnetism and charge ordering in $(LaR)_{0.5}\times(CaSr)_{0.5}MnO_3$ (R = Nd, Eu,Tb) compounds 1823

N.H. Hong, J. Sakai, J.G. Noudem, F. Gervais and M. Gervais
Ru-doped $La_{0.7}(Ba-Ca)_{0.3}MnO_3$ thin films: unexpected ferromagnetic insulating phase and positive magnetoresistance 1826

S. Kaji, G. Oomi, S. Mitani and K. Takanashi
Effect of pressure on the tunnel magnetoresistance of Co–Al–O granular films 1829

H.M. Yang, H. Han and B.W. Lee
Magnetic properties of double perovskites $Ba_{2-x}La_xFeMoO_6$ 1831

M. Wójcik, E. Jędryka, S. Nadolski, J. Navarro and J. Fontcuberta
Mo–Fe antisite defects in Sr_2FeMoO_6 studied by NMR 1834

M. Granada, B. Maiorov, M. Sirena, L.B. Steren and J. Guimpel
Hall effect in $La_{0.6}Sr_{0.4}MnO_3$ thin films 1836

A. Tovstolytkin, A. Pogorily, A. Vovk, D. Podyalovskii, I. Lezhnenko and A. Matviyenko
Magnetoresistance and phase separation in thin films of moderately Sr-doped manganites 1839

A.A. Radkovskaia, S.I. Sandacci, L.V. Panina and D.J. Mapps
Dynamic circular hysteresis in Co-based amorphous microwires 1841

V. Raposo, O. Montero, A.G. Flores, M. Zazo and J.I. Iñiguez
Magnetic after-effect of the giant magnetoimpedance in cobalt-based amorphous wires 1844

A.M.H. de Andrade, R.B. da Silva, M.A. Correa, A.D.C. Viegas, A.M. Severino and R.L. Sommer
Magnetoimpedance of NiFe/Ag multilayers in the 100 kHz–1.8 GHz range 1846

G.M.B. Castro, A.R. Rodrigues, F.L.A. Machado and R.F. Jardim
Evidence of dynamical phase separation in $La_{0.6}Y_{0.1}Ca_{0.3}MnO_3$ manganite 1848

B.J. Park, H. Han, J. Kim, Y.J. Kim, C.S. Kim and B.W. Lee
Correlation between anti-site disorder and magnetic properties in ordered perovskite Sr_2FeMoO_6 1851

C. Gómez-Polo and M. Vázquez
Thermal dependence of magneto-impedance in FeCrSiBCuNb nanocrystalline alloy 1853

S.I. Sandacci, D.P. Makhnovskiy and L.V. Panina
Valve-like behavior of the magnetoimpedance in the GHz range 1855

R.B. da Silva, M. Carara, A.M.H. de Andrade, A.M. Severino and R.L. Sommer
FMR and domain structure in joule-heated glass-covered microwires 1858

H. Chiriac, I. Murgulescu and N. Lupu
The influence of the composition on the GMI effect in low magnetostrictive amorphous microwires 1860

I.Z. Rahman, A. Boboc, M. Kamruzzaman and M.A. Rahman
Numerical modelling of GMI effect in soft magnetic amorphous ribbons 1862

R.A. Lukaszew, Z. Zhang, D. Pearson and A. Zambano
Epitaxial Ni films, e-beam nano-patterning and BMR 1864

D.P. Makhnovskiy, L.V. Panina, N. Fry and D.J. Mapps
Magneto-impedance in NiFe/Au/NiFe sandwich films with different types of anisotropy 1866

N.S. Perov, A.S. Antonov, N.A. Buznikov, A.B. Granovsky, I.T. Iakubov, M.A. Kartashov and A.A. Rakhmanov

Magnetization reversal of Co-based amorphous wires induced by longitudinal AC magnetic field 1868

A. Fessant, J. Gieraltowski, C. Tannous and R. Valenzuela
A novel broadband measurement method for the magnetoimpedance of ribbons and thin films 1871

J. Gieraltowski, A. Fessant, R. Valenzuela and C. Tannous
Giant magnetoimpedance in Vitrovac® amorphous ribbons over [0.3–400 MHz] frequency range 1873

D. Fuchs, O. Morán, P. Adelmann and R. Schneider
Thickness-dependent Curie temperature of epitaxial $La_{0.7}A_{0.3}CoO_3$ (A = Ca, Sr, Ba) films doi:10.1016/j.jmmm.2003.12.280 e1377

T. Sudyoadsuk, R. Suryanarayanan and P. Winotai
Effect of Cr and Fe substitutions on the magnetotransport properties of the charge-ordered manganite $La_{0.4}Ca_{0.6}MnO_3$ doi:10.1016/j.jmmm.2003.12.283 e1379

C. Simon, S. Mercone, V. Hardy, C. Martin, D. Saurel and A. Brulet
Magnetic field induced percolation in $Pr_{0.67}Ca_{0.33}MnO_3$ by small angle magnetic neutron scattering doi:10.1016/j.jmmm.2003.12.441 e1383

M. Mizuguchi, T. Manago and H. Akinaga
Room temperature magnetoresistance effect observed in Au/GaAs films processed by focused ion beam doi:10.1016/j.jmmm.2003.12.285 e1385

A. Daoud-Aladine, J. Rodríguez-Carvajal, L. Pinsard-Gaudart and A. Revcolevschi
Non-collinear magnetic ordering in $R_{1/2}D_{1/2}MnO_3$ manganites doi:10.1016/j.jmmm.2003.12.287 e1387

A. Zhukov, C. Luna, J.L. Martinez, V. Zhukova and M. Vázquez
Magnetoresistance in Co–Ni–Cu glass coated microwires doi:10.1016/j.jmmm.2003.12.289 e1389

H. Kuwahara, Y. Hirobe, J. Nagayama, S. Kodama and A. Kakishima
Thermoelectric properties of filling controlled manganites doi:10.1016/j.jmmm.2003.12.1048 e1393

E. Saitoh, A. Kaneko, T. Ono and H. Miyajima
Interlayer magnetic coupling in Fe/Cr multilayers doi:10.1016/j.jmmm.2003.12.1087 e1395

M.L. Fdez-Gubieda, A. García Prieto, C. Meneghini and S. Mobilio
Magnetotransport properties and local atomic order around Fe in $Fe_{30}Ag_{70}$ thin films doi:10.1016/j.jmmm.2003.12.315 e1397

W.R. Branford, S.B. Roy, S.K. Clowes, Y. Miyoshi, Y.V. Bugoslavsky, S. Gardelis, J. Giapintzakis and L.F. Cohen
Spin polarisation and anomalous Hall effect in NiMnSb films doi:10.1016/j.jmmm.2003.12.913 e1399

A.Ya. Vovk, V.O. Golub, L. Malkinski, A.F. Kravets, A.M. Pogorily and O.V. Shypil'
Tunneling magnetoresistance in granular cermet films with particle size distribution doi:10.1016/j.jmmm.2003.12.902 e1403

J. Sánchez-Benítez, J.A. Alonso, A. de Andrés, M.J. Martínez-Lope, M.T. Casais and J.L. Martínez
Improving room temperature magnetoresistance in derivatives of ferrimagnetic $CaCu_3Mn_4O_{12}$ perovskite doi:10.1016/j.jmmm.2003.12.704 e1407

H. Nakanishi, H. Kasai, T. Kishi, W.A. Diño, F. Komori and A. Okiji
Magnetic and transport properties of $Fe_\beta V_{1-\beta}$ atom bridge constructed between an STM tip and a solid surface doi:10.1016/j.jmmm.2003.12.721 e1411

M. Onishi, R. Ishihara, A. Kida, M. Doi, H. Asano and M. Matsui
GMR effect of [Co(Fe)/Cu] multilayer prepared by MBE and IBS methods doi:10.1016/j.jmmm.2003.12.722 e1413

D.G. Hwang, S.W. Kim, B.K. Kim, J.Y. Lee, J.K. Kim, J.R. Rhee and S.S. Lee
Exchange biasing in NiFe/FeMn/NiFe with Si seed and capping layers doi:10.1016/j.jmmm.2003.12.723 e1417

H. Kubota, K. Ueda, Y. Ando and T. Miyazaki
$CO + NH_3$ plasma etching for magnetic thin films doi:10.1016/j.jmmm.2003.12.724 e1421

S. Takahashi and S. Maekawa
Spin injection and detection in F/N/F and F/S/F nanostructures doi:10.1016/j.jmmm.2003.12.1368 e1423

A. Peña, J. Gutiérrez, J.M. Barandiarán and T. Rojo
Magnetotransport properties of Co- and Ni-doped manganites: from conductive to insulating behavior doi:10.1016/j.jmmm.2003.12.725 e1425

C. Hernandez, F. Terki, R. Viennois, S. Charar, J. Sadowski and D. Maude
Magnetotransport properties of short period GaMnAs/InGaAs superlattices doi:10.1016/j.jmmm.2003.12.726 e1429

I. Knittel, S. Faas, M.A. Gothe, M.R. Koblischka and U. Hartmann
Domain-wall resistance at low temperature doi:10.1016/j.jmmm.2003.12.1033 e1431

K. Warda, L. Wojtczak, G. Wiatrowski, D. Baldomir, M. Pereiro and J. Arias
Giant magnetoresistance of thin multilayers doi:10.1016/j.jmmm.2003.12.415 e1433

M. Feigenson, J.W. Reiner, M.R. Beasley and L. Klein
Spin accumulation contribution to domain wall resistivity in $SrRuO_3$ doi:10.1016/j.jmmm.2003.12.727 e1435

U. Köhler, M. Ziese, A. Bollero, R. Höhne and P. Esquinazi
On the road to an all-oxide spin-transistor: study of

magnetotransport properties of magnetite/Nb:STO interfaces doi:10.1016/j.jmmm.2003.12.447 e1437

A.I. Morosov and A.S. Sigov
Domain wall contribution to the magnetoresistance of magnetic multilayers
doi:10.1016/j.jmmm.2003.12.1344 e1439

A.I. Morosov
Domain wall contribution to the resistance: Levy–Zhang mechanism
doi:10.1016/j.jmmm.2003.12.1345 e1441

J. Hayakawa, M. Fujimori, S. Heike, M. Ishibashi, T. Hashizume, K. Ito and H. Ohno
Electrical properties of the patterned Co/Cu/Co submicron dots using a probe contact
doi:10.1016/j.jmmm.2003.12.730 e1443

J.J. Qiu, K.B. Li, P. Luo, Y.K. Zheng and Y.H. Wu
Influence of nano-oxide layers on IrMn pinned bottom spin-valves at different positions
doi:10.1016/j.jmmm.2003.12.731 e1447

H.C. Herper
Influence of vanadium impurities on the GMR and the magnetic properties of Fe/Cr/Fe
doi:10.1016/j.jmmm.2003.12.1046 e1449

Y.M. Strelniker and D.J. Bergman
Induced anisotropic magneto-resistance in a composite medium with a periodic microstructure: numerical results and exact relations
doi:10.1016/j.jmmm.2003.12.732 e1453

M.H. Jeun, K.I. Lee, K.H. Lee, D.Y. Kim, J.Y. Chang, K.H. Shin, S.H. Han, J.G. Ha and W.Y. Lee
Magnetoresistance behavior in electroplated and sputtered Bi thin films
doi:10.1016/j.jmmm.2003.12.733 e1455

Chapter 21. Magnetic tunnel junctions and hybrid memories

J.Y. Hwang, M.Y. Kim, J.R. Rhee, S.S. Lee, D.G. Hwang, S.C. Yu and H.B. Lee
Magnetoresistance of antiferromagnet CoFe/Ru/CoFe/IrMn top spin valve with thermal stability 1875

J.R. Rhee, M.Y. Kim, J.Y. Hwang, S.S. Lee, D.G. Hwang, S.C. Yu and H.B. Lee
Magnetoresistance of $Ir_{22}Mn_{78}$-based top, bottom, and dual spin valves 1877

S.Y. Yoon, D.H. Lee, D.M. Jeon, J.H. Kim, D.H. Yoon and S.J. Suh
Thermal stability of Mn–Ir-based specular spin valve structure 1879

M. Volmer and J. Neamtu
Hall effect in Permalloy-based thin films and magnetic multilayers 1881

D. Stănescu, A. Viegas, M. Kerekes, B. Rodmacq, U. Ebels, P. Xavier, T. Fournier, S. Muller and K. Ounadjela
Local precessional reversal of a spin-valve element 1883

Z.B. Guo, K.B. Li, G.C. Han, J.J. Qiu, Y.K. Zheng, Z.Y. Liu and Y.H. Wu
Enhancement of magnetoresistance in spin valves with ion sputtered Si substrates 1885

C.-G. Lee, J.-G. Jung, V.S. Gornakov, R.D. McMichael, A. Chen and W.F. Egelhoff Jr.
Effects of annealing on the GMR and domain structure stabilization in a Py/Cu/Py/MnIr spin valve 1887

T. Luciński, M. Urbaniak, H. Brückl, A. Hütten, S. Heitmann and G. Reiss
Magnetoresistance effect in asymmetric dual spin-valves—a device for three-state logic 1889

J.O. Ventura, J.B. Sousa, P.P. Freitas and A. Veloso
Impact of the magnetism of nano-oxide layers on the GMR effect in specular spin valves 1892

J. Kikuchi, S. Akiyoshi, H. Terada, Y. Nozaki and K. Matsuyama
Controlling of spin orientation in a pseudo-spin valve MRAM cell with pulsed conductor currents 1895

J.C. Eckert, N.P. Stern, D.S. Snowden, J.G. Checkelsky, P.D. Sparks and M.J. Carey
Effects of oxygen concentration in Co/CoO exchange-coupled spin valves 1898

H. Wang, A.C. Papageorgopoulos, H. Cheng, N.D. Nikolic, C.A. Guerrero and N. Garcia
The relationship between ballistic magnetoresistance and magnetostriction of macro electrodes 1900

D.M. Jeon, J.P. Lee, D.H. Lee, S.Y. Yoon, Y.S. Kim and S.J. Suh
Effect of nano oxide layer on exchange bias and GMR in Mn–Ir–Pt based spin valve 1903

E. Pina, C. Prados and A. Hernando
Thermal evolution of magnetization reversal processes in trained and non-trained nanocrystalline exchange biased $Ni_{80}Fe_{20}$/Co−O bilayers 1905

M. Portalupi, R. Bertacco, M. Cantoni, A. Brambilla, M. Riva, L. Duò and F. Ciccacci
Electronic and magnetic properties of the Fe/ZnSe(0 0 1) interface 1907

H. Imamura and H. Ebisawa
Control of spin configuration in semiconductor artificial molecules by spin field effect transistors 1909

E. Kulatov, H. Nakayama, H. Ohta, K. Motizuki, Y. Uspenskii and H. Mariette
Stability of magnetic phases in $Zn_{1-x}M_xTe$ and $Zn_{1-x}M_xO$ (M= V, Cr, Mn, Fe, Co) studied by first-principles and optical properties of $Zn_{0.75}Cr_{0.25}Te$ 1911

A.S. Núñez, J. Fernández-Rossier, M. Abolfath and A.H. MacDonald
Optical control of the magnetization damping in ferromagnetic semiconductors 1913

W.J. Hwang, H.J. Lee, K.I. Lee, Y.M. Kim, J.Y. Chang, S.H. Han, M.W. Shin, Y.K. Kim and W.Y. Lee
Spin transport in a lateral spin-injection device with an FM/Si/FM junction 1915

N.G. Bebenin and V.V. Ustinov
Inverse spin population near ferromagnet/nonmagnetic semiconductor contact 1917

P. Palinginis and H. Wang
Coherent Raman scattering from electron spin coherence in GaAs quantum wells 1919

E. Shikoh, Y. Ando and T. Miyazaki
Time resolved luminescence properties of Al_{q3} for spin-injection into organic semiconductor 1921

A. Ney, A.K. Das, C. Pampuch, T. Hesjedal, M. Kästner, L. Däweritz, R. Koch and K.H. Ploog
Evolution of stress and magnetism during the first-order phase transition of MnAs/GaAs(0 0 1) 1924

B. Carvello and L. Ranno
Transport properties of the Fe_3O_4/Nb:$SrTiO_3$ interface 1926

I. D'Amico and G. Vignale
Effect of the Coulomb interaction on spin injection in semiconductor structures 1928

S.H. Jang, T. Kang, J.H. Lee and K.Y. Kim
Si-based magnetic tunnel transistor with high transfer ratio 1930

W.J. Rudziński, Ł. Michalak and J. Barnaś
Spin-polarized electronic transport in a spin-valve based on a quantum dot 1933

J.H. Oh, J.H. Park, H.J. Kim, W.C. Jeong, G.H. Koh, G.T. Jeong, I.J. Hwang, T.W. Kim, J.E. Lee, H.J. Kim, S.O. Park, U.I. Jeong, H.S. Jeong and K. Kim
A novel process for highly manufacturable MRAM 1936

T. Kishi, T. Ueda, H. Aikawa, T. Kajiyama, K. Shimura, Y. Fukuzumi, Y. Shimizu, Y. Asao, H. Yoda and S. Tahara
Effect of novel yoke wire in low-power MRAM applications 1939

G.H. Koh, H.J. Kim, W.C. Jeong, J.H. Oh, J.H. Park, S.Y. Lee, G.T. Jeong, I.J. Hwang, T.W. Kim, J.E. Lee, H.J. Kim, S.O. Park, U.I. Jeong, H.S. Jeong and K. Kim
Fabrication of high performance 64 kb MRAM 1941

J-M.L. Beaujour, G.J. Bowden, A.A. Zhukov, J.D. O'Neill, B.D. Rainford, P.A.J. de Groot, R.C.C. Ward, M.R. Wells and A.G.M. Jansen
Giant magneto and anisotropic resistance in an epitaxial (1 1 0) $DyFe_2$/YFe_2 multilayer film 1943

J. Barnaś, J. Martinek, R. Świrkowicz and M. Wilczyński
Electronic transport through quantum dots coupled to ferromagnetic leads: from Coulomb blockade to Kondo effect 1945

T. Niizeki, H. Kubota, Y. Ando and T. Miyazaki
Nanofabrication of magnetic tunnel junctions by using electron beam lithography 1947

J. Philip, D. Wang, M. Muenzenberg, P. LeClair, B. Diouf, J.S. Moodera and J.G. Lu
Fabrication and characteristics of ferromagnetic single electron transistors 1949

M. Sharma, S.-Y. Bae and S.X. Wang
Inelastic electron tunnelling spectroscopy of magnetic tunnel junctions with AlN and AlON barriers 1952

K.D. Belashchenko, E.Y. Tsymbal, M. van Schilfgaarde, D.A. Stewart, I.I. Oleynik and S.S. Jaswal
Spin-dependent tunneling from clean and oxidized Co surfaces 1954

D.M. Jeon, J.W. Park, D.H. Lee, S.Y. Yoon, D.H. Yoon and S.J. Suh
Annealing effect on the barrier properties and TMR of magnetic tunneling junctions fabricated in various oxidation conditions 1956

R. Świrkowicz, J. Barnaś, M. Wilczyński, W. Rudziński and V.K. Dugaev
Spin diode devices based on quantum dots 1959

E.I. Isaev, V.I. Baykov, P.A. Korzhavyi, Y.K. Vekilov, B. Johansson, I.A. Abrikosov and O. Eriksson
Intrinsic defects and transition metal impurities in GaAs 1961

G. Banach, R. Tyer and W.M. Temmerman
Study of half-metallicity in LSMO 1963

V.K. Sankaranarayanan, Y. Hu, C. Kim, C. Kim, M. Tsunoda and M. Takahashi
Correlation among exchange coupling, surface roughness and junction size in magnetic tunnel junctions 1965

S. Maekawa
Spin-dependent transport in magnetic nanostructures doi:10.1016/j.jmmm.2004.04.091 e1459

J. Slonczewski
Threshold current for spin-transfer switching doi:10.1016/j.jmmm.2003.12.275 e1465

H. Itoh, J. Inoue, A. Umerski and J. Mathon
Quantum oscillation of TMR in tunneling junctions containing a non-magnetic spacer doi:10.1016/j.jmmm.2003.12.1043 e1467

M. Urech, J. Johansson, V. Korenivski and D.B. Haviland
Spin injection in ferromagnet–superconductor/normal–ferromagnet structures doi:10.1016/j.jmmm.2003.12.408 e1469

S.K. Clowes, Y. Miyoshi, O. Johannson, B.J. Hickey, C.H. Marrows, M. Blamire, W.R. Branford, Y.V. Bugoslavsky and L.F. Cohen
Using PCAR to study Cu/Co bilayers doi:10.1016/j.jmmm.2003.12.276 e1471

H. Koop, H. Brückl, D. Meyners and G. Reiss
Shape dependence of the magnetization reversal in sub-μm magnetic tunnel junctions
doi:10.1016/j.jmmm.2003.12.412 e1475

I. Weymann and J. Barnaś
Electronic transport in ferromagnetic double-island single-electron devices
doi:10.1016/j.jmmm.2003.12.277 e1477

B.S. Chun, C.M. Choi, I.C. Chu, S.-R. Lee and Y.K. Kim
Surface roughness effect on bias voltage characteristics in CoNbZr-based magnetic tunnel junctions
doi:10.1016/j.jmmm.2003.12.616 e1481

J. Schmalhorst and G. Reiss
Transport properties of magnetic tunnel junctions with ion irradiated AlO_x barriers
doi:10.1016/j.jmmm.2003.12.717 e1485

M.S. Park, U. Yu and B.I. Min
Ferromagnetism in Li-intercalated Mn-doped anatase TiO_2 doi:10.1016/j.jmmm.2003.12.278 e1487

T. Saito, T. Katayama, Y. Kurosaki, M. Endo, S. Saito, T. Kamino, K. Kobayashi, Y. Suzuki, T. Nagahama, S. Yuasa, T. Koide, T. Shidara, H. Manaka and H. Tokano
X-ray absorption and X-ray magnetic circular dichroism studies of a Co(0 0 1) monatomic layer at the interface with Al_2O_3
doi:10.1016/j.jmmm.2003.12.279 e1489

Y.-W. Lee, S. Yoon, C. Kim and C. Kim
Switching characteristics of NiFe free layer with respect to hard axis field
doi:10.1016/j.jmmm.2003.12.281 e1491

K.I. Lee, J.H. Lee, W.Y. Lee, K.H. Shin, H.-C. Ri, B.C. Lee and K. Rhie
Quenching of tunneling magnetoresistance at low temperatures doi:10.1016/j.jmmm.2003.12.282 e1493

B. Warot, J. Imrie, A.K. Petford-Long, J.H. Nickel and T.C. Anthony
Influence of seed layers on the microstructure of NiFe layers doi:10.1016/j.jmmm.2003.12.284 e1495

G. Reiss, H. Brückl, D. Meyners, R. Richter and J. Wecker
Arrays of magnetic tunnelling junctions for field programmable logic gates
doi:10.1016/j.jmmm.2003.12.1269 e1497

S.S. Lee, K. Rhie, D.G. Hwang, S.W. Kim, K.H. Lee, J.R. Rhee and K. Shin
Large tunneling magnetoresistance of a ramp-edge-type junction with a $SrTiO_3$ barrier
doi:10.1016/j.jmmm.2003.12.286 e1499

A. De Santis, G. Barucca, F. Bobba, R. Caciuffo, K. Fröhlich, M. Pripko and A.M. Cucolo
Effect of oxygen post-annealing on the magnetoresistance of highly epitaxial $La_{0.7}Ca_{0.3}MnO_3$ thin films
doi:10.1016/j.jmmm.2003.12.288 e1501

T. Stobiecki, C.G. Kim, C.O. Kim, Y.K. Hu, M. Czapkiewicz, J. Kanak, J. Wrona, M. Tsunoda and M. Takahashi
The influence of NiFe thickness of top-electrode on exchange coupling parameters of IrMn based MTJ
doi:10.1016/j.jmmm.2003.12.311 e1503

Y. Ando, S. Iura, H. Kubota, T. Miyazaki, C.S. Yoon, J.H. Lee, D.H. Im and C.K. Kim
Ferromagnetic tunnel junctions with high thermal stability doi:10.1016/j.jmmm.2003.12.314 e1507

A. Dinia, S. Colis, G. Schmerber and J.P. Ayoub
Ferromagnetic exchange interaction between hard and soft ferromagnetic layers through ZnS semiconductor
doi:10.1016/j.jmmm.2003.12.316 e1511

M. Oogane, T. Daibou, H. Kubota, Y. Ando and T. Miyazaki
Tunnel spectra for Al/Al-oxide/$Ni_{80}Fe_{20}$ junctions under the superconducting transition temperature of Al films doi:10.1016/j.jmmm.2003.12.318 e1515

A.V. Khvalkovskii, A.A. Zvezdin, K.A. Zvezdin, D. Pullini and P. Perlo
Spin-accumulation effect in magnetic nano-bridge
doi:10.1016/j.jmmm.2003.12.319 e1517

K. Nakajima and K. Inomata
Spin-dependent single electron tunneling in double tunnel junctions with a nano-granular layer doi:10.1016/j.jmmm.2003.12.487 e1519

Y. Kunii, T. Suzuki, T. Goto and S. Nakajima
Anomalous longitudinal nuclear spin relaxation in $TlBa_2(Ca,Y)Cu_2O_7$ at the non-superconducting phase boundary doi:10.1016/j.jmmm.2003.12.321 e1521

T. Yamashita, H. Imamura, S. Takahashi and S. Maekawa
Andreev reflection in ferromagnet/superconductor/ferromagnet junctions
doi:10.1016/j.jmmm.2003.12.386 e1523

L. Gabillet, B. Diouf, J.-F. Bobo, D. Serrate and J.-M. De Teresa
Spin-dependent tunneling in magnetic tunnel junctions with Al_2O_3, MgO, NiO and hybrid structures
doi:10.1016/j.jmmm.2003.12.1056 e1525

H. Shim, B.K. Cho, J.-T. Kim, J.W. Choi and Y. Park
Distribution of nitrogen in a magnetic tunnel junction with nitrogen-treated interface
doi:10.1016/j.jmmm.2003.12.757 e1527

Chapter 22. Magnetic semiconductors

V. Fleurov, K. Kikoin, V.A. Ivanov, P.M. Krstajić and F.M. Peeters
Mechanisms of double magnetic exchange in dilute magnetic semiconductors 1967

T. Dietl
Spin order manipulations in nanostructures of II–VI ferromagnetic semiconductors 1969

M.N. Leuenberger
The generalized rotating frame 1974

Y.H. Jeong, S.-J. Han, J.-H. Park and Y.H. Lee
A critical examination of room temperature ferromagnetism in transition metal-doped oxide semiconductors 1976

A. Brataas, Y. Tserkovnyak and G.E.W. Bauer
Spin-pumping in ferromagnet–normal metal systems 1981

K. Sato, P.H. Dederichs, H. Katayama-Yoshida and J. Kudrnovský
Exchange interactions and Curie temperatures in diluted magnetic semiconductor 1983

S. Honda, K. Tateishi, M. Nawate and I. Sakamoto
Extraordinary Hall effect in Co implanted GaAs hybrid magnetic semiconductors 1985

I. Turek, J. Kudrnovský, V. Drchal and P. Weinberger
Residual resistivity of (Ga,Mn)As alloys from ab initio calculations 1987

Y. Ohishi, K. Sato and H. Katayama-Yoshida
Mechanism of enhanced ferromagnetism in delta-doped (Ga,Mn)As studied by ab initio electronic structure calculation 1989

V.A. Kulbachinskii, A.Y. Kaminskii, V.G. Kytin and A. de Visser
Thermoelectric power and Shubnikov-de Haas effect in magnetic impurity-doped Bi_2Te_3 and Bi_2Se_3 1991

M.P. Kennett, M. Berciu and R.N. Bhatt
Disorder effects on ferromagnetism in diluted, magnetic semiconductors 1993

J. Kudrnovský, I. Turek, V. Drchal and P. Bruno
Curie temperatures and exchange interactions in diluted group-IV magnetic semiconductors 1995

M. Malfait, J. Vanacken, W. Van Roy, J.L. Primus, J. De Boeck and V.V. Moshchalkov
Effect of low-temperature annealing on transport properties of $Ga_{1-x}Mn_xAs$ 1997

E. Prati
Microwave propagation in ferromagnetic semiconductors 1999

J.-Y. Ahn and M. Imamura
Magneto-optical properties of diluted magnetic semiconductor CdMnFeTe films 2002

K. Ando and H. Munekata
Magneto-optical study of spin-carrier interactions in (In,Mn)As 2004

F. D'Orazio, F. Lucari, N. Pinto, L. Morresi and R. Murri
Toward room temperature ferromagnetism of Ge:Mn systems 2006

S-J. Han, B.Y. Lee, J.-S. Ku, Y.B. Kim and Y.H. Jeong
Magnetic properties of $Zn_{1-x}Co_xO$ 2008

T. Fujii, M. Kayano, Y. Takada, M. Nakanishi and J. Takada
Preparation and characterization of epitaxial Fe-$TiO_{3+\delta}$ films 2010

Y. Fukuma, H. Asada, M. Arifuku and T. Koyanagi
Influence of carrier concentration on magnetic phase transition in $Ge_{1-x}Mn_xTe$ 2012

C. Zhou, M.P. Kennett, X. Wan, M. Berciu and R.N. Bhatt
Exchange anisotropy effects on ferromagnetism in diluted, magnetic semiconductors 2014

A. Oiwa, R. Moriya, Y. Kashimura and H. Munekata
Formation of quantized states and spin dynamics in III–V-based ferromagnetic quantum wells 2016

S. Colis, G. Pourroy, P. Panissod, C. Mény and A. Dinia
Correlation between magnetic properties and nuclear magnetic resonance observations in Sr_2FeMoO_6 double perovskite 2018

M. Takahashi, N. Furukawa and K. Kubo
Mechanism of carrier-induced ferromagnetism in diluted magnetic semiconductors 2021

I. Kim, J. Kim and S.H. Han
Microstructural analysis of $Ga_{1-x}Mn_xN$ films grown by PEMBE doi:10.1016/j.jmmm.2003.12.797 e1529

S. Noguchi, S. Miyagawa, H.A. Katori and T. Ishida
Hall effect and specific heat under magnetic fields in CeSi doi:10.1016/j.jmmm.2003.12.503 e1533

K. Takase, O. Shoji, T. Shimizu, Y. Takahashi, Y. Takano and K. Sekizawa
Magnetic properties of wide gap layered semiconductor $(La_{1-x}M_xO)Cu_{1-y}T_yS$ (M = Ca, Ce; T = Mn, Co, Zn) doi:10.1016/j.jmmm.2003.12.798 e1535

G.C. Han, Y.H. Wu, M. Tay, Z.B. Guo, K.B. Li and C.T. Chong
Growth and magnetic properties of TiO_2:Co anatase thin films by sputtering technique doi:10.1016/j.jmmm.2003.12.799 e1537

Y.E. Ihm, S.S. Yu, D. Kim, H. Kim, K.H. Lee, C.S. Kim and B.T. Lee
Magneto-electronic properties of $Ge_{1-x}Mn_x$ thin films grown by MBE doi:10.1016/j.jmmm.2003.12.800 e1539

P. Castrucci, N. Pinto, L. Morresi, R. Gunnella, R. Murri, M. Scarselli and M. De Crescenzi
Magnetic properties of thin MnGe films investigated by magnetic force microscopy doi:10.1016/j.jmmm.2003.12.1112 e1541

H. Kępa, L.V. Khoi, C.M. Brown, T. Dietl, J.K. Furdyna and T.M. Giebultowicz
Determination of hole-induced ferromagnetic exchange between nearest-neighbor Mn spins in p-type $Zn_{1-x}Mn_xTe$ doi:10.1016/j.jmmm.2003.12.1182 e1545

M. Béjar, D. Sánchez, G. Platero and A.H. MacDonald
Non-linear spin transport in magnetic semiconductor superlattices doi:10.1016/j.jmmm.2003.12.801 e1547

P. Silva, L.d. Chalbaud, E.t. Haar and V. Sagredo
Magnetic properties of the reentrant $CdGa_{2-2x}Cr_{2x}Se_4$ doi:10.1016/j.jmmm.2003.12.802 e1551

J. Okabayashi, M. Mizuguchi, K. Ono, M. Oshima, A. Fujimori, M. Yuri, C.T. Chen and H. Akinaga
Density dependence of zinc-blende MnAs dots studied by X-ray absorption spectroscopy and X-ray magnetic circular dichroism doi:10.1016/j.jmmm.2003.12.803 e1553

R. Giraud, S. Kuroda, S. Marcet, E. Bellet-Amalric, X. Biquard, B. Barbara, D. Fruchart, D. Ferrand, J. Cibert and H. Mariette
Structural and magnetic properties of a $Ga_{0.985}Mn_{0.015}N$ epilayer doi:10.1016/j.jmmm.2003.12.804 e1557

A. Kida, C. Yamamoto, M. Doi, H. Asano and M. Matsui
Magnetoresistance of trilayer films with Fe_3O_4 doi:10.1016/j.jmmm.2003.12.806 e1559

S.Y. Yun, G.-B. Cha, Y. Kwon, S. Cho and S.C. Hong
First-principles calculations on magnetism of transition metal doped zinc oxide doi:10.1016/j.jmmm.2003.12.566 e1563

H.M. Lee, S.J. Kim, I.-B. Shim and C.S. Kim
Coexistence of ferromagnetic and paramagnetic phases in $Ti_{0.995}{}^{57}Fe_{0.005}O_2$ doi:10.1016/j.jmmm.2003.12.684 e1565

H. Romero, L. Nieves, M. Chourio, R. Echeverria, I. Carreron, B. Ramirez and R. Zysler
Crystal growth, optical and magnetic properties of the Cr-doped Cu_2SnGe_3 semiconductor doi:10.1016/j.jmmm.2003.12.807 e1567

In-Bo Shim and C.S. Kim
Doping effect of indium oxide-based diluted magnetic semiconductor thin films doi:10.1016/j.jmmm.2003.12.1370 e1571

J.S. Lee, J.D. Lim, K.S. Suh, S.B. Shim, Y.D. Park, C.R. Abernathy, S.J. Pearton, Y.S. Kim, Z.G. Khim and R.G. Wilson
AC transport measurement of Mn ion-implanted p^+-GaAs:C doi:10.1016/j.jmmm.2003.12.810 e1573

I. Kuryliszyn-Kudelska, T. Wojtowicz, X. Liu, J.K. Furdyna, W. Dobrowolski, J.Z. Domagala, E. Łusakowska, M. Goiran, E. Haanappel and O. Portugall
Effect of annealing on magnetic and magnetotransport properties of $Ga_{1-x}Mn_xAs$ epilayers doi:10.1016/j.jmmm.2003.12.808 e1575

O. Peña, V. Bodenez, T. Guizouarn, E. Meza and J.L. Gautier
Magnetic properties of lithium-based spinels $Li(Ni_{x-}Co_{2-x})O_4$ doi:10.1016/j.jmmm.2003.12.813 e1579

B. Sanyal, L. Bergqvist, O. Eriksson and B. Johansson
Electronic structure and magnetism of diluted magnetic semiconductors and derivatives doi:10.1016/j.jmmm.2003.12.353 e1581

S. Sanvito
(Ga,Mn)As/AlAs digital ferromagnetic heterostructures doi:10.1016/j.jmmm.2003.12.539 e1583

M.P. López-Sancho and L. Brey
Temperature dependence of the conductance in diluted magnetic semiconductors doi:10.1016/j.jmmm.2003.12.816 e1585

Chapter 23. Magnetoelastic, magnetostrictive and shape memory materials

M. Löhndorf, S. Dokupil, J. Wecker, M. Rührig and E. Quandt
Characterization of magnetic tunnel junctions (MTJ) with magnetostrictive free layer materials 2023

V. Buchelnikov, I. Dikshtein, R. Grechishkin, T. Khudoverdyan, V. Koledov, Y. Kuzavko, I. Nazarkin, V. Shavrov and T. Takagi
Ultrasound-induced martensitic transition in ferromagnetic $Ni_{2.15}Mn_{0.81}Fe_{0.04}Ga$ shape memory alloy 2025

T. Budde and H.H. Gatzen
Magnetic properties of an SmCo/NiFe system for magnetic microactuators 2027

I. Suorsa, E. Pagounis and K. Ullakko
Magnetic shape memory actuator performance 2029

M.D. Huang, N.N. Lee, Y.H. Hyun, J. Dubowik and Y.P. Lee
Ferromagnetic resonance study of magnetic-shape-memory Ni_2MnGa films 2031

M. Kreissl, T. Kanomata, M. Matsumoto, K.-U. Neumann, B. Ouladdiaf, T. Stephens and K.R.A. Ziebeck
The influence of atomic order and residual strain on the magnetic and structural properties of Ni_2MnGa 2033

O.M. Korpusov, R.M. Grechishkin, V.V. Koledov, V.V. Khovailo, T. Takagi and V.G. Shavrov
Simultaneous magnetooptic observation and thermomagnetic analysis of phase transitions in shape-memory Ni–Mn–Ga alloys 2035

J. Feuchtwanger, K. Griffin, J. Huang, D. Bono, R.C. O'Handley and S.M. Allen
Mechanical energy absorption in Ni–Mn–Ga polymer composites 2038

A. Aliev, A. Batdalov, S. Bosko, V. Buchelnikov, I. Dikshtein, V. Khovailo, V. Koledov, R. Levitin, V. Shavrov and T. Takagi
Magnetocaloric effect and magnetization in a Ni–Mn–Ga Heusler alloy in the vicinity of magnetostructural transition 2040

K. Oikawa, T. Omori, R. Kainuma and K. Ishida
Effects of annealing on martensitic and magnetic transitions of Ni–Ga–Fe ferromagnetic shape memory alloys 2043

O. Heczko and L. Straka
Compositional dependence of structure, magnetiza-

tion and magnetic anisotropy in Ni–Mn–Ga magnetic shape memory alloys 2045

P.A. Algarabel, C. Magen, L. Morellon, M.R. Ibarra, F. Albertini, N. Magnani, A. Paoluzi, L. Pareti, M. Pasquale and S. Besseghini
Magnetic-field-induced strain in Ni_2MnGa melt-spun ribbons 2047

L. Straka, O. Heczko and K. Ullakko
Investigation of magnetic anisotropy of Ni–Mn–Ga seven-layered orthorhombic martensite 2049

H. Kato, M. Yamada and T. Miyazaki
Crystal-field-induced magnetostrictions in the spin reorientation process of $Nd_2Fe_{14}B$-type compounds 2051

Y. Bukhantsev, Y.M. Mukovskii and H. Szmczak
Magnetic properties of $(La_{0.8}Ba_{0.2})_{0.93}MnO_3$ single crystal 2053

M. Neagu, H. Chiriac, M. Lozovan and C. Hison
Magnetic and magnetoelastic properties of Ni–Cu–Mn–Ti–Mo alloys 2055

L. Benito, J.I. Arnaudas, C.d.l. Fuente, A.d. Moral, P.A.J.d. Groot, M.R. Wells and R.C.C. Ward
Magnetoelasticity in dysprosium–scandium superlattices 2058

A. Kumagai, A. Fujita, K. Fukamichi, K. Oikawa, R. Kainuma and K. Ishida
Magnetocrystalline anisotropy and magnetostriction in ordered and disordered Fe–Ga single crystals 2060

M. Doi, J. Oikawa, A. Tsumura, H. Asano and M. Matsui
Investigation of giant magnetostriction in the low field for DyFe thin films 2062

Y.K. Fetisov, K.E. Kamentsev and A.Y. Ostashchenko
Magnetoelectric effect in multilayer ferrite-piesoelectric structures 2064

V.V. Khovailo, V.A. Chernenko, A.A. Cherechukin, T. Takagi and T. Abe
An efficient control of Curie temperature T_C in Ni–Mn–Ga alloys 2067

G. Ausanio, C. Hison, V. Iannotti, C. Luponio and L. Lanotte
Elastomagnetic effect in novel elastic magnets 2069

L.V. Nikitin, G.V. Stepanov, L.S. Mironova and A.I. Gorbunov
Magnetodeformational effect and effect of shape memory in magnetoelastics 2072

G. Oomi, S. Kaji, K. Honda, R. Hiratsuka and T. Kagayama
The spontaneous volume magnetostriction of Cr metal under high pressure 2074

S.M. Na, S.J. Suh, K.H. Shin and S.H. Lim
Effects of particle shape on magnetostrictive properties of polymer-bonded Fe–Co based alloy composites 2076

E.V. Pan'kova, G.A. Semyannikov, A.B. Khvatov and N.S. Perov
Elastic waves in amorphous ribbons excited by low frequency local magnetic field 2079

A. Amirabadizadeh, N. Tajabor, M.R. Alinejad and F. Pouraian
The effect of substitution of Ni for Co on magnetostrictive strain in $GdCo_{4-x}Ni_xB$ compounds 2081

H.A. Derrett, A.R.E. Prinsloo, H.L. Alberts and A.M. Venter
Magnetoelastic interactions in a Cr + 1.9 at% Fe alloy single crystal 2084

F. Richomme, J. Teillet, D.T.H. Giang and N.H. Duc
Structural, magnetostriction and Mössbauer studies of $Fe/Tb(Fe_{0.55}Co_{0.45})_{1.5}/Fe$ sandwich films 2086

L. Benito, K. Roky, M. Ciria, J.I. Arnaudas, C. de la Fuente, A. del Moral, R.C.C. Ward, M.R. Wells and A. Matheny
Epitaxial strain and interface effects on the magnetoelastic behaviour of Dy/Ho and Dy/Lu superlattices 2088

L. Mañosa, A. Planes, M. Acet, E. Duman and E.F. Wassermann
Magnetic shape memory in Ni–Mn–Ga and Ni–Mn–Al 2090

N. Tajabor, A. Amirabadizadeh, M.R. Alinejad, H. Salamati and F. Pouraian
Anomalous behavior of temperature dependence of magnetostriction in $NdFe_{11}Ti$ 2093

M. Saint-Paul, G. Reményi, P. Lejay, P. Monceau, G. Chouteau and S. de Brion
Ultrasonic study of magnetoelastic effects in $Pr_{1-x}Ca_xMnO_3$ 2096

J. Kamarád, Y. Skorokhod, Z. Machátová, Z. Arnold and A.V. Andreev
Anisotropy of magnetoelastic phenomena in Lu_2Fe_{17} intermetallics 2098

J.I. Arnaudas, M. Ciria, L. Benito, C. de la Fuente, M.R. Ibarra, A. del Moral, M. Bibes, L. Balcells and J. Fontcuberta
Measuring the magnetoelastic anisotropy constant in manganite epitaxial thin films 2100

S.I. Bosko, V.D. Buchelnikov and T. Takagi
The investigations of phase transitions in Ni–Mn–Ga under external magnetic field 2102

V.S. Amaral and J.S. Amaral
Magnetoelastic coupling influence on the magnetocaloric effect in ferromagnetic materials 2104

A. Paolone, F. Cordero, R. Cantelli, G.A. Costa, C. Artini, A. Vecchione and M. Gombos
Magnetoelastic coupling in $RuSr_2GdCu_2O_8$ 2106

N.J. Mellors, J. Lord, S. Robertson, C.A. Faunce, P.J. Grundy, D.G. Lord, G. Donnier-Valentin and O. Cugat

Magnetic anisotropy and the shape memory phase transition in $Ni_{52}Mn_{26}Ga_{22}$ 2108

F. Albertini, F. Canepa, S. Cirafici, E.A. Franceschi, M. Napoletano, A. Paoluzi, L. Pareti and M. Solzi
Composition dependence of magnetic and magnetothermal properties of Ni–Mn–Ga shape memory alloys 2111

V. Buchelnikov, N. Danshin, D. Dolgushin, A. Isotov, V. Shavrov, L. Tsymbal, G. Kakazei, T. Takagi and P. Wigen
The magnetoacoustic anomaly in Fe_3BO_6 2113

M. Komelj and M. Fähnle
Ab-initio modeling of nonlinear magnetoelastic coupling in epitaxial films
doi:10.1016/j.jmmm.2003.12.884 e1587

Z. Arnold, O. Prokhnenko, C. Ritter, I. Goncharenko and J. Kamarád
Existence of incommensurate spiral magnetic structure in Y_2Fe_{17} under high pressure
doi:10.1016/j.jmmm.2003.12.886 e1589

G.J. Bowden, A.A. Zhukov, J-M.L. Beaujour, J.D. O'Neill, B.D. Rainford, P.A.J. de Groot, R.C.C. Ward, M.R. Wells and H. Küpfer
Field-dependent easy magnetic axes in epitaxially grown (1 1 0) $DyFe_2$ film
doi:10.1016/j.jmmm.2003.12.888 e1591

A.A. Kovalev, G.E.W. Bauer and A. Brataas
Magnetovibrational magnetization dynamics
doi:10.1016/j.jmmm.2003.12.890 e1593

J. Marcos, L. Mañosa, A. Planes, F. Casanova, X. Batlle, A. Labarta and B. Martínez
Magnetic field induced entropy change and magnetoelasticity in Ni–Mn–Ga alloys
doi:10.1016/j.jmmm.2003.12.1002 e1595

N.H. Duc, D.T. Huong Giang, V.N. Thuc, I. Davoli and F. Richomme
Magnetisation and magnetostriction in Fe/Terfecohan/Fe sandwich films with an extended domain wall formation doi:10.1016/j.jmmm.2003.12.892 e1597

Chapter 24. Techniques

R. Wiesendanger, M. Bode, A. Kubetzka, O. Pietzsch, M. Morgenstern, A. Wachowiak and J. Wiebe
Fundamental studies of magnetism down to the atomic scale: present status and future perspectives of spin-polarized scanning tunneling microscopy 2115

A. Barman, V.V. Kruglyak, R.J. Hicken, A. Kundrotaite and M. Rahman
Shape-dependent anisotropy and damping of picosecond magnetisation dynamics in a micron sized $Ni_{81}Fe_{19}$ element 2121

S. Tarapov
Methods and installation of high-frequency ESR experiment at very low temperatures 2123

R. Vollmer, M. Etzkorn, P.S. Anil Kumar, H. Ibach and J. Kirschner
Spin-polarized electron energy loss spectroscopy: a method to measure magnon energies 2126

J. Tejada, R. Amigó, J.M. Hernandez and A. García-Santiago
Resonant experiments in magnetism: superradiance and magnetic spectroscopy 2131

A. Ioffe
Neutron speed echo add-on to TAS: an increase in energy resolution without the use of polarized neutrons 2136

M.R. Koblischka, U. Hartmann and T. Sulzbach
Improving the lateral resolution of the MFM technique to the 10 nm range 2138

V. Cambel, D. Gregušová, J. Fedor, R. Kúdela and S.J. Bending
Scanning vector Hall probe microscopy 2141

M.A. Laguna-Marco, J. Chaboy, M.C. Sánchez, H. Maruyama, N. Kawamura and M. Suzuki
XMCD study of $RFe_{11}Ti$ intermetallic compounds 2144

J. Kuneš, P.M. Oppeneer, S. Valencia, D. Abramsohn, H.-Ch. Mertins, W. Gudat, M. Hecker and C.M. Schneider
Understanding the XMLD and its magnetocrystalline anisotropy at the $L_{2,3}$-edges of 3d transition metals 2146

M. Sikora, C. Kapusta, D. Zając, W. Tokarz, C.J. Oates, M. Borowiec, D. Rybicki, E. Goering, P. Fischer, G. Schütz, J.M. De Teresa and M.R. Ibarra
X-MCD magnetometry of CMR perovskites $La_{0.67-y}RE_yCa_{0.33}MnO_3$ 2148

Y.S. Lee, C.H. Lee, K.W. Kim, H.J. Shin and Y.P. Lee
Hybridization effects and charge transfer in ordered and disordered Co_xAl_{1-x} alloy films 2151

A.O. dos Santos, J.C.P. Campoy, A.A. Coelho, S. Gama and L.P. Cardoso
Synchrotron radiation multiple diffraction in the characterization of the $PrAl_2$ magnetocaloric compound 2154

T. Osakabe, M. Kohgi, D. Kawana, A. Hannan, K. Soyama and H. Kitazawa
High-pressure apparatus for magnetic neutron diffraction beyond 3 GPa at low temperature 2157

K.R. Choi, S.J. Kim, I.-B. Shim and C.S. Kim
Neutron diffraction and Mössbauer studies of the isotope iron doped La–Ba–Mn–O 2159

S.J. Kim, B.R. Myoung and C.S. Kim
Neutron diffraction and exchange interaction on $CoAl_xFe_{2-x}O_4$ ($x = 0.1, 0.2$) 2161

A. Muñoz, J.A. Alonso, M.T. Casais, M.J. Martínez-Lope, J.L. Martínez and M.T. Fernández-Díaz
A neutron diffraction study of the crystallographic and magnetic structure of $LuVO_3$ 2163

S. Ueda, Y. Iwasaki and S. Ushioda
Magnetic properties of quasi-three-dimensional Fe thin film studied by spin-polarized secondary electron microscopy 2165

S. Signoretti, C. Beeli and S. Liou
Electron holography quantitative measurements on magnetic force microscopy probes 2167

A.B. Granovsky and M. Inoue
Spin-dependent tunnelling at infrared frequencies: magnetorefractive effect in magnetic nanocomposites doi:10.1016/j.jmmm.2003.12.949 e1601

M. Fiebig and R.V. Pisarev
Nonlinear optics—a powerful tool for the investigation of magnetic structures doi:10.1016/j.jmmm.2003.12.666 e1607

P. Ferriani and C.M. Bertoni
Angle resolved resonant inelastic X-ray scattering: intensity and dichroism from 3d transition metals in special geometries doi:10.1016/j.jmmm.2003.12.1071 e1613

N. Jaouen, F. Wilhelm, A. Rogalev, J. Goulon, J.M. Tonnerre and S. Andrieu
Itnfluence of the structure of Fe on the interfacial spin and orbital induced magnetic moments of Ir in Fe/Ir multilayers doi:10.1016/j.jmmm.2003.12.950 e1615

Y. Amako, H. Nagai and H. Ido
^{55}Mn NMR study in $Mn_{1-x}Ti_xAs$ doi:10.1016/j.jmmm.2003.12.1131 e1617

Cz. Kapusta, D. Zając, P.C. Riedi, M. Sikora, C.J. Oates, J. Blasco and M.R. Ibarra
NMR study of A_2FeMO_6 (A = Ca, Sr, Ba, M = Mo, Re) double perovskites doi:10.1016/j.jmmm.2003.12.475 e1619

J. Haase, D. Eckert, H. Siegel, K.-H. Müller, H. Eschrig, A. Simon and F. Steglich
NMR in pulsed high magnetic fields doi:10.1016/j.jmmm.2003.12.951 e1623

A.I. Shames, E. Rozenberg, G. Gorodetsky, A. Maignan, C. Martin, M. Hervieu and B. Raveau
Electron magnetic resonance (EMR) study of $CaMn_{1-x}Ru_xO_3$ perovskites: an inhomogeneous ground state induced by Ru-doping doi:10.1016/j.jmmm.2003.12.759 e1627

S. Miteva, T. Nurgaliev, T. Donchev, C. Stevens and D. Edwards
Investigation of the transmission characteristics of clamped together HTS-ferrite layers doi:10.1016/j.jmmm.2003.12.629 e1631

B. Rivas-Murias, C.A. Ramos, M.A. Señarís-Rodríguez and J. Rivas
Non-resonant microwave absorption in $Pr_{1-x}Ba_xCoO_{3-\delta}$ doi:10.1016/j.jmmm.2003.12.952 e1635

B.B. Das, R. Ambika, S. Ageetha and P. Vimala
EPR and magnetic susceptibility studies on polaron dynamics in V_2O_5-, MoO_3- and CuO-containing glasses doi:10.1016/j.jmmm.2003.12.953 e1637

A.C. Junqueira, A.W. Carbonari, R.N. Saxena and J. Mestnik-Filho
Study of the local magnetic environment in $LaMnO_3$ perovskite by measuring hyperfine interactions doi:10.1016/j.jmmm.2003.12.589 e1639

Y. Köseoğlu, O. Yalın, F. Yıldız and B. Aktas
Magnetic measurements on an intercalate $Fe_{0.9}PS_3(Phen)_{0.4}$: an ESR study doi:10.1016/j.jmmm.2003.12.954 e1643

J. Kliava, I. Edelman, A. Potseluyko, E. Petrakovskaja, R. Berger, I. Bruckental, Y. Yeshurun, A. Malakhovskii and T. Zarubina
EPR and magnetic properties of Gd^{3+} in oxide glasses doi:10.1016/j.jmmm.2003.12.955 e1647

M. Akiba, H. Nagai, H. Yonezawa and Y. Amako
The NMR study of $R_2Co_7B_3$ (R = Y, Gd, Tb, Dy, Ho) doi:10.1016/j.jmmm.2003.12.1377 e1651

J. Lindner, K. Lenz, E. Kosubek, K. Baberschke, D. Spoddig, R. Meckenstock, J. Pelzl, Z. Frait and D.L. Mills
'Non-Gilbert-type' damping of magnetic excitations in ultrathin ferromagnets: importance of magnon–magnon scattering doi:10.1016/j.jmmm.2003.12.594 e1653

J. Li, Y. Zhai, J. Shi, W. Zhang, D. Zhang, Y. Xu, M. Lu and H.R. Zhai
The shape anisotropy and nonuniform magnetization excitations in patterned NiFe films with submicron sizes doi:10.1016/j.jmmm.2003.12.956 e1655

M. Belmeguenai, T. Devolder, C. Chappert and V. Mathet
Extraordinary Hall effect: a powerful tool to study the dynamics of high anisotropy nanostructures doi:10.1016/j.jmmm.2003.12.662 e1657

R.R. Urbano, P.G. Pagliuso, J.L. Sarrao, S.B. Oseroff, C. Rettori, A. Bianchi, S. Nakatsuji and Z. Fisk
Evolution of the Eu^{2+} local environment in $Ca_{1-x}Eu_xB_6$ doi:10.1016/j.jmmm.2004.01.038 e1659

D. Ruiz, T. Ros-Yañez, E. De Grave, R.E. Vandenberghe and Y. Houbaert
Room and 'in situ' high-temperature Mössbauer study of ordering in Fe–Si (0–22 at%) alloys doi:10.1016/j.jmmm.2003.12.1094 e1663

A.M.L. Lopes, J.P. Araújo, E. Rita, J.G. Correia, V.S. Amaral, Y. Tomioka, Y. Tokura and R. Suryanarayanan
Perturbed angular correlation study of $Pr_{1-x}Ca_xMnO_3$ doi:10.1016/j.jmmm.2003.12.957 e1667

A. Goto, K. Hashi, T. Shimizu, X. Wen, S. Ohki, T. Iijima and G. Kido
Efficiency of the optical pumping qubit initializer for solid-state NMR quantum computers doi:10.1016/j.jmmm.2003.12.958 e1669

A.M.L. Lopes, J.P. Araújo, E. Rita, J.G. Correia, V.S. Amaral and R. Suryanarayanan
Local probe studies on $LaMnO_{3+\delta}$ using the angular correlation technique
doi:10.1016/j.jmmm.2003.12.1134 e1671

K. Hiraka, Y. Nagasaka, T. Kunimoto, Y. Inagaki, S. Okubo, H. Ohta, T. Saito, M. Azuma and M. Takano
Magnetic phase transition of high-pressure phase $(VO)_2P_2O_7$ studied by high-field ESR measurements
doi:10.1016/j.jmmm.2003.12.959 e1675

A. Kirste, Z.A. Kazei, N.P. Kolmakova, S. Hansel, H.-U. Müller and M. von Ortenberg
Investigation of magnetic properties in strong and ultrastrong magnetic fields using the single-turn coil technique: new phenomena in intermetallic compounds and rare-earth zircons
doi:10.1016/j.jmmm.2003.12.531 e1677

N. Kozlova, M. Kozlov, D. Eckert, K.-H. Müller and L. Schultz
Digital method of pulsed-high-field magnetoresistive measurements based on finite impulse response filters
doi:10.1016/j.jmmm.2003.12.544 e1679

R.D. McDonald, J. Singleton, N. Harrison and J.C. Lashley
de Haas–van Alphen spectra of the shape-memory alloy AuZn doi:10.1016/j.jmmm.2003.12.960 e1681

H. Štěpánková, J. Englich, E. Gamaliy, M. Kučera, M. Maryško, K. Nitsch and P. Novák
NMR spectra and relaxations of ^{57}Fe in calcium-doped yttrium iron garnet films
doi:10.1016/j.jmmm.2003.12.505 e1685

J. Kohout, E. Gamaliy, H. Štěpánková, J. Englich, P. Novák and V.A.M. Brabers
NMR of ^{57}Fe below and around the Verwey transition in Al-substituted magnetite
doi:10.1016/j.jmmm.2003.12.517 e1687

V. Procházka, J. Kohout, H. Štěpánková, J. Englich, J. Kuriplach and D. Nižňanský
Hyperfine interactions of ^{155}Gd and ^{157}Gd in gadolinium iron garnet doi:10.1016/j.jmmm.2003.12.504 e1689

Chapter 25. Applications

E. Manios, V. Karanasos, D. Niarchos and I. Panagiotopoulos
(0 0 1) Textured CoPt/Ag films and nanocomposites: the effect of Ag underlayers 2169

L.T. Nguyen and J.C. Lodder
Properties of obliquely sputtered Co on different underlayers on polymer substrate 2171

H. Shima, K. Oikawa, A. Fujita, K. Fukamichi and K. Ishida
Magnetic anisotropy and mangnetostriction in $L1_0$ FePd alloy 2173

W.M. Liao, Y.P. Lin, F.T. Yuan and S.K. Chen
Ordering enhancement of Cu underlayer on CoPt thin films 2175

Y. Lee, T. Han and C.-S. Wur
Resistance and magnetoresistance of annealed amorphous carbon films containing Fe_3C nanograins 2178

H. Ito, T. Kusunoki, H. Saito and S. Ishio
The study on the ordering mechanism in FePt thin films with rapid thermal annealing process 2180

T. Seki, T. Shima and K. Takanashi
Fabrication of in-plane magnetized FePt sputtered films with large uniaxial anisotropy 2182

S. Kong, T. Okamoto and S. Nakagawa
Microstructure and magnetic properties in FeCoB/NiFe double layer 2184

Z.L. Zhao, J. Ding, J.S. Chen and J.P. Wang
The effects of pinning layer on the magnetic properties of FePt perpendicular media 2186

K. Nishimura, K. Takahashi, H. Uchida and M. Inoue
Effects of third elements (Ag, B, Cu, Ir) addition and high Ar gas pressure on $L1_0$ FePt films 2189

A. Morisako, N.N. Shams, Y. Miura, M. Matsumoto, S.H. Gee, M.H. Park and Y.K. Hong
C-axis oriented Ba–ferrite thin film with small grain for perpendicular magnetic recording 2191

J. Schoenes, M. Broschwitz, A. Borgschulte and A.-M. Carsteanu
Thickness- and morphology dependence of the optical and magneto-optical properties of $CrPt_3$ films 2194

K.E. Lee, J.Y. Lee, M.J. Park, J.H. Kim, C.B. Lee and C.O. Kim
Preparation of boron carbide thin films for HDD protecting layer 2197

K. Kakizaki, Y. Yamada, Y. Kuboki, H. Suda, K. Shibata and N. Hiratsuka
Magnetic properties and fine structure of FePt–$(C_4F_8)_n$ granular thin films 2200

Y.-P. Fu, C.-H. Lin and K.-Y. Pan
Microwave-induced combustion synthesis of yttrium iron garnet nano-powders and their characterizations 2202

N.-T.H. Kim-Ngan, W. Soszka, G. Jagło and D. Goc-Jagło
Influence of the metal–insulator phase transition on low-energy Ar^+ ions scattering from an Fe_3O_4 (0 0 1) surface 2205

I.T. Iakubov, A.N. Lagarkov, S.A. Maklakov, A.V. Osipov, K.N. Rozanov, I.A. Ryzhikov and S.N. Starostenko
Microwave permeability of laminates with thin Fe-based films 2208

A.S. Albuquerque, J.D. Ardisson, W.A.A. Macedo, T.S. Plivelic, I.L. Torriani, J. Larrea J. and E.B. Saitovitch

Structural and magnetic properties of $NiFe_2O_4$–SnO_2 nanocomposite 2211

J. Le Breton, L. Lechevallier, J. Feng Wang and R. Harris
Structural analysis of co-precipitated $Sr_{1-x}La_xFe_{12-x}Co_xO_{19}$ powders 2214

M. Almokhtar, A.M. Abdalla and M.A. Gaffar
Phase analysis study of copper ferrite aluminates by X-ray diffraction and Mössbauer spectroscopy 2216

M.W. Pieper, M. Küpferling, I.R. Harris and J.F. Wang
Large polarons in rare-earth doped hexaferrites observed by NMR 2219

S. Díaz-Castañón, J.C. Faloh-Gandarilla, F. Leccabue and G. Albanese
The optimum synthesis of high coercivity Pb–M hexaferrite powders using modifications to the traditional ceramic route 2221

T. Kasagi, T. Tsutaoka and K. Hatakeyama
Complex Permeability of Permalloy–Ferrite Hybrid Composite Materials 2224

J.S. Kum, S.J. Kim, I.-B. Shim and C.S. Kim
Magnetic properties of Ce-substituted yttrium iron garnet ferrite powders fabricated using a sol–gel method 2227

J.W. Lee, J.H. Oh, J.C. Lee and S.C. Choi
Magneto-optical properties of Bi-YIG nanoparticles dispersed in the organic binder 2230

S.H. Choi, J.H. Oh and T. Ko
Preparation and characteristics of Fe_3O_4-encapsulated $BaTiO_3$ powder by ultrasound-enhanced ferrite plating 2233

J.H. Yang, F. Zhang, Y. Xu and M. Guillot
Main factors in determining the magneto-optical behavior of rare-earth compounds 2236

S.G. Doh, E.B. Kim, B.H. Lee and J.H. Oh
Characteristics and synthesis of Cu–Ni ferrite nanopowders by coprecipitation method with ultrasound irradiation 2238

K. Kakizaki, H. Taguchi and N. Hiratsuka
Magnetic properties of La–Co substituted barium ferrite thin films with large magnetic anisotropy 2241

L.N. Singh
Ferromagnetic resonance and relaxation studies in LPE–grown bismuth substituted europium iron garnet films 2244

R.W. Hansen, L.E. Helseth, A. Solovyev, E. Il'Yashenko and T.H. Johansen
Growth and characterization of (100) garnets for imaging 2247

T.T. Ahmed, I.Z. Rahman and S.A.M. Tofail
Effect of copper ion distribution on the magnetization of nanoscaled NiZn ferrite 2250

S.E. Jacobo, S. Duhalde and H.R. Bertorello
Rare earth influence on the structural and magnetic properties of NiZn ferrites 2253

N. Adachi, T. Yamaguchi, T. Okuda, T. Machi and N. Koshizuka
In-plane magnetic anisotropy of (111) and (100) garnet film prepared for magneto-optical indicator 2255

R.J. Joseyphus, A. Narayanasamy, N. Sivakumar, M. Guyot, R. Krishnan, N. Ponpandian and K. Chattopadhyay
Mechanochemical decomposition of $Gd_3Fe_5O_{12}$ garnet phase 2257

J. Park, J.H. Kim, J.K. Cho, K. Nishimura, H. Uchida and M. Inoue
An optical micro-magnetic display 2260

M. Iwahara and S. Yamada
Visualization of magnetic field by means of the projection method with signed objectives 2263

P. Delooze, L.V. Panina, D.J. Mapps, K. Ueno and H. Sano
Effect of transverse magnetic field on thin-film magneto impedance and application to magnetic recording 2266

G. Bottoni
Critical volume for the switching of the magnetization in recording media 2269

G. Bottoni, D. Candolfo and A. Cecchetti
Thermal relaxation of the magnetic properties in hard disk recording media 2271

G. Bottoni, D. Candolfo and A. Cecchetti
The magnetic anisotropy of thin films for recording tapes with different composition and number of layers 2274

H. Sakamoto, K. Harada, Y. Matsuda, Y. Matsuo and F. Nakao
Hybrid magnetic component for high-performance power system 2276

J. Lee, J. Lee and G. Yang
Channel model and GPRML detections for a single-layered perpendicular magnetic recording with a modified ring-head 2279

J. Lee, K. Kim, J. Lee and G. Yang
LDPC code decoding adapted to the precoded partial response magnetic recording channels 2282

S. Takanosu, T. Abe, Y. Yoneyama, N. Fujiwara and K. Shinagawa
Read/write simulation of thermally stabilized magnetic recording media with a thin film head 2285

Y. Souche, E. Wagner, T. Fournier and A.D. Santos
Interaction between surface plasmon and magnetic material 2288

S.C. Lee, Y.W. Tahk, K.J. Lee and T.D. Lee
Effects of soft underlayer on read/write properties in double-layered perpendicular recording media 2291

J. Wrona, T. Stobiecki, M. Czapkiewicz, R. Rak, T. Ślęzak, J. Korecki and C.G. Kim
R-VSM and MOKE magnetometers for nanostructures 2294

P.A. Augusto, P. Augusto and T. Castelo-Grande
Magnetic shielding: application to a new magnetic separator and classifier 2296

D. Suh, Y. Park, H. Ryu, Y.J. Joon Sohn and M.C. Cheol Paek
Numerical characterization of the magneto-optical polar Kerr effect of a $SiO_x/FePt/SiO_x/Al$ multilayer on glass substrate 2299

I. Umehara, F. Tomioka, A. Tsuboi, T. Ono, M. Hedo and Y. Uwatoko
Design of micro pressure cell for measurements of specific heat and magnetization 2301

A. Pulnikov, V. Permiakov, R. Petrov, J. Gyselinck, G. Langelaan, H. Wisselink, L. Dupre, Y. Houbaert and J. Melkebeek
Investigation of residual stresses by means of local magnetic measurement 2303

T. Nishioka and N.K. Sato
New type of magnetization equipment using a commercial Hall sensor 2305

A. Siritaratiwat, N. Jutong and C. Pupaichitkul
Effect of deshunting sequences of magnetic head using charged device model 2307

G. Luciani, A. Constantini, F. Branda, G. Ausanio, C. Hison, V. Iannotti, C. Luponio and L. Lanotte
Modified thermogravimetric apparatus to measure magnetic susceptibility on-line during annealing of metastable ferromagnetic materials 2310

R. Jiang and C. Lai
Novel laminated antiferro-magnetically coupled soft magnetic underlayer for perpendicular recording media 2312

V. Goričan, A. Hamler, M. Jesenik, B. Štumberger and M. Trlep
Measurement of magnetic properties of grain-oriented silicon steel using round rotational single sheet tester (RRSST) 2314

T. Onoue, M.H. Siekman, L. Abelmann and J.C. Lodder
Probe recording on CoNi/Pt multilayered thin films by using an MFM tip 2317

K. Postava, Š. Višňovský, M. Veis, V. Kolinský, J. Pištora, D. Ciprian, P. Gogol and P. Beauvillain
Optimization of a magneto-optical integrated isolator 2319

Z. Li, S. Lee and H.J. Lee
Disk surface dynamic coercivity and other surface parameter measurement at spin stand 2321

J.R. Lindemuth and B.C. Dodrill
Anomalous Hall effect magnetometry studies of magnetization processes of thin films 2324

V.K. Garg, A.C. Oliveira, R.B. Azevedo, M. Wagener, N. Buske and P.C. Morais
Mössbauer study of iron-nitride-based magnetic fluid 2326

P.C. Morais, J.G. Santos, L.B. Silveira, C. Gansau, N. Buske, W.C. Nunes and J.P. Sinnecker
Susceptibility investigation of the nanoparticle coating-layer effect on the particle interaction in biocompatible magnetic fluids 2328

J.G. Santos, L.B. Silveira, C. Gansau, N. Buske and P.C. Morais
Magnetite-based biocompatible magnetic fluid: temperature and concentration investigation using magnetic resonance 2330

H. Oka, A. Hojo, H. Osada, Y. Namizaki and H. Taniuchi
Manufacturing methods and magnetic characteristics of magnetic wood 2332

A.L. Tronconi, A.C. Oliveira, E.C.D. Lima and P.C. Morais
Photoacoustic spectroscopy of cobalt ferrite-based magnetic fluids 2335

M.H. Phan, V.T. Pham, S.C. Yu, J.R. Rhee and N.H. Hur
Large magnetic entropy change in a $La_{0.8}Ca_{0.2}MnO_3$ single crystal 2337

S.I. Park, J. Kim and C.O Kim
Preparation of photosensitizer-coated magnetic fluid for treatment of tumor 2340

K. Zimmermann, I. Zeidis, V.A. Naletova and V.A. Turkov
Travelling waves on a free surface of a magnetic fluid layer 2343

S. Engelmann, A. Nethe, Th. Scholz and H.-D. Stahlmann
Force enhancement on a ferrofluid-driven linear stepping motor model 2345

R. Goleman
Macroscopic model of particles' capture by the elliptic cross-section collector in magnetic separator 2348

N.A. Brusentsov, V.D. Kuznetsov, T.N. Brusentsova, T.S. Gendler, A.A. Novakova, E.R. Volter, E.A. Haliulina and M.I. Danilkin
Magnetisation of ferrifluids and effects of intracellular deposition of ferrite nanoparticles 2350

Z. Hossain, T. Strässle, C. Geibel and A. Furrer
First-order valence transition and barocaloric effect in $EuNi_2(Si_{1-x}Ge_x)_2$ 2352

P. Kopčanský, I. Potočová, M. Timko, M. Koneracká, A.M.G. Jansen, J. Jadzyn and G. Czechowski

The structural transitions in ferronematics in combined electric and magnetic fields 2355

M.A.G. Soler, T.F.O. Melo, S.W. da Silva, E.C.D. Lima, A.C.M. Pimenta, V.K. Garg, A.C. Oliveira and P.C. Morais
Structural stability study of cobalt ferrite-based nanoparticle using micro Raman spectroscopy 2357

M. Atodiresei and V. Bădescu
Yield stress in a fluidized bed stabilized with a compound magnetic field 2359

H. Yamaguchi, A. Sumiji, S. Shuchi and T. Yonemura
Characteristics of thermo-magnetic driven motor using magnetic fluid 2362

S. Fujieda, Y. Hasegawa, A. Fujita and K. Fukamichi
Direct measurement of magnetocaloric effects in itinerant-electron metamagnets $La(Fe_xSi_{1-x})_{13}$ compounds and their hydrides 2365

V. Iusan, N. Ilias, A. Serafinceanu, C.D. Buioca and A. Stanci
Magnetofluidic effects usable for sensors achievement 2367

F.C. Correia, J.P. Araújo, J.B. Sousa, M.E. Braga, L. Morellon, P.A. Algarabel and M.R. Ibarra
Unusual critical behavior of the electrical resistivity near the first-order magnetostructural transition of $Gd_5(Si_{0.1}Ge_{0.9})_4$ 2370

E.J.R. Plaza, C.S. Alves, A.A. Coelho, S. Gama and P.J. von Ranke
Magnetic and magnetocaloric properties of Nd monopnictides 2373

J.C.P. Campoy, E.J.R. Plaza, A.M.G. Carvalho, A.A. Coelho, S. Gama and P.J. von Ranke
Experimental study of the magnetocaloric effect in $Gd_5Sn_2Si_2$ compound 2375

P. Kopčanský, L. Tomčo, K. Marton, M. Koneracká, I. Potočová and M. Timko
The experimental study of the DC dielectric breakdown strength in magnetic fluids 2377

A. Hamler, V. Goričan, B. Štumberger, M. Jesenik and M. Trlep
Passive magnetic bearing 2379

F. Pelegrini, A.R. Pereira, M.B. Araújo, A.L. Tronconi and P.C. Morais
Ferromagnetic resonance of ferrite ferrofluids at high microwave power levels 2381

A.R. Pereira, F. Pelegrini, K.S. Neto, N. Buske and P.C. Morais
Magnetic resonance of field-frozen and zero-field-frozen magnetic fluids 2383

A.M. Gomes, M.S. Reis, A.P. Guimarães, P.B. Tavares, J.P. Araújo and V.S. Amaral
Magnetocaloric effect on the $Pr_{0.43}Gd_{0.25}Ca_{0.32}MnO_3$ manganite 2385

K. de Lange Kristiansen, G. Helgesen and A.T. Skjeltorp
Braid theory and Zipf relation used in dynamics of magnetic microparticles 2387

O. Tegus, E. Brück, X.W. Li, L. Zhang, W. Dagula, F.R.d. Boer and K.H.J. Buschow
Tuning of the magneto-caloric effects in MnFe(P,As) by substitution of elements 2389

C.S. Alves, C.C. Colucci, S. Gama, A.M.C. Carvalho and A.A. Coelho
Influence of hydrogen on the magnetic behaviour of $Gd_5Ge_2Si_2H_x$, $0.1 \leqslant x \leqslant 2.5$ 2391

M.S. Reis, A.M. Gomes, J.P. Araújo, P.B. Tavares, I.S. Oliveira and V.S. Amaral
Positive and 'colossal' magnetocaloric effect due to charge ordering in CMR manganites 2393

A. Bocanegra-Diaz, N.D.S. Mohallem, M.A. Novak and R.D. Sinisterra
Preparation of ferrofluid from cyclodextrin and magnetite 2395

A.N. Bazhan
Possibility of third-order magnetic susceptibility investigations in magnetic materials 2398

A. Józefczak
Ultrasonic study of the effect of time of the ferrofluid exposure to magnetic field on its structure doi:10.1016/j.jmmm.2003.12.976 e1691

H. Oka, H. Hamano and S. Chiba
Experimental study on actuation functions of coating-type magnetic wood doi:10.1016/j.jmmm.2003.12.977 e1693

W. Schepper, J. Schotter, H. Brückl and G. Reiss
Single molecule detection with magnetic beads—computer simulation doi:10.1016/j.jmmm.2003.12.570 e1695

R. Ishino, M. Sunahata and S. Takada
The effect of shot peening process on improvement of a magnetostrictive torque sensor with helical knurls doi:10.1016/j.jmmm.2003.12.978 e1697

T.M. Wolbank, J.L. Machl and H. Hauser
Separating anisotropic material effects in the control signals of inverter-fed AC machines doi:10.1016/j.jmmm.2003.12.979 e1701

M. Torabzadeh-Tari and G. Engdahl
A quasi-static modeling approach of electromechanical actuators doi:10.1016/j.jmmm.2003.12.980 e1705

L. Austrin, J.H. Krah and G. Engdahl
A modeling approach of a magnetic amplifier doi:10.1016/j.jmmm.2003.12.981 e1709

A. Ouakssim, S. Fastrez, A. Roch, S. Laurent, Y. Gossuin, C. Piérart, L. Vander Elst and R.N. Muller
Control of the synthesis of magnetic fluids by relaxometry and magnetometry doi:10.1016/j.jmmm.2003.12.982 e1711

D.-G. Park, S.-S. Kim, G.-D. Kim and J.-H. Hong
The diagnosis of thermal aged inconel 600 using giant magnetoimpedance (GMI) sensor
doi:10.1016/j.jmmm.2003.12.983 e1715

B. Štumberger, A. Hamler, V. Goričan, M. Jesenik and M. Trlep
Output power capability improvement in a flux-weakened permanent magnet synchronous motor with a third harmonic current injection
doi:10.1016/j.jmmm.2003.12.713 e1719

B. Štumberger, A. Hamler, V. Goričan, M. Jesenik and M. Trlep
Accuracy of iron loss estimation in induction motors by using different iron loss models
doi:10.1016/j.jmmm.2003.12.712 e1723

K. Atallah, S.D. Calverley and D. Howe
High-performance magnetic gears
doi:10.1016/j.jmmm.2003.12.520 e1727

T. Ohji, S. Ichiyama, K. Amei, M. Sakui and S. Yamada
A new conveyor system based on a passive magnetic levitation unit having repulsive-type magnetic bearings doi:10.1016/j.jmmm.2003.12.984 e1731

M. Takezawa, Y. Ishizaki, T. Honda and J. Yamasaki
Optimum driving of magnetostrictive amorphous wire micro-motor doi:10.1016/j.jmmm.2003.12.384 e1735

N. Schofield, A. Lonsdale and A.Y. Hodges
Novel electro-magnetic test facility for the calibration of a propulsor fluctuating force module
doi:10.1016/j.jmmm.2003.12.985 e1737

A. Yamazaki, M. Sendoh, K. Ishiyama, K. Ichi Arai, R. Kato, M. Nakano and H. Fukunaga
Wireless micro swimming machine with magnetic thin film doi:10.1016/j.jmmm.2003.12.337 e1741

J. Bydžovský, L. Kraus, P. Švec and M. Pasquale
Magnetoelastic strain sensors for the outdoors application doi:10.1016/j.jmmm.2003.12.414 e1743

J. Zentner, V. Kireev and E. Kallenbach
Investigations for the configuration of integrated magnetic levitated multi-coordinate drives
doi:10.1016/j.jmmm.2003.12.986 e1747

F. Stobiecki, B. Szymański, T. Luciński, J. Dubowik, M. Urbaniak, M. Schmidt and K. Röll
GMR sensors with linear and unhysteretic $R(H)$ dependences doi:10.1016/j.jmmm.2003.12.987 e1751

V. Radojevic, D. Nedeljkovic, N. Talijan, D. Trifunovic and R. Aleksic
Optical fibers with composite magnetic coating for magnetic field sensing
doi:10.1016/j.jmmm.2003.12.1330 e1755

Y.-W. Park, M.-C. Lim and D.-Y. Kim
Control of a magnetostrictive actuator with feedforwarding inverted hysteresis
doi:10.1016/j.jmmm.2003.12.988 e1757

H. Osada, S. Chiba, H. Oka, H. Hatafuku, N. Tayama and K. Seki
Non-contact magnetic temperature sensor for biochemical applications
doi:10.1016/j.jmmm.2003.12.989 e1761

N. Wang, T. O'Donnell, H. Hauser, P. McCloskey and S.C. O'Mathuna
Hysteresis modelling of high-frequency micro-transformers doi:10.1016/j.jmmm.2004.01.013 e1763

Y.-W. Park and D.-Y. Kim
Development of a magnetostrictive microactuator
doi:10.1016/j.jmmm.2003.12.991 e1765

D. Ishak, Z.Q. Zhu and D. Howe
High torque density permanent magnet brushless machines with similar slot and pole numbers
doi:10.1016/j.jmmm.2003.12.1100 e1767

S.D. Calverley, R.E. Clark and D. Howe
Latching actuators for flow-control valves
doi:10.1016/j.jmmm.2003.12.1099 e1771

I. Zana, G. Zangari, J. Park and M.G. Allen
Electrodeposited Co–Pt micron-size magnets with strong perpendicular magnetic anisotropy for MEMS applications doi:10.1016/j.jmmm.2003.12.990 e1775

M. González-Guerrero, L. Pérez, C. Aroca, M.C. Sánchez, E. López and P. Sánchez
Hybrid ferrite-amorphous planar fluxgate
doi:10.1016/j.jmmm.2003.12.992 e1777

D. Davino, C. Natale, S. Pirozzi and C. Visone
Rate-dependent losses modeling for magnetostrictive actuators doi:10.1016/j.jmmm.2003.12.1383 e1781

J.K. Mitchell, J. Wang, R.E. Clark and D. Howe
Analytical modeling of the air-gap field in reciprocating moving-magnet actuators
doi:10.1016/j.jmmm.2003.12.1101 e1783

J. Seo, H. Kim and S. Sung
Design and fabrication of a magnetic microfluidic light modulator using magnetic fluid
doi:10.1016/j.jmmm.2003.12.522 e1787

O. Kohmoto, T. Yamane, J. Miyoshi, H. Sakihara and F. Ono
Orientation of c-axis of Sr-ferrite particles in rubber magnets doi:10.1016/j.jmmm.2003.12.860 e1791

X. Zuo, S.D. Yoon and C. Vittoria
Epitaxial growth of artificial ferrites at the atomic scale doi:10.1016/j.jmmm.2003.12.861 e1795

M. Obol and C. Vittoria
Microwave permeability of Y-type hexaferrites in zero and low fields doi:10.1016/j.jmmm.2003.12.1116 e1799

W. Fan, J. Ding, J.B. Yi, G.V.S. Rao and B.V.R. Chowdari
Structure and magnetic properties of $K_2NiFe_{3.5}V_{3.5}O_{16}$ with the hollandite structure
doi:10.1016/j.jmmm.2003.12.864 e1801

S. Capraro, J.P. Chatelon, M. Le Berre, H. Joisten, T. Rouiller, B. Bayard, D. Barbier and J.J. Rousseau
Barium ferrite thick films for microwave applications
doi:10.1016/j.jmmm.2003.12.871 e1805

A.K.M. Zakaria, M.A. Asgar, S.G. Eriksson, F.U. Ahmed, S.M. Yunus and R. Delaplane
Neutron diffraction study of magnetic structure in the diluted spinel ferrite $Zn_{0.4}Co_{0.6}Al_xFe_{2-x}O_4$ $(0.0 \leqslant x \leqslant 1.0)$ doi:10.1016/j.jmmm.2003.12.875 e1807

N. Rezlescu, P.D. Popa and E. Rezlescu
Nanoparticles of high-frequency ferrites obtained by self-combustion method
doi:10.1016/j.jmmm.2003.12.877 e1811

T. Kagotani, D. Fujiwara, S. Sugimoto, K. Inomata and M. Homma
Enhancement of GHz electromagnetic wave absorption characteristics in aligned M-type barium ferrite $Ba_{1-x}La_xZn_yFe_{12-x-y}(Me_{0.5}Mn_{0.5})_yO_{19}$ ($x = 0.0-0.5$; $y = 1.0-3.0$, Me: Zr, Sn) by metal substitution doi:10.1016/j.jmmm.2003.12.878 e1813

D. Lisjak and M. Drofenik
The thermal stability range and magnetic properties of U-type hexaferrites
doi:10.1016/j.jmmm.2003.12.879 e1817

E. Rezlescu, N. Rezlescu, F. Tudorache and P.D. Popa
Effects of replacing Fe by La or Ga in $Mg_{0.5}Cu_{0.5}Fe_2O_4$. Humidity sensitivity
doi:10.1016/j.jmmm.2003.12.880 e1821

H.W. Kwon and J.W. Bae
Magnetic anisotropy of Sr-ferrite powder produced by mechanical alloying
doi:10.1016/j.jmmm.2003.12.881 e1823

B. Park, N.D. Ha, T.S. Yoon, B.K. Min, C.G. Kim and C.O. Kim
Soft magnetic properties of as-deposited nanocrystalline Fe–Al–O thin films
doi:10.1016/j.jmmm.2003.12.882 e1827

K. Komatsu, M. Nakanishi, T. Fujii and J. Takada
Preparation of Y-type hexagonal ferrite's films by polymerized complex method
doi:10.1016/j.jmmm.2003.12.885 e1831

S.D. Yoon and C. Vittoria
Preparation of thick M-type barium hexaferrite films on double side of substrates by liquid-phase epitaxy deposition technique
doi:10.1016/j.jmmm.2003.12.993 e1833

F. Qin, Y. Nozaki and K. Matsuyama
Effect of metallic underlayer on structural and magnetic properties of sputtered Fe_3O_4 films
doi:10.1016/j.jmmm.2003.12.994 e1835

C.M. Fu, C.Y. Hsu, Y.C. Chao, D.S. Kim, N. Matsushita and M. Abe
Tunnel magneto-impedance effect of the ZnNi–ferrite encapsulated NiFe microspheres
doi:10.1016/j.jmmm.2003.12.1381 e1839

P. Hernández-Gómez, C. Torres, C. de Francisco, J.M. Muñoz, O. Alejos, J.I. Iñiguez and V. Raposo
Influence of stoichiometry on the magnetic disaccommodation in M-type Sr hexaferrites
doi:10.1016/j.jmmm.2003.12.887 e1843

G. Asti, F. Bolzoni, J.M. Le Breton, M. Ghidini, A. Morel, M. Solzi, F. Kools and P. Tenaud
Magnetic anisotropy of LaCo-substituted $SrFe_{12}O_{19}$ ferrites doi:10.1016/j.jmmm.2003.12.1275 e1845

J. Jankovskis
Presentation of complex permeability spectra of polycrystalline ferrites based on grain size distribution doi:10.1016/j.jmmm.2003.12.1305 e1847

J.B. Silva, C.F. Diniz, J.D. Ardinson, A.I.C. Persiano and N.D.S. Mohallem
Cobalt ferrite dispersed in a silica matrix prepared by sol–gel process doi:10.1016/j.jmmm.2003.12.1276 e1851

R. Hermann, O. Filip, G. Gerbeth, J. Priede and L. Schultz
Microstructure evolution of Nd–Fe–B alloys in consideration of magnetohydrodynamics
doi:10.1016/j.jmmm.2003.12.574 e1855

O. Filip, R. Hermann, G. Gerbeth, J. Priede, V. Shatrov, A. Gueth and L. Schultz
Influence of melt convection on the microstructure of levitated and undercooled Nd–Fe–B alloys
doi:10.1016/j.jmmm.2003.12.1070 e1857

J.D. Ardisson, R.C. Araujo, W.A.A. Macedo, A.I.C. Persiano and S. Gama
The effect of atmosphere composition in plasma nitrogenation of Sm_2Fe_{17}
doi:10.1016/j.jmmm.2003.12.1008 e1859

K. Takeda
Magneto-optical Kerr rotation spectra in R_2Fe_{17} single crystals doi:10.1016/j.jmmm.2003.12.889 e1863

F. Yamashita, A. Watanabe, S. Tsutsumi and H. Fukunaga
Highly dense rare-earth hybrid bonded-magnet consolidated under heat and transverse field configuration
doi:10.1016/j.jmmm.2003.12.1306 e1865

J. Töpfer and B. Pawlowski
Thermal stability of rare earth magnet thick films
doi:10.1016/j.jmmm.2003.12.891 e1867

M.T. Raposo, J.D. Ardisson and A.I.C. Persiano
Magnetic study of the Fe–Co–Nb μ and Nb_{ss} phases
doi:10.1016/j.jmmm.2003.12.426 e1869

H. Matsumoto, N. Ikuta, T. Fujiwara, K. Konno, T. Nomoto, M. Matsuura, H. Taketomi, H. Yoshikawa, S. Takahashi and H. Kaga
Microstructures and magnetic properties of spark plasma sintered Fe–Cr–Co type and Sm_2Co_{17} type magnets doi:10.1016/j.jmmm.2003.12.893 e1873

P.J. McGuiness, E.J. Devlin, M. Komelj, B. Podmiljšak, D. Niarchos and S. Kobe
Magnetic monitoring of the disproportionation pro-

cess in Nd–Fe–B-based materials
doi:10.1016/j.jmmm.2004.01.011 e1877

S. Sugimoto, J. Akedo, M. Lebedev and K. Inomata
Magnetic properties and microstructures of the aerosol-deposited permanent magnet films
doi:10.1016/j.jmmm.2003.12.607 e1881

A.G. Popov, A.V. Korolyov and V.S. Gaviko
Abnormal temperature dependence of coercivity of Sm–Co–Fe–Cu–Zr alloys: history and current state
doi:10.1016/j.jmmm.2003.12.1158 e1883

C. Magen, N. Magnani, P.A. Algarabel, L. Pareti, L. Morellon, A. Paoluzi and M.R. Ibarra
Magnetoelastic properties of $Pr_2Co_{17-x}Fe_x$ compounds doi:10.1016/j.jmmm.2003.12.894 e1887

V.P. Menushenkov and A.G. Savchenko
Heat treatment, microstructure and coercivity of (Nd, Dy)-Fe-B based permanent magnets
doi:10.1016/j.jmmm.2003.12.895 e1891

N. Fujita, S. Maeda, S. Yoshida, M. Takase, M. Nakano and H. Fukunaga
Preparation of Co–Pt alloy film magnets by electrodeposition doi:10.1016/j.jmmm.2003.12.897 e1895

Y. Zhang, A. Gabay, Y. Wang and G. C. Hadjipanayis
Microstructure, microchemistry, and coercivity in Sm–Co–Cu and Pr–Co–Cu 1:5 alloys
doi:10.1016/j.jmmm.2003.12.899 e1899

H. Fukunaga, A. Tagawa and M. Nakano
Preparation of high-performance PrFeB/α-Fe nanocomposite magnets by direct Joule heating
doi:10.1016/j.jmmm.2003.12.1277 e1901

L.K.E.B. Serrona, A. Sugimura, K. Nomura, T. Okuda, N. Adachi, H. Ohsato, I. Sakamoto, A. Nakanishi and M. Motokawa
Effect of Mo and Ti buffer layers on the structure and magnetic properties of Nd-Fe-B films prepared on Mo, W, Ta, Nb and Si substrates
doi:10.1016/j.jmmm.2003.12.903 e1905

M. Nakano, R. Kato, H. Fukunaga, S. Tutsumi and F. Yamashita
Advancement in NdFeB thick film magnets fabricated with YAG laser ablation system
doi:10.1016/j.jmmm.2003.12.904 e1909

N. Talijan, V. Ćosović, J. Stajić-Trošić and T. Žák
Phase composition and magnetic properties of melt-spun Nd–Fe–B alloy
doi:10.1016/j.jmmm.2003.12.1331 e1911

C. Sarafidis, O. Kalogirou, T. Bakas and M. Gjoka
^{57}Fe Mössbauer spectroscopic studies of the magnetic anisotropy and spin reorientations in $Nd_3(Fe_{1-x}Co_x)_{27.7}Ti_{1.3}$ ($0 \leqslant x \leqslant 0.4$)
doi:10.1016/j.jmmm.2003.12.556 e1913

Y.B. Kim, S.H. Cho, H.T. Kim, K.S. Ryu, S.H. Lee, K.H. Lee and G.A. Kapustin
Effects of buffer layer temperature on the magnetic properties of NdFeB thin film magnets
doi:10.1016/j.jmmm.2003.12.905 e1917

S.S. Makridis, G. Litsardakis, K.G. Efthimiadis, S. Höfinger, J. Fidler and D. Niarchos
Sm(Co, Fe, Cu, Zr, C)$_{8.2}$ ribbons for high-temperature magnets doi:10.1016/j.jmmm.2003.12.457 e1921

H.T. Kim, S.H. Cho, Y.B. Kim, K.S. Ryu, G.A. Kapustin and H.S. Kim
NdFeB thin anisotropic magnets obtained by hot working process doi:10.1016/j.jmmm.2003.12.906 e1925

J.J. Wysłocki, P. Pawlik, W. Kaszuwara and M. Leonowicz
Magnetic properties and intrinsic magnetic parameters of nanocrystalline Sm–Fe–N magnets
doi:10.1016/j.jmmm.2003.12.471 e1929

J.J. Wysłocki, O.I. Bodak, A. Przybył, K. Pawlik and I. Wnuk
Magnetocrystalline anisotropy constants, magnetic domain structure and intrinsic magnetic material parameters of Sm–Mn–Co system
doi:10.1016/j.jmmm.2003.12.373 e1931

M. Nakano, K. Matsuo, H. Fukunaga and J.M. Song
Order/disorder phase composite Fe–Pt film magnets prepared by RF sputtering
doi:10.1016/j.jmmm.2003.12.907 e1933

K. Khlopkov, O. Gutfleisch, R. Schäfer, D. Hinz, K.-H. Müller and L. Schultz
Interaction domains in die-upset NdFeB magnets in dependence on the degree of deformation
doi:10.1016/j.jmmm.2003.12.1102 e1937

F. Yıldız, O. Yalın, M. Özdemir, B. Aktaş, Y. Köseoğlu and J.S. Jiang
Magnetic properties of Sm–Co/Fe exchange spring magnets doi:10.1016/j.jmmm.2003.12.1057 e1941

M. Marinescu and H. Chiriac
Anomalous magnetic relaxation in rapidly quenched Nd–Fe–B ribbons doi:10.1016/j.jmmm.2003.12.908 e1943

S. Sério, J.C. Waerenborgh, M. Almeida, M.M. Cruz and M. Godinho
Magnetic properties of YFe_xAl_{12-x}
doi:10.1016/j.jmmm.2003.12.909 e1947

E. Olivetti, E. Ferrara, P. Tiberto and M. Baricco
Magnetic and structural characterisation of partially amorphous $Nd_{70}Fe_{20}Al_{10}$
doi:10.1016/j.jmmm.2003.12.525 e1949

Chapter 26. Interdisciplinary

J.P.M. Godoy Morais, R.B. Azevedo, L.P. Silva, Z.G.M. Lacava, S.N. Báo, O. Silva, F. Pelegrini, C. Gansau, N. Buske, I. Safarik, M. Safarikova and P.C. Morais

Magnetic resonance investigation of magnetic-labeled baker's yeast cells 2400

S. Kückelhaus, S.C. Reis, M.F. Carneiro, A.C. Tedesco, D.M. Oliveira, E.C.D. Lima, P.C. Morais, R.B. Azevedo and Z.G.M. Lacava
In vivo investigation of cobalt ferrite-based magnetic fluid and magnetoliposomes using morphological tests 2402

A.C. Tedesco, D.M. Oliveira, Z.G.M. Lacava, R.B. Azevedo, E.C.D. Lima and P.C. Morais
Investigation of the binding constant and stoichiometry of biocompatible cobalt ferrite-based magnetic fluids to serum albumin 2404

M.H.A. Guedes, M.E.A. Guedes, P.C. Morais, M.F. Da Silva, T.S. Santos, J.P. Alves Jr., C.E. Bertelli, R.B. Azevedo and Z.G.M. Lacava
Proposal of a magnetohyperthermia system: preliminary biological tests 2406

S.V. Gorobets, O.Y. Gorobets and S.A. Reshetnyak
Permanent magnetic field as an accelerator of chemical reaction and an initiator of rotational motion of electrolyte flows near thin steel wire 2408

V. Bar'yakhtar, Y. Gorobets and O. Gorobets
Velocity distribution in electrolyte in the vicinity of a metal cylinder in a steady magnetic field 2410

S. Gorobets, O. Gorobets, A. Ukrainetz, T. Kasatkina and I. Goyko
Intensification of the process of sorption of copper ions by yeast of *Saccharomyces cerevisiae* 1968 by means of a permanent magnetic field 2413

F.E. Atalay
The effect of nickel electrodeposition on magnetic properties of CoFeSiB amorphous wire 2415

A. Ślawska-Waniewska, E. Mosiniewicz-Szablewska, N. Nedelko, J. Gałązka-Friedman and A. Friedman
Magnetic studies of iron-entities in human tissues 2417

M. Gómez-Paccard, G. McIntosh, V. Villasante, M.L. Osete, J. Rodriguez-Fernández and J.C. Gómez-Sal
Low-temperature and high magnetic field measurements of atmospheric particulate matter 2420

O. Mykhaylyk, G. Török, O. Dudchenko, O. Stavinska, N. Dudchenko and F. Steinberg
On the magnetic ordering of the iron storage proteins in tissues 2422

R.N. Pérez Bruzón, M.J. Azanza, A.C. Calvo and A. del Moral
Neurone bioelectric activity under magnetic fields of variable frequency in the range of 0.1–80 Hz 2424

C. Matsuoka, T. Ishida, T. Maehara and K. Konishi
Numerical study of temperature distribution in tissue for thermal coagulation therapy 2426

K. Konishi, T. Maehara, T. Kamimori, H. Aono, T. Naohara, H. Kikkawa, Y. Watanabe and K. Kawachi
Heating ferrite powder with AC magnetic field for thermal coagulation therapy 2428

S. Franz, P.L. Cavallotti, M. Bestetti, V. Sirtori and L. Lombardi
Electrodeposition of cobalt platinum alloys micromagnets 2430

S.-J. Lee, J.-R. Jeong, S.-C. Shin, J.-C. Kim, Y.-H. Chang, Y.-M. Chang and J.-D. Kim
Nanoparticles of magnetic ferric oxides encapsulated with poly(D,L latide-co-glycolide) and their applications to magnetic resonance imaging contrast agent 2432

L.M. Lacava, V.A.P. Garcia, S. Kückelhaus, R.B. Azevedo, N. Sadeghiani, N. Buske, P.C. Morais and Z.G.M. Lacava
Long-term retention of dextran-coated magnetite nanoparticles in the liver and spleen 2434

N.D. Nikolic, H. Wang, H. Cheng, C.A. Guerrero and N. Garcia
Influence of the magnetic field and magnetoresistance on the electrodeposition of Ni nanocontacts in thin films and microwires 2436

V. Heresanu, R. Ballou and P. Molho
Influence of the morphology on the magnetism of iron arborescences 2439

D.E. Creanga, A. Poiata, V.V. Morariu and P. Tupu
Zero-magnetic field effect in pathogen bacteria 2442

A.Ye. Yermakov, T.A. Feduschak, V.S. Sedoi, M.A. Uimin and A.A. Mysik
Magneto-modified catalyst on the base of nanocrystalline CuO 2445

N.S. Perov, P.M. Sheverdyaeva and M. Inoue
Investigations of the magnetic field effect on electrochemical processes 2448

List of Contributors 2451

Subject index to volumes 272–276 2477